

Northumbria Research Link

Citation: Onishchenko, O. G., Pokhotelov, O. A., Horton, W., Scullion, Eamon and Fedun, V. (2016) Response to "Comment on 'Large-scale Alfvén vortices'". Physics of Plasmas, 23 (3). 034704. ISSN 1070-664X

Published by: American Institute of Physics

URL: <http://dx.doi.org/10.1063/1.4942764> <<http://dx.doi.org/10.1063/1.4942764>>

This version was downloaded from Northumbria Research Link:
<http://nrl.northumbria.ac.uk/id/eprint/36247/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)

Response to “Comment on ‘Large-scale Alfvén vortices’” [Phys. Plasmas 23, 034703 (2016)]

Cite as: Phys. Plasmas 23, 034704 (2016); <https://doi.org/10.1063/1.4942764>

Submitted: 18 January 2016 . Accepted: 10 February 2016 . Published Online: 10 March 2016

O. G. Onishchenko, O. A. Pokhotelov, W. Horton , E. Scullion, and V. Fedun 



View Online



Export Citation



CrossMark

ARTICLES YOU MAY BE INTERESTED IN

Large-scale Alfvén vortices

Phys. Plasmas 22, 122901 (2015); <https://doi.org/10.1063/1.4936978>

Comment on “Large-scale Alfvén vortices” [Phys. Plasmas 22, 122901 (2015)]

Phys. Plasmas 23, 034703 (2016); <https://doi.org/10.1063/1.4942763>

Drift-Alfvén vortices at the ion Larmor radius scale

Phys. Plasmas 15, 022903 (2008); <https://doi.org/10.1063/1.2844744>



ULVAC

Leading the World with Vacuum Technology

- Vacuum Pumps
- Arc Plasma Deposition
- RGAs
- Leak Detectors
- Thermal Analysis
- Ellipsometers

Response to “Comment on ‘Large-scale Alfvén vortices’” [Phys. Plasmas 23, 034703 (2016)]

O. G. Onishchenko,^{1,2,a)} O. A. Pokhotelov,^{1,b)} W. Horton,^{3,c)} E. Scullion,^{4,d)} and V. Fedun^{5,e)}

¹*Institute of Physics of the Earth, 10 B. Gruzinskaya, 123242 Moscow, Russian Federation*

²*Space Research Institute, 84/32 Profsovnaya Str., 117997 Moscow, Russian Federation*

³*Department of Physics and Institute for Fusion Studies, The University of Texas at Austin, Texas 78712, USA*

⁴*School of Physics, Trinity College Dublin, Dublin 2, Ireland*

⁵*Department of Automatic Control and Systems Engineering, University of Sheffield, Sheffield S13JD, United Kingdom*

(Received 18 January 2016; accepted 10 February 2016; published online 10 March 2016)

[<http://dx.doi.org/10.1063/1.4942764>]

In response to Kaladze comments on the paper,¹ we note the following. Eq. (16), i.e., $\varphi = v_A A$ serves as the solution of Eqs. (14) and (15) and apparently *both the linear and nonlinear terms* cancel each other. This is clearly demonstrated in our paper. In contrast to this statement, Kaladze comments that nonlinear terms are canceled whereas the linear terms remain. This statement contradicts with original assumption. Certainly, obtained solution of Eqs. (14) and (15) is not unique. For example, the same is true for well known dipole vortex solution in case of dispersive Alfvén wave. In our paper, we discussed this point at the last part of the second and at the beginning of the third pages. Additionally, φ should satisfy a number of conditions. First, the solution of the system of Eqs. (14) and (15) must be bounded and exponentially localised in the radial direction. Second, solution should satisfy the conditions of quasi-neutrality equation (18) and energy conservation equation (20). The obtained formulae ((16), (17), (20), and (26)) and Figs. 1–3 describe interconnected vortical magnetic fields and field-aligned electric fields.

Kaladze bears in mind one dimensional nonlinear structures of Alfvén waves. Such structures are really the subject of wave breaking if the nonlinear effects due to the scalar

nonlinearity exceed those due to parallel dispersion. This is completely different structures termed one dimensional solitons which have a different geometry and nonlinear structure than our localised vortex structure, i.e., vortices of Alfvén waves studied in our paper. Thus, we consider the comments of Kaladze irrelevant and his conclusions erroneous.

The research published in “Large-scale Alfvén vortices” was partially supported by the Program of the Russian Academy of Sciences No. 7, and by RFBR through Grant Nos. 14-05-00850 and 15-05-07623. W.H. is supported by NSF Grant No. 0964692 at the University of Texas at Austin and the University of Aix-Marseille/CNRS; U.S. Department of Energy Office of Fusion Energy Sciences under Award No. DE-FG02-04ER-54742. V.F. would like to acknowledge STFC and The Royal Society for the support received. E.S. is a Government of Ireland post-doctoral research fellow supported by the Irish Research Council under Grant No. GOIPD/2013/308.

¹O. Onishchenko, O. Pokhotelov, W. Horton, E. Scullion, and V. Fedun, *Phys. Plasmas* **22**, 122901 (2015).

^{a)}Electronic address: onish@ifz.ru

^{b)}Electronic address: pokh@ifz.ru

^{c)}Electronic address: wendell.horton@gmail.com

^{d)}Electronic address: scullie@tcd.ie

^{e)}Electronic address: v.fedun@sheffield.ac.uk