Northumbria Research Link

Citation: Labarbe, Joris and Kirillov, Oleg (2021) Radiation-induced instability of a membrane interacting with a uniformly moving free surface flow of finite depth. In: 25th International Congress of Theoretical and Applied Mechanics – Book of Abstracts. IUTAM, pp. 1459-1460. ISBN 9788365550316

Published by: IUTAM

URL: https://iutam.org/publications/ictam-proceedings/ <https://iutam.org/publications/ictam-proceedings/>

This version was downloaded from Northumbria Research Link: https://nrl.northumbria.ac.uk/id/eprint/47034/

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: http://nrl.northumbria.ac.uk/policies.html

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)









P108049 - FM17 - Waves in Fluids - Poster

RADIATION-INDUCED INSTABILITY OF A MEMBRANE INTERACTING WITH A UNIFORMLY MOVING FREE SURFACE FLOW OF FINITE DEPTH

Joris Labarbe¹and Oleg N. Kirillov¹

¹Northumbria University, NE1 8ST Newcastle upon Tyne, UK

<u>Summary</u> In a recent study [1], we investigate the motion of waves emitted due to flutter of an elastic membrane being at the bottom of a uniform horizontal potential flow of an inviscid and incompressible fluid of finite depth with free surface. The membrane is rigidly fixed at both extremities and placed at the center of a solid floor. The membrane has an infinite span in the direction perpendicular to the direction of the flow and a finite width along the flow axis. In the case where the length of the membrane is supposed infinite, we managed to derive a full dispersion relation that is valid for arbitrary depth of the fluid layer and find conditions for the flutter of the membrane due to emission of surface gravity waves. We describe this radiation-induced instability by means of the wave energy of the flow related to the concept of negative energy waves and study its relation to the anomalous Doppler effect. An extension to the case of a membrane with finite chord is also subject of a discussion in terms of stability, despite the more complex settings and analysis involved.

MEMBRANE FLUTTER DUE TO SURFACE GRAVITY WAVES EMISSION

Flutter of membranes is a classical subject for at least seven decades. Membranes submerged in a compressible gas flow and their flutter at supersonic speeds have been considered already in the works [2, 3]. Recent works on the membrane flutter are motivated by such diverse applications as stability of membrane roofs in civil engineering [4], flutter of traveling paper webs [5] and aerodynamics of sails and membrane wings of natural flyers [6, 7].

Surface gravity waves on a motionless fluid of finite depth is a classical subject as well, going back to the seminal studies of Russell and Kelvin [8]. Numerous generalizations are known taking into account, for instance, a uniform or a shear flow and surface tension [9], flexible bottom or a flexible plate resting on a free surface [10]. The latter setting has a straightforward motivation in dynamics of sea ice and a less obvious application in analogue gravity experiments [8].

Remarkably, another phenomenon that is being analysed from the analogue gravity perspective is super-radiance [8] and its particular form, discovered by Ginzburg and Frank [11], known as the anomalous Doppler effect (ADE) [12, 13]. In electrodynamics, the ADE manifests itself when an electrically neutral overall particle, endowed with an internal structure, becomes excited and emits a photon during its uniform but superluminal motion through a medium, even if it started the motion in its ground state; the energy source is the bulk motion of the particle [12].

Anomalous Doppler effect in hydrodynamics was demonstrated for a mechanical oscillator with one degree of freedom, moving parallel to the boundary between two incompressible fluids of different densities [14]. It was shown that the oscillator becomes excited due to radiation of internal gravity waves if it moves sufficiently fast. In [15] the ADE for such an oscillator was demonstrated due to radiation of surface gravity waves in a layer of an incompressible fluid.

Nemtsov [16] was the first who considered flutter of an elastic membrane being on the bottom of a uniform horizontal flow of an inviscid and incompressible fluid as an anomalous Doppler effect due to emission of long surface gravity waves. In the shallow water approximation, he investigated both the case of a membrane that spreads infinitely far in both horizontal directions and the case when the width of the membrane in the direction of the flow is finite whereas the span in the perpendicular direction is infinite. Nevertheless, the case of the flow of arbitrary depth has not been studied in [16] as well as no numerical computation supporting the asymptotical results has been performed. Another issue that has not been addressed in [16] is the relation of stability domains for the membrane of the finite width to that for the membrane of the infinite width.

Vedeneev studied flutter of an elastic plate of finite and infinite widths on the bottom of a uniform horizontal flow of a compressible gas occupying the upper semi-space. He performed analysis of the relation of stability conditions for the finite plate with that for the infinite plate using the method of global stability analysis by Kulikovskii [17, 18]. However, no connection has been made to the ADE and the concept of negative energy waves.

In the present work [1] we reconsider the setting of Nemtsov in order to address the finite height of the fluid layer as it is presented in FIG. 1. We managed in that setting to derive a full dispersion relation for the case of infinite membrane and find the flutter domains in the parameter space. Using perturbation of multiple roots of the dispersion relation, we analyze the character of the instability to determine the wave motion due to flutter of the membrane. We also investigate dependence of the flutter onset on the width of the membrane and we seek relations with the infinite membrane case by using a numerical model developped in [19] and new expressions for the pressure and the potential of the fluid derived in this work. Finally, we will explain the instabilities via the interaction of positive and negative energy waves by finding explicit formulations of kinetic and potential energy of the flow, and relate these results to the anomalous Doppler effect.





Figure 1: Sketch of the system considered.

References

- [1] Labarbe, J. and Kirillov, O. N. 2020. Membrane flutter induced by radiation of surface gravity waves on a uniform flow. J. Fluid Mech., 901, A4.
- [2] Benjamin T. B. (1963) The threefold classification of unstable disturbances in flexible surfaces bounding inviscid flows. J. Fluid Mech., 16: 436–450.
- [3] Bolotin V. V. (1963) Nonconservative Problems of the Theory of Elastic Stability. Pergamon Press, Oxford.
- [4] Sygulski R. (2007), Stability of membrane in low subsonic flow. Int. J. Non-Linear Mech., 42(1): 196–202.
- [5] Banichuk N., Barsuk A., Jeronen J., Tuovinen T., Neittaanmäki P. (2019) Stability of Axially Moving Materials, Springer, Berlin.
- [6] Newman B. G., Paidoussis M. P. (1991) The stability of two-dimensional membranes in streaming flow. J. of Fluids and Struct. 5: 443-454.
- [7] Tiomkin S., Raveh D. E. (2017) On the stability of two-dimensional membrane wings. J. Fluids Struct., 71: 143-163.
- [8] Carusotto I., Rousseaux G. (2013) The Cerenkov Effect Revisited: From Swimming Ducks to Zero Modes in Gravitational Analogues. In: Faccio D., Belgiorno F., Cacciatori S., Gorini V., Liberati S., Moschella U. (eds) Analogue Gravity Phenomenology. Springer, Cham.
- [9] Maissa P., Rousseaux G., Stepanyants Y. (2016) Negative energy waves in a shear flow with a linear profile. Eur. J. Mech. B/Fluids, 56: 192–199.
- [10] Das S., Sahoo T., Meylan M. H. (2018) Dynamics of flexural gravity waves: from sea ice to Hawking radiation and analogue gravity. Proc. R. Soc. A 474: 20170223.
- [11] Ginzburg V. L., Frank I. M. (1947) On the Doppler effect at the superluminal velocity. Dokl. Akad. Nauk SSSR 56: 583-586.
- [12] Bekenstein J. D., Schiffer M. (1998) The many faces of superradiance. Phys. Rev. D 58: 064014.
- [13] Nezlin M. V. (1976) Negative-energy waves and the anomalous Doppler effect. Sov, Phys. Uspekhi 19: 946–954.
- [14] Gaponov-Grekhov A. V., Dolina I. S., Ostrovskii L. A. (1983) The anomalous Doppler effect and the radiation instability of oscillator motion in hydrodynamics, *Doklady Akad. Nauk SSSR* 268(4): 827–831. In Russian.
- [15] Abramovich B. S., Mareev E. A., Nemtsov B. E. (1986) Instability in the oscillations of a moving oscillator while it radiates surface and internal waves. *Fluid Dynamics* 21(1): 147–149.
- [16] Nemtsov B. E. (1986) Flutter effect and emission in the region of anomalous and normal Doppler effects. *Radiophys. Quant. Elect.*, 28(12): 1076–1079.
- [17] Doaré O., de Langre E. (2006) The role of boundary conditions in the instability of one-dimensional systems, Eur. J. Mech. B/Fluids, 25: 948–959.
- [18] Vedeneev V. V. (2016) On the application of the asymptotic method of global instability in aeroelasticity problems. Proc. Steklov Inst. Math. 295: 274–301.
- [19] Vedeneev V. V. (2012) Pannel flutter at low supersonic speeds. J. of Fluids and Struct. 29: 79-96.