Northumbria Research Link

Citation: Al Maqbali, Mohammed, Albadi, Khalid, Al Sinani, Mohammed, Madkali, Norah and Dickens, Geoffrey (2022) Clinical Features of COVID-19 Patients in the First Year of Pandemic: A Systematic Review and Meta-Analysis. Biological Research for Nursing, 24 (2). pp. 172-185. ISSN 1099-8004

Published by: SAGE

URL: <https://doi.org/10.1177/10998004211055866>
<<https://doi.org/10.1177/10998004211055866>>

This version was downloaded from Northumbria Research Link:
<http://nrl.northumbria.ac.uk/id/eprint/47470/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)

Clinical Features of COVID-19 Patients in the first year of pandemic: A Systematic Review and Meta-Analysis

Authors

No	Author	Credentials	Titles	Author affiliations
1	Mohammed ALMAQBALI	RN., Dip.Admin., B.Sc. (Hons)., M.Sc. PhD., AFHEA	Research Fellow	Department of Nursing Midwifery and Health, Northumbria University, Newcastle-Upon-Tyne, UK
2	Khalid ALBADI	B.Sc., MBA. PhD	Assistant Professor	¹ Al Buraimi University College Oman ² Al Khawarizmi International College UAE ³ Ministry of Health - Oman
3	Mohammed ALSINANI	RD., B.Sc. (Hons)., M.Sc.	PhD Student	Reproductive and Developmental Biology Department of Surgery and Cancer, Faculty of Medicine, Imperial College London, London, UK.
4	Norah Madkhali	B.Sc. (Hons)., RN., M.Sc., PhD	Assistant Professor	Jazan University- Saudi Arabia
5	Geoffrey Dickens	PhD MA (Distinction) BSc (Hons) PGCert (Research & Practice Development) RMN	Professor	¹ Mental Health Nursing Department of Nursing, Midwifery and Health Faculty of Health and Life Sciences, Northumbria University, Newcastle-Upon-Tyne, UK. ² Adjunct Professor Western Sydney University

Running Title: Clinical Features of COVID-19 Patients

Disclosures and Acknowledgement:

The authors certify that there is no actual or potential conflict of interest in relation to this article.

Corresponding Author:

Mohammed Al Maqbali
Department of Nursing Midwifery and Health,
Northumbria University,
Newcastle-Upon-Tyne, UK
NE7 7XA
Tel: +447491432599
E-mail: mohammed.maqbali@northumbria.ac.uk; mhamedan@hotmail.com
iD: <https://orcid.org/0000-0003-2023-5627>

Abstract

Background

The new coronavirus disease (COVID-19) carries a high risk of infection and has spread rapidly around the world. However, there are limited data about the clinical symptoms globally. The purpose of this systematic review and meta-analysis is to identify the prevalence of the clinical symptoms of patient with COVID-19.

Methods

A systematic review and meta-analysis were carried out. The following databases were searched: PubMed, CHINAL, MEDLINE, EMBASE, PsycINFO, MedRxiv and Google Scholar, from December 1st 2019 to January 1st 2021. Prevalence rates were pooled with meta-analysis using a random-effects model. Heterogeneity was tested using I-squared (I^2) statistics.

Results

A total of 215 studies, involving 132,647 COVID-19 patients, met the inclusion criteria. The pooled prevalence of the 4 most common symptoms were fever 76.2% (n = 214; 95% CI 73.9-78.5); coughing 60.4% (n = 215; 95% CI 58.6-62.1); fatigue 33.6% (n = 175; 95% CI 31.2-36.1); and dyspnea 26.2% (n = 195; 95% CI 24.1-28.5). Other symptoms from highest to lowest in terms of prevalence include expectorant (22.2%), anorexia (21.6%), myalgias (17.5%), chills (15%), sore throat (14.1%), headache (11.7%), nausea or vomiting (8.7%), rhinorrhea (8.2%), and hemoptysis (3.3%). In subgroup analyses by continent, it was found that 4 symptoms have a slight prevalence variation - fever, coughing, fatigue and diarrhea.

Conclusion

This meta-analysis found the most prevalent symptoms of COVID-19 patients were fever, coughing, fatigue and dyspnea. This knowledge might be beneficial for the effective treatment and control of the COVID-19 outbreak. Additional studies are required to distinguish between symptoms during and after, in patients with COVID-19.

Keywords: COVID-19; Clinical Symptoms; Systematic Review; Meta-Analysis

At the end of December 2019, a new coronavirus disease (COVID-19) emerged in Wuhan City, Hubei province, China, and subsequently spread worldwide (Li et al., 2020). COVID-19 is a serious threat to human health. On 30th January, 2020, the World Health Organization (WHO) declared a public health emergency and named COVID-19 a pandemic (World Health Organization, 2020). Almost all countries and regions around the world have reported confirmed cases of COVID-19. Globally, the WHO reported more than 165 million confirmed cases worldwide, with nearly 3 million deaths as of 22nd May, 2021 (WHO, 2021). Identifying the main clinical symptoms is essential for early detection and for the isolation of infected patients.

A large number of studies have been published aiming to identify the clinical features of COVID-19. Several systematic reviews and meta-analyses have been published which have assessed the prevalence of baseline clinical characteristic and associated factors (Fu et al., 2020; Ghayda et al., 2020; Grant et al., 2020; Li, Huang, et al., 2020; Rodriguez-Morales et al., 2020; Sun et al., 2020; Wan et al., 2020; Yang et al., 2020; Zhu et al., 2020). While such reviews are helpful, they have included relatively few studies. Moreover, a limitation was observed in those reviews in terms of geographical location and the sample characteristics included. Even though there have been a large number of publications, there is a need for an in-depth understanding of the clinical symptoms of COVID-19 which can help in tackling this pandemic and preventing future outbreaks of infectious diseases. Therefore, the aim of this study was to conduct a systematic review and meta-analysis to assess the prevalence of the symptoms associated with COVID-19.

Methods

This systematic review and meta-analysis were undertaken according to the PRISMA standards.

Search Strategy

A systematic literature search for the period between December 1st 2019 and January 1st 2021, was conducted using the following databases: PubMed, CHINAL, MEDLINE, EMBASE, PsycINFO, MedRxiv, and Google Scholar. Search terms used both free text words and medical subject headings, i.e. MeSH terms, to search for papers to be included in the review; that is (MH " COVID-19") OR (MH " coronavirus disease 2019") OR (MH " severe acute respiratory syndrome coronavirus 2") OR (MH " SARS-CoV-2") OR (MH "2019 novel coronavirus ") OR (MH "2019-nCoV") OR (MH "coronavirus") OR (MH "corona virus") OR "Wuhan pneumonia"OR "COVID " OR "Betacoronavirus" OR "Alphacoronavirus" OR "coronavir*" AND (MH "clinical characteristics") OR (MH " symptomatology") OR (MH " Features") OR (MH "Symptom*") OR "signs ". In addition, the reference lists of the retrieved studies and review articles were screened to identify any further studies.

Study Selection

Two investigators (MM; SM) performed the search, scrutinizing all titles and abstracts for eligibility against the inclusion and exclusion criteria. Any disagreements were resolved by discussion with a third investigator (KB). Studies were included in the review based on the following inclusion criteria: (1) diagnosed with COVID-19; (2) reported prevalence of clinical symptoms; (3) subjects aged 15 or older; (4) all types of settings; (5) cross-sectional or cohort surveys (only the baseline data were extracted); and (6) sample size greater than 40 to avoid selection bias from small studies. The exclusion criteria were: (1) protocol papers, and conference abstracts; and (2) case reports and studies with a sample size of less than 40. For any additional information, the study authors were contacted.

Quality Assessment

Upon retrieval of the applicable studies, quality assessment was completed using the Newcastle-Ottawa Scale (NOS; Well et al., 2020). This scale consists of 8 items that evaluate non-randomized studies in terms of 3 criteria: the selection of the participants, the comparability

of study groups, and outcome assessment. The NOS uses a score system with the lowest possible score of 0 and the highest possible score of 9. The total points awarded indicate the overall quality of the study. A study was determined to be of low risk of bias when the score was 7-9, of moderate risk of bias if the score was 5-6, and of high risk of bias if the score was 0-4 (Li & Katikireddi, 2019).

Data Analyses

The mean point of prevalence, the odds ratio (OR) with a 95% Confidence Interval (CI), was calculated as the effect size by using a random-effects model. Heterogeneity was tested using I-squared (I^2) statistics. A value of I^2 was considered to be low in terms of heterogeneity with 0-25%, moderate with 25-50% and high with 50-75% (Higgins et al., 2003). The variation in terms of the prevalence of continent, NOS, and month of conducting the study, were assessed by subgroup analyses if there were more than 4 studies in a subgroup. Meta-regression analyses were performed for moderating continuous variables (mean age, male gender, and comorbidities). A sensitivity analysis was performed by removing one study at a time to evaluate the impact of the pooled prevalence of the remaining studies (Patsopoulos et al., 2008).

Publication bias was estimated using Egger's linear regression test (Egger et al., 1997). A p value of less than 0.05 was considered as indicating statistical significance. Meta-analysis was conducted using the Comprehensive Meta-Analysis software, version 2.2 (Englewood, New Jersey, USA). Forest plots were constructed using a Microsoft Excel spreadsheet constructed by Neyeloff et al. (Neyeloff et al., 2012).

Results

The database search identified 4,365 papers. Of these, 4,018 papers were excluded during the title and abstract screening process. A further 132 papers were excluded during full text review for the following reasons: 34 papers were not conducted during the COVID-19 period; 9 did not give data about symptoms; 39 were duplicated papers; 50 were commentary, editorial or

letter papers. As such, 215 studies were identified as being eligible for meta-analysis (Figure 1 shows the PRISMA flow chart).

General Characteristics

Two hundred and fifteen studies, involving 132,647 COVID-19 patients, were included in this meta-analysis. All studies were conducted between January 2020 and June 2020: 7 in January, 112 in February, 50 in March, 28 in April, 15 in May, and 3 in June. Seventeen preprint studies (Chen et al., 2020; Chen et al., 2020; Duan et al., 2020; Fu et al., 2020; Kuang et al., 2020; Li, Zhang, et al., 2020; Liu et al., 2020; Nie et al., 2020; Qi et al., 2020; Qi et al., 2020; Qin et al., 2020; Shi et al., 2020; Song et al., 2020; Tao et al., 2020; Wen et al., 2020; Xu et al., 2020; Zhao et al., 2020) were included in the analysis. All the studies included in this meta-analysis were of retrospective design. The vast majority (n = 208 studies) used polymerase chain reaction (PCR) to diagnose COVID-19 and 2 studies (Ke et al., 2020; Xie et al., 2020) used a combination of PCR and antibody tests. Five studies (Chen et al., 2020; Han et al., 2020; Xiao et al., 2020; Zheng et al., 2020; Zhou et al., 2020) did not give information about diagnostic criteria.

One hundred and fifty-one studies originated from China, 16 from the USA, 6 from Spain, 5 from Iran, 4 each from Italy, Korea, and the UK, 3 each from Belgium, France, the Kingdom of Saudi Arabia and Kuwait, 2 from Jordan, and 1 from each of the following: Bangladesh, Bulgaria Canada, Germany, Japan, Netherlands, Pakistan, Poland, Singapore, Somalia and Turkey (See Supplementary Table 1 for the general characteristics of the studies).

Quality Assessment

The studies were assessed using the NOS checklist. Thirty-nine studies were classified as having a low risk of bias, and 166 as moderate risk. The detailed results of the quality assessment of the studies included in this meta-analysis are listed in Supplementary Table 2.

Demographic and Comorbidity Characteristics

The mean age of patients among 191 studies was 54.26 years (95% CI 52.64-55.87). All meta-analyses of prevalence estimates that in terms of the gender distribution of COVID-19, male patients accounted for 53.1% (71,194/132,546 participants, 95% CI 51.9-54.2). One hundred and ninety-three studies provided information about comorbidities. The most frequent comorbidities among patient were hypertension 26.8% (32,925/93,909 participants, 95% CI 24.7-29.1), followed by diabetes with 13.4% (18,372/124,199, 95% CI 12.4-14.4).

Fever

Fever was estimated to occur in 214 studies. The overall pooled point estimates of prevalence for fever varied between 7.5% and 99.1%. All meta-analyses of prevalence estimates of fever reported by the 214 studies yielded a summary prevalence of 76.2% (84,823/132,436 participants, 95% CI 73.9-78.5) (Figure 2) (See Table 1). In the subgroup analyses by continent in terms of where the study was conducted, the pooled prevalence of fever was 71.7% in Asia, 68.2% in Europe, and 51.5% in North America. The pooled prevalence of fever was highest in February (82.5%) followed by January with 81.2% in (See Table 2).

Coughing

Coughing was identified in 215 studies. The overall pooled point estimates of the prevalence of coughing varied between 16% and 93.3%. All meta-analyses of prevalence estimates of coughing reported by the 215 studies yielded a summary prevalence of 60.4% (73,778/132,647 participants, 95% CI 58.6-62.1). A subgroups analysis by continent showed a coughing prevalence of 57.7% for North America, 54.7% for Asia, and 49% for Europe.

Fatigue

Fatigue was estimated in 175 studies. The overall pooled point estimates of prevalence for fatigue varied between 3.4% and 90.6%. All meta-analyses of prevalence estimates of fatigue reported by the 175 studies yielded a summary prevalence of 33.6% (28,306/78,973 participants,

95% CI 31.2-36.1). The pooled prevalence rates with regard to fatigue were 45.7% for Europe, 36.7% for North America, and 31.7% for Asia.

Dyspnea

Dyspnea was estimated in 195 studies. The overall pooled point estimates of prevalence for dyspnea varied between 1% and 99%. All meta-analyses of the prevalence estimates of dyspnea reported by the 195 studies yielded a summary prevalence of 26.2% (46,681/127,715 participants, 95% CI 24.1-28.5). In the subgroup analyses by continent, the pooled prevalence of dyspnea was 42.4% for Europe, 41.6% for North America, and 22.5% for Asia. The pooled prevalence of dyspnea was highest in May (34.6%). In meta-regression analyses, the mean age and patients with respiratory disease were significantly associated with the dyspnea prevalence rate ($p < 0.001$).

Expectorant

Expectorant was estimated in 102 studies. The overall pooled point estimates of prevalence for expectorant varied between 2.2% and 56.5%. All meta-analyses of prevalence estimates of expectorant reported by the 102 studies yielded a summary prevalence of 22.2% (14,159/65,275 participants, 95% CI 20.1-24.4). A subgroups analysis by continent showed the expectorant prevalence of 29.8% for Asia and 17.5% for Europe.

Anorexia

Anorexia was estimated in 63 studies. The overall pooled point estimates of prevalence for anorexia varied between 3% and 86%. All meta-analyses of prevalence estimates of anorexia reported by the 63 studies yielded a summary prevalence of 21.6% (4,126/19,004 participants, 95% CI 18-25.8). In the subgroup analyses, the prevalence of anorexia was highest reported by most commonly found in studies from Europe with 39.5% compared to 20% for studies conducted in Asia. The male gender, hypertension and liver disease patients were significantly associated with the anorexia symptoms prevalence rate ($p < 0.05$).

Myalgias

Myalgias was estimated in 130 studies. The overall pooled point estimates of prevalence for myalgias varied between 0.8% and 65.3%. All meta-analyses of prevalence estimates of myalgias reported by the 130 studies yielded a summary prevalence of 17.5% (16,762/91,491 participants, 95% CI 15.3-19.8). In the subgroup analyses, the prevalence of myalgias was similarly reported by studies from Europe (36.7%) and North America (26.6%), whereas it was lower in Asia (15.4%). The pooled prevalence of myalgia was highest in April (30.6%).

Chills

Chills were estimated in 45 studies. The overall pooled point estimates of prevalence for chills varied between 1.6% and 53.3%. All meta-analyses of the prevalence estimates of chills reported by the 45 studies yielded a summary prevalence of 15% (2,728/17,303 participants, 95% CI 11.9-18.6).

Sore Throat

Sore throat was estimated in 80 studies. The overall pooled point estimates of prevalence for sore throat varied between 1.2% and 57.4%. All meta-analyses of prevalence estimates of sore throat reported by the 80 studies yielded a summary prevalence of 14.1% (5,389/41,810 participants, 95% CI 11.6-16.9). In the subgroup analyses, the highest prevalence of sore throat was in Europe (24.1%) and North America (21.6%) compared to studies conducted in Asia (12.3%). Pooled prevalence of sore throat was highest in April (25.4%).

Headache

Headache was estimated in 141 studies. The overall pooled point estimates of prevalence for headache varied between 1.5% and 75%. All meta-analyses of prevalence estimates of headache reported by the 141 studies yielded a summary prevalence of 12.1% (9,164/63,999 participants, 95% CI 10.3-14.3). A subgroup analysis by continent showed the headache

prevalence of 27.1% for Europe, 23.7% for North America, and 10.2% for Asia. The month of April showed the highest prevalence of headache (25.6%).

Diarrhea

Diarrhea was estimated in 186 studies. The overall pooled point estimates of prevalence for diarrhea varied between 1% and 50.3%. All meta-analyses of prevalence estimates of diarrhea reported by the 186 studies yielded a summary prevalence of 11.7% (14,008/95,345 participants, 95% CI 10.7-12.8). The prevalence of diarrhea in North America was 18.3%, in Europe 16.8%, and in Asia 16.7%. Male patients were significantly associated with the prevalence of diarrhea symptoms ($p = 0.03$).

Nausea or Vomiting

Nausea or vomiting was estimated in 95 studies. The overall pooled point estimates of prevalence for nausea or vomiting varied between 1% and 96.3%. All meta-analyses of prevalence estimates of nausea or vomiting reported by the 95 studies yielded a summary prevalence of 8.7% (4,093/41,319 participants, 95% CI 7.1-10.5). A subgroups analysis by continent showed that nausea or vomiting prevalence were highest North America (20.1%), compared to Europe (13.3%) and Asia (7.1%). In meta-regression analyses, patients with cardiovascular, renal and cerebrovascular disease were significantly associated with the nausea or vomiting prevalence rate ($p < 0.001$).

Rhinorrhea

Rhinorrhea was estimated in 76 studies. The overall pooled point estimates of prevalence for rhinorrhea varied between 0.2% and 60.1%. All meta-analyses of prevalence estimates of rhinorrhea reported by the 76 studies yielded a summary prevalence of 8.2% (3,452/30,150 participants, 95% CI 6.2-10.6). In the subgroup analyses, the prevalence of rhinorrhea was higher in both North America (28.4%) and Europe (25.1%), whereas in Asia it was reported as 5.9%.

Hemoptysis

Hemoptysis was estimated in 41 studies. The overall pooled point estimates of prevalence for hemoptysis varied between 0.1% and 41.4%. All meta-analyses of the prevalence estimates of hemoptysis reported by the 41 studies yielded a summary prevalence of 3.3% (12,578/49,942 participants, 95% CI 1.8-6.2).

Sensitivity Analysis

Sensitivity analysis was conducted with regard to all subgroups by excluding one study each time. This demonstrated that there were no differences in the overall estimation by more or less than 1%.

Publication Bias

Publication bias was assessed using Egger's regression test. Evidence of bias was found with regard to the following: Coughing ($n = 215$; $p < 0.001$); Fever ($n = 214$; $p < 0.001$); Dyspnea ($n = 195$; $p < 0.001$); Diarrhea ($n = 186$; $p < 0.001$); Fatigue ($n = 175$; $p = 0.01$); Headache ($n = 141$; $p < 0.001$); Nausea or Vomiting ($n = 95$; $p < 0.001$); Sore Throat ($n = 80$; $p = 0.01$); Rhinorrhea ($n = 76$; $p < 0.001$); Hemoptysis ($n = 41$; $p < 0.001$). On the other hand, Chills ($n = 186$; $p = 0.15$); Myalgias ($n = 130$; $p = 0.15$); Expectorant ($n = 102$; $p = 0.37$) and Anorexia ($n = 63$; $p = 0.18$) did not show the presence of publication bias.

Discussion

COVID-19 is viewed as a major threat to public health due to the incredible damage it is doing to the medical services and the economies of almost all countries across the global (Wiebers & Feigin, 2020). Given that it is a new infectious disease, assessing the clinical signs and symptoms of COVID-19 is imperative for early detection and for the isolation of infected patients in order to reduce the spread of the disease, and to identify appropriate management strategies. This meta-analysis has been undertaken to estimate the aggregate prevalence of clinical signs and symptoms of COVID-19 patients.

This meta-analysis found that there was a minor variation in terms of COVID-19 patients between male (53.7%) and female (46.3%). This is consistent with other meta-analyses that have found that there were slightly more male than female patients (Li, Huang, et al., 2020; Zhu et al., 2020). However, in contrast, a meta-analysis conducted by Peckham et al. (2020) involving 3,111,714 subjects, found no difference with regard to the number of males and females with COVID-19. This difference might be linked to sex hormones and X-linked genes that may inactivate immunity with regard to responses (Agrawal et al., 2020). Clearly, the gender disparity with regard to COVID-19 is not fully understood.

In this meta-analysis, the most frequently-reported clinical features of COVID-19 were fever, coughing, fatigue, and dyspnea (76.2%, 60.4%, 33.6%, and 26.2% respectively). These results are lower by between approximately 5% and 20% compared to other meta-analyses (Fu et al., 2020; Ghayda et al., 2020; Grant et al., 2020; Li, Huang, et al., 2020; Rodriguez-Morales et al., 2020; Sun et al., 2020; Wan et al., 2020; Yang et al., 2020; Zhu et al., 2020). For example, Yang et al. (2020) undertook a meta-analysis of 7 studies which included 1,576 COVID-19 patients, and found: fever (91%), coughing (67%), fatigue (51%), and dyspnea (30%). This could be explained by this meta-analysis including a relatively small sample of COVID-19 patients ranging from 656 (Rodriguez-Morales et al., 2020) to 50,466 (Sun et al., 2020). In contrast, the meta-analysis reported in this paper involved 132,647 COVID-19 patients, which might have caused these differences in symptom prevalence. Another possible reason is that 3 reviews (Ghayda et al., 2020; Li, Huang, et al., 2020; Zhu et al., 2020) included pediatric COVID-19 patients in their analysis. Ding et al. (2020) conducted a meta-analysis with 387 children diagnosed with COVID-19 and reported the prevalence of symptoms as follows: fever 51.2%, coughing 37%, dyspnea 4%, all of which are less frequent than is the case with adult patients. In our meta-analysis only those above 15 years of age were included.

The results of the current meta-analyses are even lower when compared with studies which reported symptoms at onset of fever, coughing, fatigue and dyspnea for the Middle East Respiratory Syndrome (MERS) and Severe Acute Respiratory Syndrome (SARS) epidemics (Assiri et al., 2016; Azhar et al., 2019; Cleri et al., 2010; Yin & Wunderink, 2018; Zhao et al., 2003). Furthermore, in sub-group analyses by continent, differences were found in the reported prevalence of symptoms. Studies conducted in Asia reported the highest prevalence of fever, expectorant, chills and hemoptysis. In Europe, fatigue, dyspnea, anorexia, myalgias, sore throat and headache were ranked as the most prevalent, whereas studies conducted in North America reported the highest prevalence of coughing, nausea or vomiting, and rhinorrhea. The prevalence of diarrhoea was approximately the same in three continents. This variation of the symptoms between continents may be explained by variations between the patients in terms of social conditions, environment, and geographical location.

The findings of this analysis suggested that 4 symptoms have slight variations in prevalence between the continents - fever, coughing, fatigue and diarrhea. However, it is recommended that every country should have its own symptoms list to evaluate patients.

The meta-regression analysis also revealed that male patients were significantly associated with a pooled estimation of anorexia, diarrhea, and nausea or vomiting. In addition, mean age and respiratory disease yielded a higher prevalence of dyspnea. These findings warrant further examination.

The major strength of this meta-analysis is the large sample size of over 132,647 subjects drawn from 215 studies which estimated the symptom onset of patients diagnosed with COVID-19. However, there are several potential limitations to this meta-analysis. First, this review searched medRxiv's preprint studies which, at the time of searching, were not peer reviewed. This might introduce publication bias. Second, there is a possibility that some studies have not been included in this meta-analysis, even though this analysis used different MeSH terms and

several databases. In addition, only studies published, unpublished or translated into English were included in this analysis. Third, around 151 of the studies originated from China, while the other 64 studies originated from 22 countries. Two studies from Spain included 25,615 subjects. Fourth, there were insufficient data available with regard to the demographic and clinical characteristics, so not all information could be eliminated thoroughly. Finally, all findings were derived from retrospective designs, which means that we cannot rule out selection bias.

This is a systematic review and meta-analysis reporting pooled estimates with regard to the prevalence of symptoms associated with COVID-19. Thus, the findings can be used to help healthcare professionals and policy makers identify and monitor patients as part of the early screening process of COVID-19 patients. This might help ensure the appropriate utilization of healthcare resources, which in turn might help to reduce the severity of the impact of COVID-19 and be beneficial when it comes to effective management and treatment.

Conclusion

This meta-analysis has been undertaken to estimate the aggregate prevalence of the clinical signs and symptoms of COVID-19 patients. This meta-analysis found that the most prevalent symptoms with regard to COVID-19 patients were fever, coughing, fatigue and dyspnea. This knowledge might be beneficial for the effective treatment and control of the COVID-19 pandemic. Additional studies are required to distinguish between symptoms during and after in patients with COVID-19.

References

- Agrawal, H., Das, N., Nathani, S., Saha, S., Saini, S., Kakar, S. S., & Roy, P. (2020). An Assessment on Impact of COVID-19 Infection in a Gender Specific Manner. *Stem Cell Reviews and Reports*. <https://doi.org/10.1007/s12015-020-10048-z>
- Assiri, A., Abedi, G. R., Saeed, A. A. B., Abdalla, M. A., al-Masry, M., Choudhry, A. J., Lu, X., Erdman, D. D., Tatti, K., Binder, A. M., Rudd, J., Tokars, J., Miao, C., Alarbash, H., Nooh, R., Pallansch, M., Gerber, S. I., & Watson, J. T. (2016). Multifacility Outbreak of Middle East Respiratory Syndrome in Taif, Saudi Arabia. *Emerging Infectious Diseases*, 22(1), 32. <https://doi.org/10.3201/eid2201.151370>
- Azhar, E. I., Hui, D. S. C., Memish, Z. A., Drosten, C., & Zumla, A. (2019). The Middle East Respiratory Syndrome (MERS). *Infectious Disease Clinics*, 33(4), 891–905. <https://doi.org/10.1016/j.idc.2019.08.001>
- Chen, F., Sun, W., Sun, S., Li, Z., Wang, Z., & Yu, L. (2020). Clinical characteristics and risk factors for mortality among inpatients with COVID-19 in Wuhan, China. *Clinical and Translational Medicine*. <https://doi.org/10.1002/ctm2.40>
- Chen, M., Fan, Y., Wu, X., Zhang, L., Guo, T., Deng, K., Cao, J., Luo, H., He, T., Gong, Y., Wang, H., Wan, J., Wang, X., & Lu, Z. (2020). *Clinical Characteristics and Risk Factors for Fatal Outcome in Patients With 2019-Coronavirus Infected Disease (COVID-19) in Wuhan, China* [SSRN Scholarly Paper]. <https://doi.org/10.2139/ssrn.3546069>
- Chen, Z., Hu, J., Zhang, Z., Jiang, S., Wang, T., Shi, Z., & Zhang, Z. (2020). Caution: The clinical characteristics of COVID-19 patients at admission are changing. *MedRxiv*, 2020.03.03.20030833. <https://doi.org/10.1101/2020.03.03.20030833>
- Cleri, D. J., Ricketti, A. J., & Vernaleo, J. R. (2010). Severe Acute Respiratory Syndrome (SARS). *Infectious Disease Clinics*, 24(1), 175–202. <https://doi.org/10.1016/j.idc.2009.10.005>

- Ding, Y., Yan, H., & Guo, W. (2020). Clinical Characteristics of Children With COVID-19: A Meta-Analysis. *Frontiers in Pediatrics*, 8. <https://doi.org/10.3389/fped.2020.00431>
- Duan, L., Zhang, S., Guo, M., Zhou, E., Fan, J., Wang, X., Wang, L., Wu, F., & Jin, Y. (2020). Epidemiological and clinical characteristics in patients with SARS-CoV-2 antibody negative probable COVID-19 in Wuhan. *MedRxiv*, 2020.06.18.20134619. <https://doi.org/10.1101/2020.06.18.20134619>
- Egger, M., Smith, G. D., Schneider, M., & Minder, C. (1997). Bias in meta-analysis detected by a simple, graphical test. *British Medical Journal*, 315(7109), 629–634. <https://doi.org/10.1136/bmj.315.7109.629>
- Fu, L., Wang, B., Yuan, T., Chen, X., Ao, Y., Fitzpatrick, T., Li, P., Zhou, Y., Lin, Y., Duan, Q., Luo, G., Fan, S., Lu, Y., Feng, A., Zhan, Y., Liang, B., Cai, W., Zhang, L., Du, X., ... Zou, H. (2020). Clinical characteristics of coronavirus disease 2019 (COVID-19) in China: A systematic review and meta-analysis. *Journal of Infection*, 80(6), 656–665. <https://doi.org/10.1016/j.jinf.2020.03.041>
- Fu, S., Fu, X., Song, Y., Li, M., Pan, P., Tang, T., Zhang, C., Jiang, T., Tan, D., Fan, X., Sha, X., Ma, J., Huang, Y., Li, S., Zheng, Y., Qian, Z., Xiong, Z., Xiao, L., Long, H., ... Ouyang, Y. (2020). Virologic and clinical characteristics for prognosis of severe COVID-19: A retrospective observational study in Wuhan, China. *MedRxiv*, 2020.04.03.20051763. <https://doi.org/10.1101/2020.04.03.20051763>
- Ghayda, R. A., Lee, J., Lee, J. Y., Kim, D. K., Lee, K. H., Hong, S. H., Han, Y. J., Kim, J. S., Yang, J. W., Kronbichler, A., Smith, L., Koyanagi, A., Jacob, L., & Shin, J. I. (2020). Correlations of Clinical and Laboratory Characteristics of COVID-19: A Systematic Review and Meta-Analysis. *International Journal of Environmental Research and Public Health*, 17(14). <https://doi.org/10.3390/ijerph17145026>

- Grant, M. C., Geoghegan, L., Arbyn, M., Mohammed, Z., McGuinness, L., Clarke, E. L., & Wade, R. G. (2020). The prevalence of symptoms in 24,410 adults infected by the novel coronavirus (SARS-CoV-2; COVID-19): A systematic review and meta-analysis of 148 studies from 9 countries. *PLoS ONE*, 15(6). <https://doi.org/10.1371/journal.pone.0234765>
- Han, Y., Liu, Y., Zhou, L., Chen, E., Liu, P., Pan, X., & Lu, Y. (2020). Epidemiological Assessment of Imported Coronavirus Disease 2019 (COVID-19) Cases in the Most Affected City Outside of Hubei Province, Wenzhou, China. *JAMA Network Open*, 3(4). <https://doi.org/10.1001/jamanetworkopen.2020.6785>
- Higgins, J. P. T., Thompson, S. G., Deeks, J. J., & Altman, D. G. (2003). Measuring inconsistency in meta-analyses. *British Medical Journal*, 327(7414), 557–560. <https://doi.org/10.1136/bmj.327.7414.557>
- Ke, C., Yu, C., Yue, D., Zeng, X., Hu, Z., & Yang, C. (2020). Clinical characteristics of confirmed and clinically diagnosed patients with 2019 novel coronavirus pneumonia: A single-center, retrospective, case-control study. *Medicina Clinica*, 155(8), 327–334. <https://doi.org/10.1016/j.medcli.2020.06.055>
- Kuang, Y., Zhang, H., Zhou, R., Lin, S., Lin, M., Wang, J., Pang, P., Ma, L., & Ji, W. (2020). *Epidemiological and Clinical Characteristics of 944 Cases of 2019 Novel Coronavirus Infection of Non-COVID-19 Exporting City, Zhejiang, China*. <https://doi.org/10.2139/ssrn.3543604>
- Li, J., Huang, D. Q., Zou, B., Yang, H., Hui, W. Z., Rui, F., Yee, N. T. S., Liu, C., Nerurkar, S. N., Kai, J. C. Y., Teng, M. L. P., Li, X., Zeng, H., Borghi, J. A., Henry, L., Cheung, R., & Nguyen, M. H. (2020). Epidemiology of COVID-19: A systematic review and meta-analysis of clinical characteristics, risk factors, and outcomes. *Journal of Medical Virology*, n/a(n/a). <https://doi.org/10.1002/jmv.26424>

- Li, J., Zhang, Y., Wang, F., Liu, B., Li, H., Tang, G., Chang, Z., Liu, A., Fu, C., Gao, J., & Li, J. (2020). Sex differences in clinical findings among patients with coronavirus disease 2019 (COVID-19) and severe condition. *MedRxiv*, 2020.02.27.20027524. <https://doi.org/10.1101/2020.02.27.20027524>
- Li, M., & Katikireddi, S. V. (2019). Urban-rural inequalities in suicide among elderly people in China: A systematic review and meta-analysis. *International Journal for Equity in Health*, 18(1), 2. <https://doi.org/10.1186/s12939-018-0881-2>
- Li, Q., Guan, X., Wu, P., Wang, X., Zhou, L., Tong, Y., Ren, R., Leung, K. S. M., Lau, E. H. Y., Wong, J. Y., Xing, X., Xiang, N., Wu, Y., Li, C., Chen, Q., Li, D., Liu, T., Zhao, J., Liu, M., ... Feng, Z. (2020). Early Transmission Dynamics in Wuhan, China, of Novel Coronavirus–Infected Pneumonia. *New England Journal of Medicine*, 382(13), 1199–1207. <https://doi.org/10.1056/NEJMoa2001316>
- Liu, L., Gao, J.-Y., Hu, W., Zhang, X., Guo, L., Liu, C., Tang, Y., Lang, C., Mou, F., Yi, Z., Pei, Q., Sun, K., Xiang, J., & Xiao, J. (2020). Clinical characteristics of 51 patients discharged from hospital with COVID-19 in Chongqing, China. *MedRxiv*, 2020.02.20.20025536. <https://doi.org/10.1101/2020.02.20.20025536>
- Neyeloff, J. L., Fuchs, S. C., & Moreira, L. B. (2012). Meta-analyses and Forest plots using a microsoft excel spreadsheet: Step-by-step guide focusing on descriptive data analysis. *BMC Research Notes*, 5(1), 52. <https://doi.org/10.1186/1756-0500-5-52>
- Nie, S., Zhao, X., Zhao, K., Zhang, Z., Zhang, Z., & Zhang, Z. (2020). Metabolic disturbances and inflammatory dysfunction predict severity of coronavirus disease 2019 (COVID-19): A retrospective study. *MedRxiv*, 2020.03.24.20042283. <https://doi.org/10.1101/2020.03.24.20042283>

- Patsopoulos, N. A., Evangelou, E., & Ioannidis, J. P. A. (2008). Sensitivity of between-study heterogeneity in meta-analysis: Proposed metrics and empirical evaluation. *International Journal of Epidemiology*, 37(5), 1148–1157. <https://doi.org/10.1093/ije/dyn065>
- Peckham, H., de Gruijter, N. M., Raine, C., Radziszewska, A., Ciurtin, C., Wedderburn, L. R., Rosser, E. C., Webb, K., & Deakin, C. T. (2020). Male sex identified by global COVID-19 meta-analysis as a risk factor for death and ITU admission. *Nature Communications*, 11(1), 6317. <https://doi.org/10.1038/s41467-020-19741-6>
- Qi, D., Yan, X., Tang, X., Peng, J., Yu, Q., Feng, L., Yuan, G., Zhang, A., Chen, Y., Yuan, J., Huang, X., Zhang, X., Hu, P., Song, Y., Qian, C., Sun, Q., Wang, D., Tong, J., & Xiang, J. (2020). Epidemiological and clinical features of 2019-nCoV acute respiratory disease cases in Chongqing municipality, China: A retrospective, descriptive, multiple-center study. *MedRxiv*, 2020.03.01.20029397. <https://doi.org/10.1101/2020.03.01.20029397>
- Qi, S., Guo, H., Shao, H., Lan, S., He, Y., Tiheiran, M., & Li, H. (2020). Computed Tomography Findings and Short-term follow-up with Novel Coronavirus Pneumonia. *MedRxiv*, 2020.04.02.20042614. <https://doi.org/10.1101/2020.04.02.20042614>
- Qin, X., Qiu, S., Yuan, Y., Zong, Y., Tuo, Z., Li, J., & Liu, J. (2020). *Clinical Characteristics and Treatment of Patients Infected with COVID-19 in Shishou, China*. <https://doi.org/10.2139/ssrn.3541147>
- Rodriguez-Morales, A. J., Cardona-Ospina, J. A., Gutiérrez-Ocampo, E., Villamizar-Peña, R., Holguin-Rivera, Y., Escalera-Antezana, J. P., Alvarado-Arnez, L. E., Bonilla-Aldana, D. K., Franco-Paredes, C., Henao-Martinez, A. F., Paniz-Mondolfi, A., Lagos-Grisales, G. J., Ramírez-Vallejo, E., Suárez, J. A., Zambrano, L. I., Villamil-Gómez, W. E., Balbin-Ramon, G. J., Rabaan, A. A., Harapan, H., ... Sah, R. (2020). Clinical, laboratory and imaging features of COVID-19: A systematic review and meta-analysis. *Travel Medicine and Infectious Disease*, 34, 101623. <https://doi.org/10.1016/j.tmaid.2020.101623>

- Shi, Q., Zhao, K., Yu, J., Jiang, F., Feng, J., Zhao, K., Zhang, X., Chen, X., Hu, P., Hong, Y., Li, M., Liu, F., Chen, C., & Wang, W. (2020). Clinical characteristics of 101 COVID-19 nonsurvivors in Wuhan, China: A retrospective study. *MedRxiv*, 2020.03.04.20031039. <https://doi.org/10.1101/2020.03.04.20031039>
- Song, C.-Y., Xu, J., He, J.-Q., & Lu, Y.-Q. (2020). COVID-19 early warning score: A multi-parameter screening tool to identify highly suspected patients. *MedRxiv*, 2020.03.05.20031906. <https://doi.org/10.1101/2020.03.05.20031906>
- Sun, P., Qie, S., Liu, Z., Ren, J., Li, K., & Xi, J. (2020). Clinical characteristics of hospitalized patients with SARS-CoV-2 infection: A single arm meta-analysis. *Journal of Medical Virology*, 92(6), 612–617. <https://doi.org/10.1002/jmv.25735>
- Tao, Y., Cheng, P., Chen, W., Wan, P., Chen, Y., Yuan, G., Chen, J., Huo, D., Guan, G., Sun, D., Tan, J., Yang, G., Zeng, W., & Zhu, C. (2020). High incidence of asymptomatic SARS-CoV-2 infection, Chongqing, China. *MedRxiv*, 2020.03.16.20037259. <https://doi.org/10.1101/2020.03.16.20037259>
- Wan, S., Li, M., Ye, Z., Yang, C., Cai, Q., Duan, S., & Song, B. (2020). CT Manifestations and Clinical Characteristics of 1115 Patients with Coronavirus Disease 2019 (COVID-19): A Systematic Review and Meta-analysis. *Academic Radiology*, 27(7), 910. <https://doi.org/10.1016/j.acra.2020.04.033>
- Well, G. A., Shea, B., O'Connell, D., Peterson, J., Welch, V., Losos, M., & Tugwell, P. (2020). *The Newcastle-Ottawa Scale (NOS) for assessing the quality of nonrandomised studies in meta-analyses*. http://www.ohri.ca/programs/clinical_epidemiology/oxford.asp
- Wen, Y., Wei, L., Li, Y., Tang, X., Feng, S., Leung, K., Wu, X., Pan, X.-F., Chen, C., Xia, J., Zou, X., Feng, T., & Mei, S. (2020). Epidemiological and clinical characteristics of COVID-19 in Shenzhen, the largest migrant city of China. *MedRxiv*, 2020.03.22.20035246. <https://doi.org/10.1101/2020.03.22.20035246>

- WHO. (2021). *WHO Coronavirus (COVID-19) Dashboard*. <https://covid19.who.int>
- Wiebers, D. O., & Feigin, V. L. (2020). What the COVID-19 Crisis Is Telling Humanity. *Neuroepidemiology*, 54(4), 283–286. <https://doi.org/10.1159/000508654>
- World Health Organization. (2020). *Statement on the second meeting of the International Health Regulations (2005) Emergency Committee regarding the outbreak of novel coronavirus (2019-nCoV)*. [https://www.who.int/news-room/detail/30-01-2020-statement-on-the-second-meeting-of-the-international-health-regulations-\(2005\)-emergency-committee-regarding-the-outbreak-of-novel-coronavirus-\(2019-ncov\)](https://www.who.int/news-room/detail/30-01-2020-statement-on-the-second-meeting-of-the-international-health-regulations-(2005)-emergency-committee-regarding-the-outbreak-of-novel-coronavirus-(2019-ncov))
- Xiao, Y., Huang, S., Yan, L., Wang, H., Wang, F., Zhou, T., Deng, J., & He, M. (2020). Clinical characteristics of diarrhea in 90 cases with COVID-19: A descriptive study. *Int Emerg Nurs*, 100912–100912.
- Xie, J., Ding, C., Li, J., Wang, Y., Guo, H., Lu, Z., Wang, J., Zheng, C., Jin, T., Gao, Y., & He, H. (2020). Characteristics of patients with coronavirus disease (COVID-19) confirmed using an IgM-IgG antibody test. *Journal of Medical Virology*. <https://doi.org/10.1002/jmv.25930>
- Xu, Y., Li, Y., Zeng, Q., Lu, Z., Li, Y., Wu, W., Dong, S., Huang, G., & Wang, X. (2020). Clinical Characteristics of SARS-CoV-2 Pneumonia Compared to Controls in Chinese Han Population. *MedRxiv*, 2020.03.08.20031658. <https://doi.org/10.1101/2020.03.08.20031658>
- Yang, J., Zheng, Y., Gou, X., Pu, K., Chen, Z., Guo, Q., Ji, R., Wang, H., Wang, Y., & Zhou, Y. (2020). Prevalence of comorbidities and its effects in patients infected with SARS-CoV-2: A systematic review and meta-analysis. *International Journal of Infectious Diseases*, 94, 91–95. <https://doi.org/10.1016/j.ijid.2020.03.017>
- Yin, Y., & Wunderink, R. G. (2018). MERS, SARS and other coronaviruses as causes of pneumonia. *Respirology*, 23(2), 130. <https://doi.org/10.1111/resp.13196>

- Zhao, W., Yu, S., Zha, X., Wang, N., Pang, Q., Li, T., & Li, A. (2020). Clinical characteristics and durations of hospitalized patients with COVID-19 in Beijing: A retrospective cohort study. *MedRxiv*, 2020.03.13.20035436. <https://doi.org/10.1101/2020.03.13.20035436>
- Zhao, Z., Zhang, F., Xu, M., Huang, K., Zhong, W., Cai, W., Yin, Z., Huang, S., Deng, Z., Wei, M., Xiong, J., & Hawkey, P. M. (2003). Description and clinical treatment of an early outbreak of severe acute respiratory syndrome (SARS) in Guangzhou, PR China. *Journal of Medical Microbiology*, 52(8), 715–720. <https://doi.org/10.1099/jmm.0.05320-0>
- Zheng, F., Tang, W., Li, H., Huang, Y.-X., Xie, Y.-L., & Zhou, Z.-G. (2020). Clinical characteristics of 161 cases of corona virus disease 2019 (COVID-19) in Changsha. *European Review for Medical and Pharmacological Sciences*, 24(6), 3404–3410. https://doi.org/10.26355/eurev_202003_20711
- Zhou, Z., Zhao, N., Shu, Y., Han, S., Chen, B., & Shu, X. (2020). Effect of Gastrointestinal Symptoms in Patients With COVID-19. *Gastroenterology*, 158(8), 2294–2297. <https://doi.org/10.1053/j.gastro.2020.03.020>
- Zhu, J., Ji, P., Pang, J., Zhong, Z., Li, H., He, C., Zhang, J., & Zhao, C. (2020). Clinical characteristics of 3062 COVID-19 patients: A meta-analysis. *Journal of Medical Virology*, 92(10), 1902–1914. <https://doi.org/10.1002/jmv.25884>

Table 1: Prevalence of Symptoms

	Studies No	Event	Total	Prevalence %	95% CI	I² %	Sensitivity %	Egger test
Age	191			54.26	52.6-55.8			
Male	214	71194	132546	53.1	51.9-54.2	93	1	0.11
Comorbidities								
Hypertension	171	32925	93909	26.8	24.7-29.1	98.2	1	0.000
Diabetes	182	18372	124199	13.4	12.4-14.4	95.4	0.5	0.02
Cardiovascular	173	19086	123321	9.8	8.5-11.1	98.4	0.5	0.000
Respiratory	163	9475	114861	6	5.3-6.9	96.9	0.5	0.000
Renal	161	5434	111313	3.6	3-4.4	97.4	0.5	0.009
Liver	110	8966	103151	3.2	2.2-4.5	99.1	0.5	0.000
Malignancy	125	4863	100506	3.4	2.8-4	96.5	0.5	0.000
Cerebrovascular	77	3685	38468	5.4	4.1-7	97.9	0.5	0.000
Fever	214	84823	132436	76.2	73.8-78.5	98.9	1	0.000
Cough	215	73778	132647	60.4	58.6-62.1	97.2	0.5	0.000
Fatigue	175	28306	78973	33.6	31.2-36.1	97.7	1	0.01
Dyspnoea	195	46681	127715	26.2	24.1-28.5	98.6	0.5	0.000
Expectorant	102	14159	65275	22.2	20.1-24.4	97	0.5	0.76
Anorexia	63	4126	19004	21.6	18-25.7	97	1	0.17

Myalgias	130	16762	91491	17.5	15.3-19.8	98.3	0.5	0.29
Chills	45	2728	17303	15	11.9-18.6	97.1	1	0.3
Sore Throat	80	5389	41810	14.1	11.6-16.9	97.8	1	0.02
Headache	141	9164	63999	12.1	10.3-14.3	98	1	0.00
Diarrhoea	186	14008	95345	11.7	10.7-12.8	96.1	0.5	0.000
Nausea or Vomiting	95	4093	41319	8.7	7.1-10.5	97	0.5	0.000
Rhinorrhea	76	3452	30150	8.2	6.2-10.6	97.9	1	0.00
Hemoptysis	41	12578	49942	3.3	1.8-6.2	99	0.5	0.000

Table 4: Subgroups Analyses and Meta-Regression

Subgroups Analysis	Studies No	Prevalence	CI 95%	<i>I</i>²	<i>P</i>		Meta-Regression	<i>B</i>	<i>z</i>	<i>P</i>
Fever										
Continent										
Asia	170	71.7	59.1-81.6	98.3	<0.001		Male	0.001	1.77	0.54
North America	17	51.5	40.2-62.7	98.8	<0.001		Mean Age	0.042	0.61	0.07
Europe	26	68.2	58.1-76.9	99.8	<0.001					
							Hypertension	0.002	0.46	0.64
NOS							Diabetes	0.000	0.03	0.97
Moderate	175	76.7	74.5-78.8	95.6	<0.001		Cardiovascular	-0.011	-1.14	0.25
Low	39	72.5	66.1-78	99.7	<0.001		Respiratory	0.004	0.79	0.43
							Renal	-0.008	-1.57	0.11
Month							Liver	-0.001	-0.36	0.72
January	7	81.6	71.6-88.6	95.4	<0.001		Malignancy	-0.004	-0.75	0.45
February	112	82.5	79.5-85	97.5	<0.001		Cerebrovascular	0.003	0.48	0.63

March	49	71.8	67.4-75.9	98	<0.001				
April	28	64.9	55.9-73	99	<0.001				
May	15	51.1	41.6-60.6	97.9	<0.001				
Cough									
Subgroups Analysis						Meta-Regression			
Continent									
Asia	171	54.7	54.3-55	95	<0.001	Male	-0.001	-0.77	0.44
North America	26	57.7	57.2-58.2	98	<0.001	Mean Age	0.000	-0.01	1.00
Europe	17	49	47.9-50.1	99	<0.001				
						Hypertension	0.002	0.79	0.43
NOS						Diabetes	-0.004	-1.14	0.25
Moderate	39	55.8	52.2-59.4	95	<0.001	Cardiovascular	-0.007	-1.12	0.26
Low	176	61.6	59.2-63.9	99	<0.001	Respiratory	0.006	1.91	0.06
Month						Renal	-0.001	-0.35	0.73
January	7	63.7	56.7-70.1	89.5	<0.001	Liver	0.000	0.32	0.75
February	112	61.2	58.4-63.8	95	<0.001	Malignancy	0.001	0.34	0.73
March	50	57.8	54.4-61.2	96.8	<0.001	Cerebrovascular	0.001	0.21	0.83
April	28	63.6	57.9-69	98	<0.001				
May	15	55	42.4-66.9	98.8	<0.001				
Fatigue									
Subgroups Analysis						Meta-Regression			
Continent									
Asia	142	31.7	29.1-34.4	96.7	<0.001	Male	-0.002	-1.16	0.25
North America	11	36.7	29-45.1	96	<0.001	Mean Age	0.040	1.73	0.08
Europe	21	45.7	39-52.6	98.7	<0.001				
						Hypertension	0.003	0.84	0.40
NOS						Diabetes	-0.007	-1.68	0.09
Moderate	145	34.5	31.4-37.7	99	<0.001	Cardiovascular	-0.001	-0.18	0.86

Low	30	29.4	24.7-34.5	96	<0.001		Respiratory	0.005	0.91	0.36
							Renal	-0.002	-0.57	0.57
Month							Liver	-0.002	-0.90	0.37
January	7	30.2	24.2-36.9	89.5	<0.001		Malignancy	-0.002	-0.44	0.66
February	98	34.1	31.1-37.2	95.8	<0.001		Cerebrovascular	0.001	0.24	0.81
March	39	29	23.3-35.5	98.6	<0.001					
April	18	30.5	22.3-40	98.5	<0.001					
May	11	47.8	34-61.9	98	<0.001					
Dyspnoea										
Subgroups Analysis							Meta-Regression			
Continent										
Asia	154	22.5	20.3-25	97.9	<0.001		Male	-0.001	-0.80	0.42
North America	14	41.6	26.8-57.9	99	<0.001		Mean Age	0.076	3.49	0.00
Europe	26	42.4	36.6-48.5	99	<0.001					
							Hypertension	-0.003	-0.70	0.49
NOS							Diabetes	-0.009	-1.78	0.08
Moderate	157	26.2	23.4-29.2	96.8	<0.001		Cardiovascular	-0.001	-0.09	0.93
Low	38	25.5	21.4-30.1	99.5	<0.001		Respiratory	0.015	3.13	0.00
							Renal	0.001	0.29	0.78
Month							Liver	0.003	1.75	0.08
January	6	19.2	15.8-23.1	74.5	0.001		Malignancy	0.004	0.76	0.45
February	103	23.5	20.2-27.2	97.5	<0.001		Cerebrovascular	-0.002	-0.45	0.65
March	43	26.1	22.2-30.5	98.2	<0.001					
April	26	33.2	27-40.1	98.8	<0.001					
May	14	34.6	23.4-48.4	98.7	<0.001					
Expectorant										
Subgroups Analysis							Meta-Regression			
Continent										

Asia	90	29.8	29.3-30.4	95.4	<0.001		Male	0.000	-0.12	0.90
North America	2						Mean Age	-0.004	-0.12	0.91
Europe	10	17.5	17-17.9	96.4	<0.001					
							Hypertension	-0.006	-0.53	0.60
NOS							Diabetes	0.013	0.80	0.42
Moderate	78	22.4	19.8-25.6	93	<0.001		Cardiovascular	-0.006	-0.57	0.57
Low	24	21.3	17.6-25.6	99	<0.001		Respiratory	-0.046	-1.57	0.12
							Renal	0.037	1.31	0.19
Month							Liver	-0.017	-0.45	0.65
January	5	28.4	21.2-36.9	92.1	<0.001		Malignancy	-0.013	-1.19	0.24
February	58	24.5	21.9-27.3	92.9	<0.001		Cerebrovascular	0.074	1.67	0.10
March	25	20.6	16.7-25.1	98	<0.001					
April	8	20.3	11.2-33.8	98.5	<0.001					
May	5	10.3	4.2-23.2	98	<0.001					
Anorexia										
Subgroups Analysis							Meta-Regression			
Continent										
Asia	54	20	16-24.6	96.6	<0.001		Male	0.029	3.17	0.00
Europe	6	39.5	25.7-55.2	98	<0.001		Mean Age	0.144	1.56	0.12
NOS							Hypertension	-0.080	-1.94	0.05
Moderate	53	16.3	10.3-25	98.6	<0.001		Diabetes	0.029	0.71	0.48
Low	10	22.6	18.3-27.7	96	<0.001		Cardiovascular	-0.018	-0.57	0.57
							Respiratory	0.032	0.52	0.61
							Renal	0.063	0.85	0.40
Month							Liver	-0.334	-2.23	0.03
February	39	20.6	16.4-25.7	96	<0.001		Malignancy	-0.026	-0.12	0.90
March	17	23.4	14.9-34.8	97.6	<0.001		Cerebrovascular	0.053	0.61	0.55
April	5	31	19.2-46.1	98	<0.001					

Myalgias										
Subgroups Analysis							Meta-Regression			
Continent										
Asia	101	15.4	13.8-17.3	96	<0.001	Male	- 0.003	- 1.00	0.32	
North America	13	26.6	17-39.1	98.8	<0.001	Mean Age	- 0.048	- 1.05	0.30	
Europe	16	26.7	14.7-13.6	99.5	<0.001					
						Hypertension	0.000	- 0.02	0.99	
NOS						Diabetes	- 0.011	- 1.26	0.21	
Moderate	103	18.2	15.6-21.2	96.8	<0.001	Cardiovascular	0.012	1.05	0.30	
Low	27	14.7	11-19.2	99	<0.001	Respiratory	0.003	0.16	0.87	
						Renal	0.006	0.22	0.83	
Month						Liver	0.026	1.05	0.29	
February	66	14.9	12.8-17.3	94	<0.001	Malignancy	0.019	0.30	0.77	
March	31	16.3	12.5-21	97.7	<0.001	Cerebrovascular	- 0.011	- 0.59	0.55	
April	18	30.6	21.9-40.9	99	<0.001					
May	10	17.3	7.5-35	99	<0.001					
Chills										
Subgroups Analysis							Meta-Regression			
Continent										
Asia	38	13	10.4-16.3	96.4	<0.001	Male	0.001	0.19	0.85	
North America					<0.001	Mean Age	- 0.020	- 0.23	0.82	
Europe					<0.001					
						Hypertension	- 0.011	- 1.13	0.26	
NOS						Diabetes	0.005	0.55	0.58	
Moderate	37	15.3	11.4-20.1	96.5	<0.001	Cardiovascular				
Low	8	13.1	9-18.5	97.7	<0.001	Respiratory				
						Renal				
Month						Liver				
February	18	13.3	10.7-16.3	83.6	<0.001	Malignancy				
March	11	15.9	9.8-24.7	96.9	<0.001	Cerebrovascular				
April	8	16.2	9-27.4	98.2	<0.001					
May	5	24.4	12.8-41.4	95.3	<0.001					

Sore Throat										
Subgroups Analysis						Meta-Regression				
Continent										
Asia	60	12.3	10.7-14.4	93	<0.001	Male	- 0.001	- 0.18	0.85	
North America	9	21.6	14-31.8	96.6	<0.001	Mean Age	- 0.090	- 1.09	0.28	
Europe	10	24.1	10.2-47	99.5	<0.001					
						Hypertension	- 0.002	- 0.08	0.94	
NOS						Diabetes	0.008	0.24	0.81	
Moderate	66	15.5	13.3-18.1	94.6	<0.001	Cardiovascular	0.009	0.35	0.73	
Low	14	10.3	5.5-18.5	99	<0.001	Respiratory	- 0.011	- 0.09	0.93	
						Renal	- 0.012	- 0.07	0.94	
Month						Liver	- 0.001	- 0.01	0.99	
February	37	11.2	9-13.8	93.9	<0.001	Malignancy	- 0.005	- 0.18	0.86	
March	16	12.4	7-21	98.5	<0.001	Cerebrovascular	0.061	0.51	0.61	
April	16	25.4	18.8-33.3	97.7	<0.001					
May	5	19.3	12.3-29.1	93.2	<0.001					
Headache										
Subgroups Analysis						Meta-Regression				
Continent										
Asia	115	10.2	9.2-28.3	94	<0.001	Male	0.001	0.28	0.78	
North America	10	23.6	14.3-36.4	98	<0.001	Mean Age	- 0.063	- 1.83	0.07	
Europe	15	27.1	14.1-45.8	99.6	<0.001					
						Hypertension	- 0.009	- 1.15	0.25	
NOS						Diabetes	- 0.002	- 0.24	0.81	
Moderate	112	12.9	10.7-15.5	96.9	<0.001	Cardiovascular	0.012	0.96	0.34	
Low	29	9.6	6.7-13.6	99	<0.001	Respiratory	0.004	0.54	0.59	
						Renal	0.008	1.11	0.27	
Month						Liver	- 0.018	- 0.57	0.57	
January	6	13.3	10.1-17.4	81.3	<0.001	Malignancy	0.005	0.70	0.48	

February	73	9.4	8.3-10.7	88.3	<0.001		Cerebrovascular	0.002	0.19	0.85
March	33	11	8.4-14.4	97.7	<0.001					
April	18	25.6	17.8-35.4	98.7	<0.001					
May	10	20.3	9.1-39.1	98	<0.001					
Diarrhoea										
Subgroups Analysis							Meta-Regression			
Continent										
Asia	147	16.7	9.2-28.3	93	<0.001		Male	-0.002	-2.23	0.03
North America	16	18.3	12.2-26.6	98	<0.001		Mean Age	-0.014	-0.6	0.55
Europe	22	16.8	13.6-20.6	98	<0.001					
							Hypertension	0.003	0.64	0.52
NOS							Diabetes	0.002	0.45	0.66
Moderate	150	11.7	10.3-13.2	94	<0.001		Cardiovascular	-0.003	-0.38	0.71
Low	36	10.9	9.1-13.1	98.5	<0.001		Respiratory	0.002	0.42	0.68
							Renal	-0.002	-0.32	0.75
Month							Liver	-0.003	-0.66	0.51
January	7	5.2	3.7-7.5	67	0.006		Malignancy	-0.003	-0.05	0.96
February	94	10.7	9.3-12.2	93.2	<0.001		Cerebrovascular	0.001	0.19	0.85
March	43	11.2	9.7-12.9	92.9	<0.001					
April	26	17.4	14.1-21.2	95.9	<0.001					
May	13	15.3	8.7-25.4	98	<0.001					
Nausea or Vomiting										
Subgroups Analysis							Meta-Regression			
Continent										
Asia	74	7.1	5.7-8.8	94.8	<0.001		Male	-0.003	-1.82	0.07
North America	8	20.1	14.7-26.8	93.3	<0.001		Mean Age	-0.040	-1.59	0.11
Europe	12	13.3	8.1-21.2	98.6	<0.001					

						Hypertension	0.000	-	0.09	0.93
NOS						Diabetes	-	-		
							0.010	1.86	0.06	
Moderate	75	7	4.8-10.2	98.5	<0.001	Cardiovascular	0.030	2.56	0.01	
Low	20	9	7.1-11.4	95.8	<0.001	Respiratory	-	-		
							0.003	0.50	0.61	
						Renal	0.014	2.57	0.01	
Month						Liver	-	-		
							0.001	0.26	0.80	
February	50	7.5	5.9-9.6	93.4	<0.001	Malignancy	0.001	0.15	0.88	
March	21	9.4	6-14.4	97.8	<0.001	Cerebrovascular	-	-		
							0.017	2.49	0.01	
April	14	13.4	9.6-18.4	96.4	<0.001					
May	5	10.2	3.4-27.1	98	<0.001					
Rhinorrhea										
Subgroups Analysis						Meta-Regression				
Continent										
Asia	61	5.9	4.6-7.5	94.9	<0.001	Male	-	-		
							0.002	0.36	0.72	
North America	7	28.4	20.5-38	94.6	<0.001	Mean Age	-	-		
							0.133	1.25	0.21	
Europe	8	25.1	12.1-44.8	99	<0.001					
						Hypertension	-	-		
							0.017	0.77	0.44	
NOS						Diabetes	-	-		
							0.006	0.40	0.69	
Moderate	59	9.2	7.2-11.7	95.5	<0.001	Cardiovascular	0.034	1.75	0.08	
Low	17	5.9	2.9-11.7	99	<0.001	Respiratory	-	-		
							0.045	0.86	0.39	
						Renal	0.046	0.70	0.49	
Month						Liver	0.033	0.64	0.53	
February	41	5.5	4.2-7.1	91	<0.001	Malignancy	0.167	1.35	0.18	
March	17	11.1	7.3-16.6	96	<0.001	Cerebrovascular	0.015	0.31	0.76	
April	10	21.6	11.9-35.9	98.9	<0.001					
Hemoptysis										
Subgroups Analysis						Meta-Regression				
Continent										
Asia	3.6	3.2	1.6-3.6	98.7	<0.001	Male	-	-		
							0.006	1.58	0.11	

						Mean Age	- 0.110	- 0.84	0.40
NOS									
Moderate	30	4.1	2.6-6.3	92.5	<0.001	Hypertension	0.001	0.08	0.94
Low	11	2.1	0.5-8	99.6	<0.001	Diabetes	- 0.020	- 0.99	0.32
						Cardiovascular	0.010	1.17	0.24
Month						Respiratory	0.020	0.69	0.49
February	21	2.8	2-4	78.4	<0.001	Renal	0.016	1.53	0.13
March	8	6.9	2.7- 16.7	97.7	<0.001	Liver	- 0.041	- 1.74	0.08
April	6	4	0.8- 17.2	99.2	<0.001	Malignancy	- 0.135	- 1.24	0.22
						Cerebrovascular	0.067	1.26	0.21

Figure 1: PRISMA diagram

Supplementary Table 1: General Characteristics of the Studies

	Study	Country	Continent	Month	Preprint	Sample Size	Female	Age mean	Fever	Cough	Fatigue	Dyspnoea	Diarrhoea	Nausea & Vomiting	Headache	Expectorant	Hemoptysis	Anorexia	Sore throat	Chills	Myalgias	Rhinorrhea	Comorbidities	Hypertension	Diabetes	Cardiovascular	Respiratory	Renal	Liver	Malignancy	Cerebrovascular	Method of Diagnosis	NOS			
1	(Zhu et al., 2020)	China	Asia	Februa-ry	N	72	30	55.6	59	28	20	16	9																			RT-PCR	M			
2	(L. Shi et al., 2020)	China	Asia	Februa-ry	N	161	57	59.38	127	111	17	36	6	6	5	19								44	25	8	11				7	18	NG	M		
3	(Jiangshan Lian et al., 2020)	China	Asia	Februa-ry	N	788	381		636	506	186	37	88		75	265	15		111		91	47	218	126	57	11	3	7	31	6			RT-PCR	M		
4	(Q. Yang et al., 2020)	China	Asia	Februa-ry	N	136	70	56	125	117	53	19	22		12			73						36	20	9		4	8	4			RT-PCR	M		
5	(X.-W. Xu et al., 2020)	China	Asia	Januar-y	N	62	27	41	48	50	32		3		21	35	2						20	5	1		1	1	1				RT-PCR	M		
6	(S. Shi et al., 2020)	China	Asia	Februa-ry	N	416	211	64	334	144	55	117	16		9	23				12		19	10		127	60	61	12	14	4	9	7		RT-PCR	M	
7	(Tenforde et al., 2020)	USA	North Ameri-ca	May	N	316	185	43	167	182	198	114	144	128	171	91	16		89	156	167	110		97	51	19	65	14	11				NG	M		
8	(Duanmu et al., 2020)	USA	North Ameri-ca	March	N	100	44	45	71	87	21	38	10	15	15				21		21	16		19	10		11	6	14		18		RT-PCR	M		
9	(Bernheim et al., 2020)	China	Asia	Februa-ry	N	121	60	45	74	58						20																		RT-PCR	L	
10	(Wei et al., 2020)	China	Asia	March	N	556	289	61.5	445	264	258	79			28								18	6	3			1		1				RT-PCR	M	
11	(Suleyman et al., 2020)	USA	North Ameri-ca	April	N	463	259	57.5	315	347	194	282	100	147	74			100			194	113		295	178	108	122	208		49				RT-PCR	L	
12	(TieLong Chen et al., 2020)	China	Asia	Februa-ry	N	203	95	54	181	122	16	72	10	6	10			6			54		88	43	16	16	12	8	8	7				RT-PCR	L	
13	(D'Silva et al., 2020)	USA	North Ameri-ca	April	N	156	108	62	100	111		70	44		37				51		66	41		84	42	37	49							RT-PCR	M	
14	(Yuchen Chen et al., 2020)	China	Asia	March	N	904	483	56	576	443	212	122	47	20		94					117			273	136	91	22	42		19	52			RT-PCR	M	
15	(Covino et al., 2020)	Italy	Europ-e	March	N	69	32	84	56	29	8	32												41	9	21	7				3	28		RT-PCR	M	
16	(Q. Shi, Zhang, et al., 2020)	China	Asia	March	N	306	156	65	238	173	173	112	41	5	9			163			38			131		49	21	12	11	14				RT-PCR	M	
17	(H. Xu et al., 2020)	China	Asia	March	N	102	52		75	72	6	11	11			34					15			18	18	9	5	6							RT-PCR	M
18	(S. Liu et al., 2020)	China	Asia	March	N	625	296	44	412	344						166								91	40							10			RT-PCR	M
19	(Tao Chen et al., 2020)	China	Asia	Februa-ry	N	274	103	68	249	185	137	120	77	40	31	83	7	66			60	12		93	47	23	18	4	11	7					RT-PCR	M
20	(D. Wang, Hu, et al., 2020)	China	Asia	Februa-ry	N	138	63	56	136	82	96	43	14	19	9	37		55			48		64	43	14	20	4	4	4	10				RT-PCR	L	
21	(J.-J. Zhang, Dong, et al., 2020)	China	Asia	Februa-ry	N	120	59	57	110	90	90	44	55	24				17					90	42	17	7	4	2	7		10			RT-PCR	M	
22	(Q. Chen et al., 2020)	China	Asia	March	N	145	66	47.5	109	118	59	47	39	17	24			62			20	28		22	14	2		3	7	3					RT-PCR	M
23	(F. Zheng et al., 2020)	China	Asia	Februa-ry	N	161	81	45	122	101	64	23	17		12								33	22	4	6	4	4	4						NG	M
24	(H. Zhang, Shang, et al., 2020)	China	Asia	Februa-ry	N	194	86	48.3	146	86	44	71	36		33				98		44														RT-PCR	M

25	(T. Li, Lu, et al., 2020)	China	Asia	Februa ry	N	312	125	69.2	252	239	83	167	25		28	67					33	18		241	178	121	93	27	11	10	12		RT- PCR	L	
26	(Colaneri et al., 2020)	Italy	Europ e	Februa ry	N	44	16	67.5	40	15	2	10	3	22									28	15	7	11	2	2	2	6		RT- PCR	M		
27	(Guan, Ni, et al., 2020)	China	Asia	Januar y	N	1099	459	47	975	745	419	205	42	55	150	370	10		153	126	164	19	261	165	81	15	12	8	23	10		RT- PCR	L		
28	(Goyal et al., 2020)	USA	North Ameri ca	April	N	393	155	62.2	303	312		222	93	75							107			197	99	82	69	18	6	23		RT- PCR	L		
29	(F. Wu et al., 2020)	China	Asia	Februa ry	N	998	449	56	869	694	401	262	36	58	122	347	12		99	109	158		50	19	8	18			1	1		RT- PCR	M		
30	(Xiao et al., 2020)	China	Asia	Februa ry	N	90	39	61	80	62	43	28	8	37	16		2	22	4		19		57	35	18	15	7		8			NG	M		
31	(Guo et al., 2020)	China	Asia	Februa ry	N	105	57	67	70	68	35	31	10	6	9			9			8		73	46	27	17	9	5	5			RT- PCR	M		
32	(Y. Deng et al., 2020)	China	Asia	Februa ry	N	225	101		189	85	57	99	33		13	49	7				4	127	58	26	17	25			8			RT- PCR	L		
33	(J. Wu et al., 2020)	China	Asia	Februa ry	N	80	41	46	63	51	18	30	1	1	13						18	5	38		5	25	3	1	1	1		RT- PCR	M		
34	(Kui Liu et al., 2020)	China	Asia	Januar y	N	137	76	57	112	66	44	26	11		13	6	7						27	13	14	10	2			2			RT- PCR	M	
35	(Niu et al., 2020)	China	Asia	Februa ry	N	141	71		110	71	40	23			11								26	15	3	5	9				2		RT- PCR	M	
36	(X.-Y. Zhao et al., 2020)	China	Asia	Februa ry	N	91	42	46	75	59	35	21	14					11		21	15	19	21	18	3	1	1	1		3			RT- PCR	M	
37	(B. Y. Yang et al., 2020)	USA	North Ameri ca	March	N	124	66	75.7	68	43	59	64	9	14	4				3		1			44	25	78	26	7		5	46		RT- PCR	M	
38	(Yafei Wang, Zhou, et al., 2020)	China	Asia	Februa ry	N	110	62		91	68	41	37											23	15		6				7			RT- PCR	M	
39	(Mo et al., 2020)	China	Asia	Februa ry	N	155	69	54	126	97	60	61	7	6	8			26			50			37	15	15	8	6	7	7	7		RT- PCR	M	
40	(Yang Xu et al., 2020)	China	Asia	Februa ry	Y	69	34	57	68	43	40	11	7	6	23	27		8	10	10														RT- PCR	M
41	(Yu, Lei, Li, Wang, Liu, et al., 2020)	China	Asia	March	N	1464	728	64	125 9	520	346	69	74	34	29			63			54	23		306	211	117	50	27	36	17	47		RT- PCR	L	
42	(D. Wang, Yin, et al., 2020)	China	Asia	Februa ry	N	107	50	51	104	67	69	35	7	9	7			33			33	12	41	26	11	13	3	3	6		6		RT- PCR	M	
43	(X. Yang et al., 2020)	China	Asia	Februa ry	N	52	17	59.7	51	40		33	2	2	3						6		21		9	5	4			2	7		RT- PCR	M	
44	(F. Zhou et al., 2020)	China	Asia	Februa ry	N	191	72	56	180	151	44	56	9			44					29		91	58	36	15	6	2		2			RT- PCR	L	
45	(T. Xu et al., 2020)	China	Asia	Februa ry	N	51	26		34	23	2	4	5			13					8	3	12		4	5	1	1	1				RT- PCR	M	
46	(Guqin Zhang, Hu, et al., 2020)	China	Asia	Februa ry	N	221	113	55	200	136	156	64	25		17			80				22	78	54	22	2	6	6	7	9	15		RT- PCR	M	
47	(J. Cao et al., 2020)	China	Asia	Februa ry	N	102	49	54	83	50	56		11								35		47	28	11	5	10	4	2	4	6		RT- PCR	M	
48	(Wan et al., 2020)	China	Asia	Februa ry	N	135	63	47	120	102	44	18	18		34	12	4	6		14		24	43	13	12	7	1		2	4			RT- PCR	M	
49	(Z. Wang, Yang, et al., 2020)	China	Asia	Februa ry	N	69	37	42	60	38	29	20	10	3	10	20		7			21	6		9	7	8	6		1	4			RT- PCR	M	
50	(Kai Liu et al., 2020)	China	Asia	Februa ry	N	56	25		44	21	5	4												10	4	3		1						RT- PCR	M
51	(C. Huang et al., 2020)	China	Asia	Februa ry	N	41	11	49	40	31	18	22	1		3	11	2						13	6	8	6	1		1	1			RT- PCR	M	
52	(Yonghao Xu et al., 2020)	China	Asia	Februa ry	Y	45	16	56.7	39	32		29									4		26	21	13	6	4			3			RT- PCR	M	

53	(Jun Chen et al., 2020)	China	Asia	Februa ry	N	249	123	51	217	91	39	19	8		28			8	16			17	90		25	55	5		2	1		RT-PCR	L
54	(Xiao Li, Fang, et al., 2020)	China	Asia	Februa ry	N	154	78	59	140	126																						RT-PCR	M
55	(S. Qi et al., 2020)	China	Asia	Februa ry	Y	57	26	46.5	48	28	18	7								10												RT-PCR	M
56	(L. Wang, He, et al., 2020)	China	Asia	Februa ry	N	339	173	71	311	179	135	138	43		12	93		94			16			138	54	53	21	13	2	15	21	RT-PCR	L
57	(C.-Y. Song et al., 2020)	China	Asia	Februa ry	Y	73	27	53	69	44	24	16	3		9	17				26		25		22	4	4	2	1				RT-PCR	M
58	(Ticinesi et al., 2020)	Italy	Europ e	April	N	852	401	73	695	375	80	467												498	179	236	102	75		130	121	RT-PCR	M
59	(C. Qin, Zhou, Hu, Zhang, et al., 2020)	China	Asia	Februa ry	N	452	217	58	423	152	212	232	122	42	52	189	12	96			98	8	201	135	75	27	21	10	6	14	11	RT-PCR	L
60	(F. Song et al., 2020)	China	Asia	Januar y	N	51	26		49	24	16	7	5	3		10		9	3			2	11	5	3	1	1		1			RT-PCR	M
61	(N. Chen et al., 2020)	China	Asia	Januar y	N	99	32	55.5	82	81	11	31	2	1	8				5		11	4	50		13	40	1			1	1	RT-PCR	M
62	(P. Chen et al., 2020)	China	Asia	Januar y	N	136	67	47	64	69	19	13	12		12																	RT-PCR	M
63	(Shahriarirad et al., 2020)	Iran	Europ e	March	N	113	42	53.75	67	73	75	58	25	77	60	24	7	75	36	67	67	26		22	16	16	16	6		1		RT-PCR	M
64	(D. Qi et al., 2020)	China	Asia	Februa ry	Y	267	118	48	225	189	208	43	10	10				46		30	136	6	41	20	26	13	25					RT-PCR	M
65	(Han et al., 2020)	China	Asia	March	N	482	147	48	317	232	59	13	27		35				50	31	15	14										NG	M
66	(Jin et al., 2020)	China	Asia	Februa ry	N	651	320	46.14	545	435	119	27	74		67		11		99		71	37	178	100	48	5	1	6	25	6		RT-PCR	L
67	(X. Zhang, Cai, et al., 2020)	China	Asia	Februa ry	N	645	317		540	425	118	26	53	22	67	225	11		97				177	100	48	5	1	6	25	6		RT-PCR	L
68	(García-Azorín et al., 2020)	Spain	Europ e	Februa ry	N	104	66	56.7	93	89	23	52	49		27	16		67			44	2		36	12	9	24			13		RT-PCR	M
69	(Tao et al., 2020)	China	Asia	March	Y	101			71	81	26	19														1						RT-PCR	M
70	(Jitian Li, Chen, et al., 2020)	China	Asia	Februa ry	N	655	288		580	276	184	33	33	41	80	169			70		78	41	150				89					RT-PCR	M
71	(Guoxin Zhang, Nie, et al., 2020)	China	Asia	Februa ry	N	112	79	38.6	61	52	29		11	4	4						2											RT-PCR	M
72	(Nie et al., 2020)	China	Asia	Februa ry	Y	97	63	39	57	54	32	8	12	12	7	15			10					15	5	7	2	3	3	3	3	RT-PCR	M
73	(Imam et al., 2020)	USA	North Ameri ca	March	N	1305	603	61	852	921	471	827	246	385	115	96	79	215	78		295	246	947	734	393	208	405	303	25	83	108	RT-PCR	L
74	(Kluytmans-van den Bergh et al., 2020)	Netherla nds	Europ e	March	N	86	71	49	46	66	65	33	16		49			15	34		54	46										RT-PCR	M
75	(Wei Zhao et al., 2020)	China	Asia	Februa ry	N	101	45	44.4	79	63	17	1	3	2					12					3		16	5					RT-PCR	M
76	(C. Wu et al., 2020)	China	Asia	Februa ry	N	201	73	51	188	163	65	80				83								39	22	8	5	2	2	1	7	RT-PCR	M
77	(Chang et al., 2020)	Korea	Asia	March	N	211	137	37		92		26	33		53				46	22	44	58							1			RT-PCR	M
78	(H. Sun et al., 2020)	China	Asia	March	N	244	111		211	179			72											138	51	35	24					RT-PCR	M

79	(S. M. Shi, Bakaev, et al., 2020)	USA	North America	March	N	146	80	85	31	35			9	13			26															RT-PCR	M	
80	(D. J. Lee et al., 2020)	Canada	North America	April	N	56	33	38	26	37	4	22	20		10			21			20			4	6	10						NG	M	
81	(Easom et al., 2020)	UK	Europe	February	N	68	36	42.5	27	53	11	17		2				39			20											RT-PCR	M	
82	(Alvarado et al., 2020)	USA	North America	April	N	736	164	25	55	332	146	23	65		252			195	52	386												RT-PCR	L	
83	(X. Zhao et al., 2020)	China	Asia	February	N	80	37	44	71	40																						RT-PCR	M	
84	(K. Li, Wu, et al., 2020)	China	Asia	February	N	83	39	45.5	72	65		9			9	15		6		15		15	5	7	1	5						RT-PCR	M	
85	(X. Wang et al., 2020)	China	Asia	February	N	1012	488	50	761	531		231	152	36	152	220		144	182		57	114	46	27	15	20						RT-PCR	L	
86	(Javanian et al., 2020)	Iran	Asia	March	N	100	49	60.12	77	82	77	82	14	45	59	45	7	86			50			32	37	20	12	12	3	4	3	RT-PCR	M	
87	(G. -u Kim et al., 2020)	Korea	Asia	March	N	172	106	26	20	69	46	7	27	9	54		68	23	31	31	54	45										RT-PCR	M	
88	(Berenguer et al., 2020)	Spain	Europe	March	N	4035	1602	70	3240	2862	2505	1953	471	389	431	956	99						2052	871	932	1014	199	54	359	688		RT-PCR	L	
89	(Maechler et al., 2020)	Germany	Europe	April	N	333	144	34	121	218	212	61	51		187			159	122	17	162			7	15	30						RT-PCR	M	
90	(Koleilat et al., 2020)	USA	North America	April	N	135	63		98	87	45		28	16						38			94	51	44	13	28	50	20			RT-PCR	M	
91	(K. Wang, Kang, et al., 2020)	China	Asia	February	N	114	56	53	107	91		27	3			9		6				60	33	15	7	5			1	1		RT-PCR	M	
92	(W. Wang, Xin, et al., 2020)	China	Asia	March	N	421	207	52	255	219		41	11		44	32		102	97	96		88	44	13		22			4	8		RT-PCR	M	
93	(M. Huang et al., 2020)	China	Asia	March	N	60	25	57	48	31	4	7	4		4	3						31	14	10	3	1	1						RT-PCR	M
94	(Junli Li, Xu, et al., 2020)	China	Asia	February	N	74	30	66	67	34	49	49	6	2		13	6	41				56	35	14	6	6		2	2			RT-PCR	M	
95	(M. Wang, Zhang, et al., 2020)	China	Asia	February	N	843	443	60	660	513	281	218	92	33	25	160			33		50	14		231	98	48	24	15	22	16	17		RT-PCR	L
96	(Ke et al., 2020)	China	Asia	March	N	194	79	64	139	31	12		12									135	73	39	18	11	13			13		RT-PCR + SARS-CoV-2 antibody	M	
97	(Jinpeng Li et al., 2020)	China	Asia	February	N	54	45	46	54	44	48	11	4	96	4																	RT-PCR	M	
98	(Xiaochen Li, Xu, et al., 2020)	China	Asia	February	N	548	269	60	476	415	258	310	179	45	62			28		111			166	83	34	31	10	5	24			RT-PCR	M	
99	(Brendish et al., 2020)	UK	Europe	February	N	352	150	68	112	128	117	130	57		73	53		112	50	84	62	39		144	91	125	86	41	17	18	47		RT-PCR	M
100	(Q. Deng et al., 2020)	China	Asia	February	N	112	55	65	98	79		63											36	19	19	4							RT-PCR	M
101	(Akbarigomi et al., 2020)	Iran	Asia	April	N	595	194	55	419	368	332	363	116	188	207	107	43		81	317	320	61		172	148	112	87	58	32	12	13		RT-PCR	M
102	(Vandercam et al., 2020)	Belgium	Europe	May	N	176	132	40.8	121	133	93	66	54		132					115		13	3	3									RT-PCR	M
103	(Fang-fang Chen et al., 2020)	China	Asia	April	N	681	319	65	584	462	352	123	119										293	114	80	15	27			33			RT-PCR	L

104	(Ying Sun et al., 2020)	China	Asia	April	N	63	26	47	53	34		11	5		8	19		17	5	1	16	1	29	13	5	2	2		2	1	2	RT-PCR	M
105	(R. Wang, Pan, et al., 2020)	China	Asia	February	N	125	54	38.7	116	102	43	57	50	24	11	52	4				4	4	34		10	18	2		1	1	1	RT-PCR	M
106	(Xudan Chen et al., 2020)	China	Asia	March	N	267	146	49	179	156	60	29	19	21	31	74		47	34		46	33	105	57	23	20	9		10	5		RT-PCR	M
107	(J. yeon Lee et al., 2020)	Korea	Asia	April	N	694	482	52.1	111	328		91	166		140	294				126	115	162		131	81	27	20	5	5	23	27	RT-PCR	L
108	(Y. Zheng et al., 2020)	China	Asia	February	N	99	48	49.4	85	84	72	35	2				12				12		41	21	6							RT-PCR	M
109	(Tian et al., 2020)	China	Asia	March	N	751	379	64	514	368	153	152	89	34	37	135			46	42				292	198	74	4	23	10	232	23	RT-PCR	M
110	(K. Yang et al., 2020)	China	Asia	March	N	205	109	63	159	151	75	71	24	14		70				17				67	22	16	5	4		205		RT-PCR	M
111	(Akter et al., 2020)	Bangladesh	Asia	June	N	734	176	39	554	421		195	149	61					175	100	294	147			146	67	45		16	10		RT-PCR	M
112	(Yu, Lei, Li, Wang, Li, et al., 2020)	China	Asia	February	N	1663	825	64	1427	598	392	198	76	36	29			69			57	4		347	245	131	62	31	38	19	57	RT-PCR	M
113	(Al-Omari et al., 2020)	KSA	Asia	May	N	401	80		145	215	106	88	31		65	31	3	13	88		58	29		60	41	11	15	1	19			RT-PCR	M
114	(Samrah et al., 2020)	Jordan	Asia	April	N	81	44	39	14	31	15	9	3		14		1			9			25	17	10	6			7	1		RT-PCR	M
115	(Almazeedi et al., 2020)	Kuwait	Asia	April	N	1096	208	41	931	314	38	30	16	18	70	24	1		129	308	75		335	177	155	41	48	11	71	14	7	RT-PCR	L
116	(Ruan et al., 2020)	China	Asia	February	N	150	48		127	110	37	110				54	3				19		77	52	25	13	4	2	4	3		RT-PCR	M
117	(Peng et al., 2020)	China	Asia	February	N	112	59	62	101	76	71	38	15									10	112	92	62							RT-PCR	M
118	(S. Wang, Chen, et al., 2020)	China	Asia	February	Y	165	73	44	126	99	49	17	14				3	5		18		9	64	24	12	8	11	4	10	7		RT-PCR	M
119	(Nouri-Vaskeh et al., 2020)	Iran	Asia	May	N	111	33	73	37	65		80	5	5	5	8			2	24	25			50	41	24	26	11	4	7	13	RT-PCR	M
120	(Khan et al., 2020)	Pakistan	Asia	April	N	121	36	47	88	72		69	21	15	38			44			57			15	13	9	7		3	1		RT-PCR	M
121	(L. Liu et al., 2020)	China	Asia	February	Y	51	19	45	43	38	22	11	4	6	5	16					6	3		4	4				1			RT-PCR	M
122	(Jing Li, Zhang, et al., 2020)	China	Asia	February	Y	47	19	62	34	36	7	3	3		3	2			1		5		30	17	7	7	7		4	7		RT-PCR	M
123	(Z. Chen et al., 2020)	China	Asia	February	Y	89	59	33.3	40	40	13	7	5			10					10											RT-PCR	M
124	(Q. Shi, Zhao, et al., 2020)	China	Asia	February	Y	101	41	71	82	56	36	59	10	3	5	21	2	7			6			59	22	24	14	11		7	13	RT-PCR	M
125	(J. Liu et al., 2020)	China	Asia	February	Y	64	41	35	43	30	22	10	3		8	8		4	16	3	14		8	3	2					1		RT-PCR	M
126	(Jingli Chen et al., 2020)	China	Asia	February	N	62	21	72	52	41	15		12	8	11	21		23			23		45		13	33	5			2		RT-PCR	M
127	(T. Yao et al., 2020)	China	Asia	February	N	83	30	71.8	78	50	75	81	4	2	3		5	70					66	47	14	26	16	5	3	5	14	RT-PCR	M
128	(L. Chen et al., 2020)	China	Asia	February	N	534	266	45	327	348	210	120	168		121			146	109		155			70	38	18	37	3	25	3		RT-PCR	M
129	(Wen Zhao et al., 2020)	China	Asia	February	Y	77	43	52	66	24	21	16	1	9	10	25			5		9	8	24	16	6	9	6	5		4	2	RT-PCR	M
130	(Wen et al., 2020)	China	Asia	February	Y	417	220	45.4	281	143		31	29		55	63			62		119	36										RT-PCR	M
131	(Fu et al., 2020)	China	Asia	February	Y	50	23	64	28	24	39	50	11	7		10		33	1		6			10	12	11	3	1	2			RT-PCR	M

13 2	(P. Shi, Ren, et al., 2020)	China	Asia	Februa ry	Y	134	69	46	87	96	55	12	13	14	12	61		45	21		13	7		20	9	6	5		5	5	6	RT- PCR	M
13 3	(Alshukry et al., 2020)	Kuwait	Asia	April	Y	171	64	44.6	94	89	20	14	9	10	24	21			51	7	37	13		50	32	18	12	8		4		RT- PCR	M
13 4	(Duan et al., 2020)	China	Asia	Februa ry	Y	616	262	64	425	375	211	214	82						68		111		276	188	78	56	14	7	9		9	RT- PCR	M
13 5	(Ayed et al., 2020)	Kuwait	Asia	April	Y	103	15	53	61	48	15		1	15					32					36	40	12	13	4	11	3		RT- PCR	M
13 6	(Nagura-Ikeda et al., 2020)	Japan	Asia	May	Y	130	53	45	119	69		15	31		39								66	23	5	9	23			3		RT- PCR	M
13 7	(Y. Zhao et al., 2020)	USA	North Ameri ca	April	Y	722	272	63	520	487		507	121											373	210	52	128	46	11	112		RT- PCR	L
13 8	(X. Yan et al., 2020)	China	Asia	Februa ry	N	218	96	42.9	145	162	77	42	16		28	99			25	39	41	6			27	38	14	4	13	2	6	RT- PCR	M
13 9	(G. Li, Deng, et al., 2020)	China	Asia	March	N	199	110	63	148	133	50	53	6	28	20			32							76							RT- PCR	M
14 0	(Guan, Liang, et al., 2020)	China	Asia	Januar y	N	1590	686	48.9	135 1	105 2	584	331	57	80	205	513	16		194	163	234		399	269	30	59	24	21	28	18	30	RT- PCR	L
14 1	(Cai et al., 2020)	China	Asia	March	N	149	70	41	96	68	22								16				46	24	8	3	3		5			RT- PCR	M
14 2	(Y. Xie et al., 2020)	China	Asia	March	N	62	35	66	46	29	16	11	9		3	12				7	7			24	13	32						RT- PCR	M
14 3	(M. Zhao et al., 2020)	China	Asia	March	N	1000	534	61	754	597	335	255	100	47	32	190					66	20	595	282	118	60	35	24	29	28	32	RT- PCR	L
14 4	(Lai et al., 2020)	China	Asia	March	N	57	35	52	47	31	9	2	5		6	16		2					10	5	2	1	2		2	1	1	RT- PCR	M
14 5	(Favà et al., 2020)	Spain	Europ e	March	N	104	44	60	81	71		38	32								34		104	90	32	31	16	104		8		RT- PCR	M
14 6	(J.-J. Zhang, Cao, et al., 2020)	China	Asia	March	N	289	135	57	241	188	175	101	29					48			41		169	81	27	18	7	2				RT- PCR	M
14 7	(W. Shi, Gao, et al., 2020)	China	Asia	March	N	65	35		46	36	7	27	2	5	1	9						1										RT- PCR	M
14 8	(Z. Huang et al., 2020)	China	Asia	March	N	50	23		47	33	18	12	6			10		9			6				4	1	1					RT- PCR	M
14 9	(Bergquist et al., 2020)	USA	North Ameri ca	May	N	208	144	47.8	35	157	113	78	78		129				73	94	58	104	145	78		10	51	8				RT- PCR	M
15 0	(Jalili et al., 2020)	Iran	Asia	April	N	2898 1	126 20	57.3	131 07	151 44		130 81					119 86				602 6		666 6		309 8	328 8	125 6	584	118	370		RT- PCR	L
15 1	(Xiaoping Chen et al., 2020)	China	Asia	March	N	123	50	51	85	62	67	26	20		21						40		35	19	12	8	5		18	5		RT- PCR	M
15 2	(Yinxiaohe Sun et al., 2020)	Singapor e	Asia	Februa ry	N	54	25	42	54	36		7	20			13			18			12	5		5							RT- PCR	M
15 3	(Jing Chen et al., 2020)	China	Asia	March	N	3309	166 7	62	227 5	186 8	490	104 9	620			138 1				295	237			988	464	242		57		93		RT- PCR	L
15 4	(Perez-Guzman et al., 2020)	UK	Europ e	April	N	614	232	69	501	453		400	192										383	227	170	61	132	106	53	52	44	RT- PCR	M
15 5	(X. Liu et al., 2020)	China	Asia	March	N	58	27	29	29	24	6	2	4		6							11		7	4	3	4					RT- PCR	L
15 6	(Yuhong Chen et al., 2020)	China	Asia	March	N	51	24	58	48	34	14	18	6		4	19							33	21	11	12	8	2	3	1	5	RT- PCR	M
15 7	(Sepulchre et al., 2020)	Belgium	Europ e	March	N	198	81	62	147	124		150									28		92	82	47	41	54	55			41	RT- PCR	M

15 8	(Fuyang Chen et al., 2020)	China	Asia	Februa ry	N	660	365	55	524	431	237		53		42					155		326	230	114	67	43	36				NG	M	
15 9	(S.-P. Dai et al., 2020)	China	Asia	Februa ry	N	68	33		56	48	4	4				13			4			42	14	11	22	5	4	7			RT- PCR	M	
16 0	(M. K. Kim et al., 2020)	Korea	Asia	March	N	1082	700	56.5	466	530		268	197		286	406			203		326	156	496	374	235	74	72	32		50	66	RT- PCR	L
16 1	(Y. Zhang, Li, et al., 2020)	China	Asia	April	N	166	81	62.7	139	136	99	115	77		53	90	16	75	30		63			76	61	12	19	9	5	3	12	RT- PCR	M
16 2	(Y. Yan et al., 2020)	China	Asia	Februa ry	N	193	79	64	173	135	101	115	51	19	21			68				94	73	48	31	14	4	1		8	RT- PCR	M	
16 3	(X. Yao et al., 2020)	China	Asia	March	N	2474	123 9	61	181 8	168 0	511	540			545								745	355	202					143	RT- PCR	L	
16 4	(Jing Li, Ding, et al., 2020)	China	Asia	Februa ry	N	74	39	44.2 6	62	58		12				39							11	7	1	2			1		RT- PCR	M	
16 5	(J. Zhou et al., 2020)	China	Asia	Februa ry	N	201	99	45	135	118	65	16	17	8	18					21	10				41						RT- PCR	M	
16 6	(Jishou Zhang, Wang, et al., 2020)	China	Asia	Februa ry	N	869	492	51	565	424	226	47	58	36	18	36			18		114	14	121	91	21	5	11	4	5	6	1	RT- PCR	L
16 7	(Steinmeyer et al., 2020)	France	Europ e	May	N	93	52	85.5	56	36	64	52	12	8	4	18				10	10			65	11	46	35				43	RT- PCR	M
16 8	(Zerah et al., 2020)	France	Europ e	May	N	821	473	86	452	367	518	368	120	61	33					97			547	204	247	96	297	82	87	443	RT- PCR	L	
16 9	(Ramos- Rincon et al., 2020)	Spain	Europ e	Februa ry	N	2772	140 5	86.3	590	169 4	102 6	170 5	396	150									208 0	710	855	547	324	139 9	364	952		RT- PCR	L
17 0	(Qian et al., 2020)	China	Asia	Februa ry	N	91	54	50	65	55	40	3	21	17	7	30	10	23			5		15	8	3							RT- PCR	M
17 1	(H. Dai et al., 2020)	China	Asia	Februa ry	N	234	98	44.6	170	150	31	8	9	5					35	23	22	14										RT- PCR	M
17 2	(G. Yang et al., 2020)	China	Asia	Februa ry	N	462	253		330	300			72		60								126	72	36	22	7	26		18	RT- PCR	M	
17 3	(Mohamud et al., 2020)	Somalia	Africa	April	N	60	18	45.7	43	45	32	10	10	10	10			15					3	7		1						RT- PCR	M
17 4	(Khraise et al., 2020)	Jordan	Asia	May	N	108	63	36.4	16	43		14			14					10				19	11	5			7	2		RT- PCR	M
17 5	(Peng Yudong et al., 2020)	China	Asia	Februa ry	N	244	131	61	197	164	155	29	30								23		202	53	134							RT- PCR	M
17 6	(Myers et al., 2020)	USA	North Ameri ca	May	N	377	165	61	127	120	185												164	118	22	28	48	21	18		RT- PCR	M	
17 7	(Barry et al., 2020)	KSA	Asia	May	N	99	33	44	69	61	26	43	19		11							53	22	31	12	7	2	6				RT- PCR	M
17 8	(Almalki et al., 2020)	KSA	Asia	May	N	458	60	38.8	324	277	29	128	44	30					62		7	17		50	62	10	16	9	4	2	8	RT- PCR	M
17 9	(Chu et al., 2020)	China	Asia	Februa ry	N	54	18	39	36	17	9	5	3		4	3		3	1	2	3	1										RT- PCR	M
18 0	(J. Xie et al., 2020)	China	Asia	Februa ry	N	56	32	56.5	42	23	16	20	9					7	3	4			14	7	3			3	1			RT- PCR & IgM- IgG antibo dy	M
18 1	(Gayam et al., 2020)	USA	North Ameri ca	May	N	408	177	67	219	255	143	273	111							179				271	176	99	97	69	66		99	RT- PCR	M
18 2	(Shu et al., 2020)	China	Asia	Februa ry	N	571	293	50	299	402	95	105	51	21	55			28				17		55	17	12		1				RT- PCR	M

183	(Lechien et al., 2020)	Belgium	Europe	April	N	1420	962	39.17	645	897	514	274	473	272	998	193		649	751		887	854		131	24	25	10	6	8	22	13	RT-PCR	L	
184	(Z. Cao et al., 2020)	China	Asia	February	N	80	42	53	69	57	30	30	5	6	8	34		24		8	12			20	6	10	5					RT-PCR	M	
185	(Lapostolle et al., 2020)	France	Europe	April	N	1487	752	44	1344	1368	864	463	352	456	803		39	305	377		823	207										RT-PCR	M	
186	(R. Li, Tian, et al., 2020)	China	Asia	February	N	225	105	50	190	127		9											47									RT-PCR	M	
187	(Casas-Rojo et al., 2020)	Spain	Europe	June	N	15111	6468	69.4	12723	8751	6507	8684	3554			2331							13358	7689	2924	3001	2071	917	5990	1610		RT-PCR	L	
188	(Z. Zhou et al., 2020)	China	Asia	February	N	254	139	50.6	213	98	133	10	46	36	28	107			16		86			63	26	17	6		3	2	13	NG	M	
189	(X. Qi et al., 2020)	China	Asia	March	N	70	31		53	53			7								12		11	8	3	2	1			2		RT-PCR	M	
190	(Medetalibeyoglu et al., 2020)	Turkey	Europe	May	N	362	138	56	265	304	328	158	47			10							210	138		56	41	8	4	27	7	RT-PCR	M	
191	(J. Song et al., 2020)	China	Asia	March	N	69	41	52	50	36	12	17	8		7	7	7	5	6		7	5	24	16	9	5	1			2	2	RT-PCR	M	
192	(A. Wang, Gao, et al., 2020)	China	Asia	March	N	130	54	46.5	114	83			10			42						8	36	22	12	4	4	2	5		2	RT-PCR	M	
193	(Y. He et al., 2020)	China	Asia	April	N	336	135	65	298	255	161	203	93	31		97								128	78	59	28	8	3	14	15	RT-PCR	M	
194	(Killerby et al., 2020)	USA	North America	April	N	531	303		428	455		284	225		206				167		253		318	243	111	20	101	30	9	34		RT-PCR	M	
195	(Price-Haywood et al., 2020)	USA	North America	May	N	3481	2087		1185	705		343	63								59			1074	566	267	221	278	59	158		RT-PCR	L	
196	(Nowak et al., 2020)	Poland	Europe	April	N	169	82	63.7	74	56	57	61	8	6										80	32	52	22	35		35	58	RT-PCR	M	
197	(Izquierdo et al., 2020)	Spain	Europe	March	N	10504	4985	58.2	4904	5243		3294	1099		764	1934			127		919			3527	1646	5058	888	764	111			RT-PCR	L	
198	(Vena et al., 2020)	Italy	Europe	March	N	317	104	71	285	156	57	167	18	14	14	9					18		207	149	49	63	18	22		23	28	RT-PCR	M	
199	(W. Yang et al., 2020)	China	Asia	February	N	149	68	45.11	114	87	5	2	11	2	13	48			21	21		5			9	28	1			2		RT-PCR	M	
200	(Tomlins et al., 2020)	UK	Europe	April	N	95	35	75	68	70		41	11	13	9				6		13			35	37	54	31	22		20	14	RT-PCR	M	
201	(Du et al., 2020)	China	Asia	February	N	85	23	65.8	78	19	50	60	16	4	4	32		48				14	2	58	32	19	17	2	3	5	6	7	RT-PCR	M
202	(Yang Wang et al., 2020)	China	Asia	February	N	344	165	64	301	233	167	208	92			135		91						141	64	40	16					RT-PCR	M	
203	(Jie Zhang, Meng, et al., 2020)	China	Asia	February	N	108	48	66	93	78	28	65	40	40	20	44					15			44	18	16	5	3	5	4	3	RT-PCR	M	
204	(Feng et al., 2020)	China	Asia	February	N	141	69	44	105	74	31	5	6			16		5					33	21	8	3	4		4		1	RT-PCR	M	
205	(S. He et al., 2020)	China	Asia	February	N	267	151	57	212	192	93	102	20		18						59			89	45	28	20	5		7	16	RT-PCR	M	
206	(Ji et al., 2020)	China	Asia	February	Y	49	18	43.6	39	17	9	6	4		9	11					6		16									RT-PCR	M	
207	(X. Qin et al., 2020)	China	Asia	February	Y	89	43	55	86	83	30	27	3		15								25	15	10	3	5	1	5	2		RT-PCR	M	
208	(Kuang et al., 2020)	China	Asia	February	Y	944	476	47.4	584	311	93				75			64		45												RT-PCR	M	
209	(M. Chen et al., 2020)	China	Asia	February	Y	123	62		98	89	85	46			11		2							26	14	20	6	7		10		RT-PCR	M	
210	(Yi Wang, Yao, et al., 2020)	China	Asia	February	Y	67	26	44	61	51	41	13	10								7		15	4	4		1	1	3	2		RT-PCR	M	

21 1	(C. Qin, Zhou, Hu, Yang, et al., 2020)	China	Asia	February	N	1875	930	63	1469	741	477	834	311	139	123	514	21	449			259	29		641	295	189	55	41	24	54		RT-PCR	L
21 2	(Popov et al., 2020)	Bulgaria	Europe	June	N	138	51	52.9	109	95	124	39	7		95				46		67			69	12	22	6	7		10	3	RT-PCR	M
21 3	(Zhong et al., 2020)	China	Asia	March	Y	48	17	44.35	43	41	22	9	7	4	5		4	13	9	22	5		14	4	3	3			7			RT-PCR	M
21 4	(Xiong et al., 2020)	China	Asia	March	N	116	36	58.5	99	61	60	52	17	15	6	31	1	50		24	32	6	59	45	19	17	1		2	4	8	RT-PCR	M
21 5	(Jiang-shan Lian et al., 2020)	China	Asia	February	N	788	381		636	506	139	37	88		75	265	15		111		91		218	126	57	11	9	7	31	6		RT-PCR	M
	Total					132647	61352		84823	73778	28306	46681	14008	4093	9164	14159	12578	4126	5389	2910	16762	3452	29976	32925	18372	19086	9475	5434	8966	4863	3685		

Supplementary Table 2: Quality Assessment Result of Studies using the Newcastle-Ottawa Scale:

	Study	Representativeness of the sample (One Point)	Sample Size (One Point)	Non-Respondents (One Point)	Ascertainment of the exposure (One Point)	Study controls for other variable (Two Point)	Assessment of Outcome (One Point)	Statistical Test (One Point)	Adequate Follow up time (One Point)	Score	
1	(T. Zhu et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
2	(L. Shi et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
3	(Jiangshan Lian et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
4	(Q. Yang et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
5	(X.-W. Xu et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
6	(S. Shi et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
7	(Tenforde et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
8	(Duanmu et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
9	(Bernheim et al., 2020)	1	1	1	1	1	1	1	0	7	Low
10	(Wei et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
11	(Suleyman et al., 2020)	1	1	1	1	1	1	1	0	7	Low
12	(TieLong Chen et al., 2020)	1	1	0	1	1	1	1	1	7	Low
13	(D'Silva et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
14	(Yuchen Chen et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
15	(Covino et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
16	(Q. Shi et al., 2020a)	0	1	1	1	1	0	1	0	5	Moderate
17	(H. Xu et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
18	(S. Liu et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
19	(Tao Chen et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
20	(Dawei Wang et al., 2020a)	1	1	1	1	1	1	1	0	7	Low
21	(J.-J. Zhang et al., 2020b)	1	1	0	1	1	1	1	0	6	Moderate
22	(Qingqing Chen et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
23	(F. Zheng et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
24	(H. Zhang et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
25	(Tao Li et al., 2020g)	1	1	1	1	1	1	1	0	7	Low
26	(Colaneri et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
27	(Guan et al., 2020b)	1	1	1	1	2	1	1	0	8	Low
28	(Goyal et al., 2020)	1	1	0	1	1	1	1	1	7	Low

29	(F. Wu et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
30	(Xiao et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
31	(Guo et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
32	(Y. Deng et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate
33	(J. Wu et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
34	(Kui Liu et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
35	(Niu et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
36	(X.-Y. Zhao et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
37	(B. Y. Yang et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
38	(Yafei Wang et al., 2020j)	0	1	0	1	2	1	1	0	6	Moderate
39	(Mo et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
40	(Yang Xu et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
41	(Yu et al., 2020b)	1	1	0	1	1	1	1	1	7	Low
42	(Dawei Wang et al., 2020b)	0	1	1	1	1	0	1	0	5	Moderate
43	(X. Yang et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
44	(F. Zhou et al., 2020)	1	1	1	1	1	1	1	1	8	Low
45	(T. Xu et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
46	(G. Zhang et al., 2020)	0	1	0	1	2	1	1	0	6	Moderate
47	(J. Cao et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
48	(Wan et al., 2020)	0	1	0	1	2	1	1	0	6	Moderate
49	(Zhongliang Wang et al., 2020k)	0	1	1	1	1	0	1	0	5	Moderate
50	(K. Liu et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
51	(C. Huang et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
52	(Yonghao Xu et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
53	(Jun Chen et al., 2020)	1	1	0	1	1	1	1	1	7	Low
54	(Xiao Li et al., 2020h)	0	1	0	1	2	1	1	0	6	Moderate
55	(S. Qi et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
56	(Lang Wang et al., 2020e)	1	1	1	1	1	1	1	0	7	Low
57	(C.-Y. Song et al., 2020)	0	1	0	1	2	1	1	0	6	Moderate
58	(Ticinesi et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
59	(C. Qin et al., 2020b)	1	1	1	1	1	1	1	0	7	Low
60	(F. Song et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
61	(Nanshan Chen et al., 2020)	0	1	0	1	2	1	1	0	6	Moderate
62	(Peng Chen et al., 2020)	0	1	0	1	2	1	1	0	6	Moderate
63	(Shahriarirad et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
64	(D. Qi et al., 2020)	1	1	0	1	1	1	1	0	6	Moderate

65	(Han et al., 2020)	0	1	0	1	2	1	1	0	6	Moderate
66	(Jin et al., 2020)	1	1	1	1	1	1	1	0	7	Low
67	(X. Zhang et al., 2020)	0	1	1	1	2	1	1	0	7	Low
68	(García-Azorín et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
69	(Tao et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
70	(Jitian Li et al., 2020b)	0	1	0	1	1	1	1	0	5	Moderate
71	(G. Zhang et al., 2020)	0	1	0	1	2	1	1	0	6	Moderate
72	(Nie et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
73	(Imam et al., 2020)	1	1	1	1	2	1	1	0	8	Low
74	(Kluytmans-van den Bergh et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
75	(Wei Zhao et al., 2020)	0	0	1	1	2	1	1	0	6	Moderate
76	(C. Wu et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
77	(Chang et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
78	(H. Sun et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
79	(S. M. Shi et al., 2020)	0	0	1	1	2	1	1	0	6	Moderate
80	(D. J. Lee et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
81	(Easom et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
82	(Alvarado et al., 2020)	1	1	1	1	1	1	1	0	7	Low
83	(X. Zhao et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
84	(Kunhua Li et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
85	(X. Wang et al., 2020)	1	1	0	1	1	1	1	1	7	Low
86	(Javanian et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
87	(Kim et al. 2020)	0	1	1	1	1	1	1	0	6	Moderate
88	(Berenguer et al., 2020)	1	1	1	1	2	1	1	0	8	Low
89	(Maechler et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
90	(Koleilat et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
91	(K. Wang et al., 2020d)	0	1	1	1	1	0	1	0	5	Moderate
92	(Wei Wang et al., 2020i)	0	1	1	1	1	1	1	0	6	Moderate
93	(M. Huang et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
94	(J. Li et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
95	(Menglong Wang et al., 2020f)	1	1	1	1	1	1	1	0	7	Low
96	(Ke et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
97	(Jinpeng Li et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
98	(Xiaochen Li et al., 2020i)	0	1	1	1	1	1	1	0	6	Moderate
99	(Brendish et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
100	(Q. Deng et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate

101	(Akbariqomi et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
102	(Vandercam et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
103	(Fang-fang Chen et al., 2020)	1	1	1	1	1	1	1	0	7	Low
104	(Ying Sun et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
105	(Ruirui Wang et al., 2020g)	0	1	1	1	1	0	1	0	5	Moderate
106	(X. Chen et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
107	(J. yeon Lee et al., 2020)	1	1	1	1	1	1	1	0	7	Low
108	(Zheng et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
109	(J. Tian et al., 2020)	1	1	1	1	2	1	1	0	8	Low
110	(K. Yang et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
111	(Akter et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
112	(Yu et al., 2020a)	1	1	1	1	1	1	1	0	7	Low
113	(Al-Omari et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
114	(Samrah et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
115	(Almazeedi et al., 2020)	1	1	1	1	1	1	1	0	7	Low
116	(Ruan et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
117	(Peng et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
118	(S Wang et al., 2020h)	0	1	1	1	1	0	1	0	5	Moderate
119	(Nouri-Vaskeh et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
120	(Khan et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
121	(L. Liu et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
122	(Jing Li et al., 2020b)	0	1	0	1	1	1	1	0	5	Moderate
123	(Zhaowei Chen et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
124	(Q. Shi et al., 2020b)	0	1	1	1	1	0	1	0	5	Moderate
125	(J. Liu et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
126	(Jingli Chen et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
127	(T. Yao et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
128	(Chen et al. 2020)	0	1	1	1	1	1	1	0	6	Moderate
129	(W. Zhao et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
130	(Wen et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
131	(Fu et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
132	(P. Shi et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
133	(Alshukry et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
134	(Duan et al., 2020)	0	1	0	1	2	1	1	0	6	Moderate
135	(Ayed et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
136	(Nagura-Ikeda et al., 2020)	0	1	0	1	2	1	1	0	6	Moderate
137	(Y. Zhao et al., 2020)	1	1	1	1	1	1	1	0	7	Low

138	(Yan et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
139	(Guozhen Li et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
140	(Guan et al., 2020)	1	1	1	1	2	1	1	0	8	Low
141	(Cai et al., 2020, p. 19)	0	1	1	1	1	0	1	0	5	Moderate
142	(Y. Xie et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
143	(M. Zhao et al., 2020)	1	1	1	1	1	1	1	0	7	Low
144	(Lai et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
145	(Favà et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
146	(J.-J. Zhang et al., 2020a)	0	1	0	1	1	1	1	0	5	Moderate
147	(W. Shi et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
148	(Z. Huang et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
149	(Bergquist et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
150	(Jalili et al., 2020)	1	1	1	1	1	1	1	0	7	Low
151	(Xiaoping Chen et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
152	(Yinxiaohe Sun et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
153	(Jing Chen et al., 2020)	1	1	1	1	1	1	1	0	7	Low
154	(Perez-Guzman et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
155	(X. Liu et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
156	(Yuhong Chen et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
157	(Sepulchre et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
158	(Fuyang Chen et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
159	(S.-P. Dai et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
160	(M. K. Kim et al., 2020)	1	1	1	1	1	1	1	0	7	Low
161	(Y. Zhang et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
162	(Y. Yan et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
163	(X. Yao et al., 2020)	1	1	1	1	1	1	1	0	7	Low
164	(Jing Li et al., 2020a)	0	1	0	1	1	1	1	0	5	Moderate
165	(J. Zhou et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
166	(J. Zhang et al., 2020)	1	1	1	1	1	1	1	0	7	Low
167	(Steinmeyer et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
168	(Zerah et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
169	(Ramos-Rincon et al., 2020)	1	1	1	1	2	1	1	0	8	Low
170	(G.-Q. Qian et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
171	(H. Dai et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate

172	(G. Yang et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
173	(Mohamud et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
174	(Khraise et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
175	(Peng Yudong et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
176	(Myers et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
177	(Barry et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
178	(Almalki et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
179	(Chu et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
180	(J. Xie et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
181	(Gayam et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
182	(Shu et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
183	(Lechien et al., 2020)	1	1	1	1	1	1	1	0	7	Low
184	(Z. Cao et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
185	(Lapostolle et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
186	(Ruoqing Li et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
187	(Casas-Rojo et al., 2020)	1	1	1	1	2	1	1	0	8	Low
188	(Z. Zhou et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
189	(X. Qi et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
190	(Medetalibeyoglu et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
191	(Song et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
192	(Aibin Wang et al., 2020a)	0	1	0	1	1	1	1	0	5	Moderate
193	(Y. He et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
194	(Killerby et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
195	(Price-Haywood et al., 2020)	1	1	1	1	1	1	1	0	7	Low
196	(Nowak et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
197	(Izquierdo et al., 2020)	1	1	1	1	2	1	1	0	8	Low
198	(Vena et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
199	(W. Yang et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
200	(Tomlins et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
201	(Du et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
202	(Yang Wang et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
203	(J. Zhang et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
204	(Feng et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
205	(S. He et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
206	(Ji et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
207	(X. Qin et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
208	(Kuang et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate

209	(Ming Chen et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate
210	(Yi Wang et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
211	(C. Qin et al., 2020a)	1	1	1	1	1	1	1	0	7	Low
212	(Popov et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
213	(Zhong et al., 2020)	0	1	1	1	1	0	1	0	5	Moderate
214	(Xiong et al., 2020)	0	1	0	1	1	1	1	0	5	Moderate
215	(Jiang-shan Lian et al., 2020)	0	1	1	1	1	1	1	0	6	Moderate

References

- Akbariqomi, M., Hosseini, M. S., Rashidiani, J., Sedighian, H., Biganeh, H., Heidari, R., ... Kooshki, H. (2020). Clinical characteristics and outcome of hospitalized COVID-19 patients with diabetes: A single-center, retrospective study in Iran. *Diabetes Research and Clinical Practice*, 169, 108467. <https://doi.org/10.1016/j.diabres.2020.108467>
- Akter, F., Mannan, A., Mehedi, H. M. H., Rob, Md. A., Ahmed, S., Salauddin, A., ... Hasan, Md. M. (2020). Clinical characteristics and short term outcomes after recovery from COVID-19 in patients with and without diabetes in Bangladesh. *Diabetes & Metabolic Syndrome*, 14(6), 2031–2038. <https://doi.org/10.1016/j.dsx.2020.10.016>
- Almalki, Z. S., Khan, M. F., Almazrou, S., Alanazi, A. S., Iqbal, M. S., Alqahtani, A., ... Alahmari, A. K. (2020). Clinical Characteristics and Outcomes Among COVID-19 Hospitalized Patients with Chronic Conditions: A Retrospective Single-Center Study. *Journal of Multidisciplinary Healthcare*, 13, 1089–1097. <https://doi.org/10.2147/JMDH.S273918>
- Almazeedi, S., Al-Youha, S., Jamal, M. H., Al-Haddad, M., Al-Muhaini, A., Al-Ghimlas, F., & Al-Sabah, S. (2020). Characteristics, risk factors and outcomes among the first consecutive 1096 patients diagnosed with COVID-19 in Kuwait. *EClinicalMedicine*, 24. <https://doi.org/10.1016/j.eclinm.2020.100448>
- Al-Omari, A., Alhuqbani, W. N., Zaidi, A. R. Z., Al-Subaie, M. F., AlHindi, A. M., Abogosh, A. K., ... Al Mutair, A. (2020). Clinical characteristics of non-intensive care unit COVID-19 patients in Saudi Arabia: A descriptive cross-sectional study. *Journal of Infection and Public Health*, 13(11), 1639–1644. <https://doi.org/10.1016/j.jiph.2020.09.003>
- Alshukry, A., Ali, H., Ali, Y., Al-Taweel, T., Abu-farha, M., AbuBaker, J., ... Abbas, M. B. (2020). Clinical characteristics of Coronavirus Disease 2019 (COVID-19) patients in Kuwait. *MedRxiv*, 2020.06.14.20131045. <https://doi.org/10.1101/2020.06.14.20131045>
- Alvarado, G. R., Pierson, B. C., Teemer, E. S., Gama, H. J., Cole, R. D., & Jang, S. S. (2020). Symptom Characterization and Outcomes of Sailors in Isolation After a COVID-19 Outbreak on a US Aircraft Carrier. *JAMA Network Open*, 3(10). <https://doi.org/10.1001/jamanetworkopen.2020.20981>
- Ayed, M., Borahmah, A., Yazdani, A., Sultan, A., Mossad, A., & Rawdhan, H. (2020). Assessment of clinical characteristics and mortality-associated factors in COVID-19 Critical cases in Kuwait. *MedRxiv*, 2020.06.17.20134007. <https://doi.org/10.1101/2020.06.17.20134007>
- Barry, M., AlMohaya, A., AlHijji, A., Akkielah, L., AlRajhi, A., Almajid, F., ... Memish, Z. A. (2020). Clinical Characteristics and Outcome of Hospitalized COVID-19 Patients in a MERS-CoV Endemic Area. *Journal of Epidemiology and Global Health*, 10(3), 214–221. <https://doi.org/10.2991/jegh.k.200806.002>
- Berenguer, J., Ryan, P., Rodríguez-Baño, J., Jarrín, I., & Carratalà, J. (2020). Characteristics and predictors of death among 4035 consecutively hospitalized patients with COVID-19 in Spain. *Clinical Microbiology and Infection*, 0(0). <https://doi.org/10.1016/j.cmi.2020.07.024>
- Bergquist, S. H., Partin, C., Roberts, D. L., O’Keefe, J. B., Tong, E. J., Zreloff, J., ... Moore, M. A. (2020). Non-hospitalized Adults with COVID-19 Differ Noticeably from Hospitalized Adults in Their Demographic, Clinical, and Social Characteristics. *Sn Comprehensive Clinical Medicine*, 1–9. <https://doi.org/10.1007/s42399-020-00453-3>
- Bernheim, A., Mei, X., Huang, M., Yang, Y., Fayad, Z. A., Zhang, N., ... Chung, M. (2020). Chest CT Findings in Coronavirus Disease-19 (COVID-19): Relationship to Duration of Infection. *Radiology*, 295(3), 200463. <https://doi.org/10.1148/radiol.2020200463>
- Brendish, N. J., Poole, S., Naidu, V. V., Mansbridge, C. T., Norton, N., Borca, F., ... Clark, T. W. (2020). Clinical characteristics, symptoms and outcomes of 1054 adults presenting to hospital with suspected COVID-19: A comparison of patients with and without SARS-CoV-2 infection. *The Journal of Infection*. <https://doi.org/10.1016/j.jinf.2020.09.033>
- Cai, Y., Liu, J., Yang, H., Wang, M., Guo, Q., Huang, D., ... Xiao, E. (2020). Association between incubation period and clinical characteristics of patients with COVID-19. *The Journal of International Medical Research*, 48(9). <https://doi.org/10.1177/0300060520956834>
- Cao, J., Tu, W.-J., Cheng, W., Yu, L., Liu, Y.-K., Hu, X., & Liu, Q. (2020). Clinical Features and Short-term Outcomes of 102 Patients with Corona Virus Disease 2019 in Wuhan, China. *Clinical Infectious Diseases*. <https://doi.org/10.1093/cid/ciaa243>
- Cao, Z., Li, T., Liang, L., Wang, H., Wei, F., Meng, S., ... Jin, R. (2020). Clinical characteristics of Coronavirus Disease 2019 patients in Beijing, China. *PLoS ONE*, 15(6). <https://doi.org/10.1371/journal.pone.0234764>
- Casas-Rojo, J. M., Antón-Santos, J. M., Millán-Núñez-Cortés, J., Lumbreras-Bermejo, C., Ramos-Rincón, J. M., Roy-Vallejo, E., ... Gómez-Huelgas, R. (2020). Clinical characteristics of patients hospitalized with

- COVID-19 in Spain: Results from the SEMI-COVID-19 Registry. *Revista Clinica Espanola*.
<https://doi.org/10.1016/j.rceng.2020.07.003>
- Chang, M. C., Park, Y.-K., Kim, B.-O., & Park, D. (2020). Risk factors for disease progression in COVID-19 patients. *BMC Infectious Diseases*, 20(1), 445. <https://doi.org/10.1186/s12879-020-05144-x>
- Chen, Fang-fang, Zhong, M., Liu, Y., Zhang, Y., Zhang, K., Su, D., ... Zhang, Y. (2020). The characteristics and outcomes of 681 severe cases with COVID-19 in China. *Journal of Critical Care*, 60, 32–37.
<https://doi.org/10.1016/j.jcrc.2020.07.003>
- Chen, Fuyang, Sun, W., Sun, S., Li, Z., Wang, Z., & Yu, L. (2020). Clinical characteristics and risk factors for mortality among inpatients with COVID-19 in Wuhan, China. *Clinical and Translational Medicine*.
<https://doi.org/10.1002/ctm2.40>
- Chen, Jing, Bai, H., Liu, J., Chen, G., Liao, Q., Yang, J., ... Li, K. (2020). Distinct clinical characteristics and risk factors for mortality in female COVID-19 inpatients: A sex-stratified large-scale cohort study in Wuhan, China. *Clinical Infectious Diseases*. <https://doi.org/10.1093/cid/ciaa920>
- Chen, Jingli, Ye, J., Li, H., Xia, Z., & Yan, H. (2020, August 12). Changes in the Clinical Characteristics of 62 Patients Who Died from Coronavirus Disease 2019 [Research Article].
<https://doi.org/10.1155/2020/3280908>
- Chen, Jun, Qi, T., Liu, L., Ling, Y., Qian, Z., Li, T., ... Lu, H. (2020). Clinical progression of patients with COVID-19 in Shanghai, China. *The Journal of Infection*, 80(5), e1–e6. <https://doi.org/10.1016/j.jinf.2020.03.004>
- Chen, L., Deng, C., Chen, X., Zhang, X., Chen, B., Yu, H., ... Sun, X. (2020). Ocular manifestations and clinical characteristics of 535 cases of COVID-19 in Wuhan, China: A cross-sectional study. *Acta Ophthalmologica*, n/a(n/a). <https://doi.org/10.1111/aos.14472>
- Chen, M., Fan, Y., Wu, X., Zhang, L., Guo, T., Deng, K., ... Lu, Z. (2020). *Clinical Characteristics And Risk Factors For Fatal Outcome in Patients With 2019-Coronavirus Infected Disease (COVID-19) in Wuhan, China*. SSRN Scholarly Paper, Rochester, NY. <https://doi.org/10.2139/ssrn.3546069>
- Chen, N., Zhou, M., Dong, X., Qu, J., Gong, F., Han, Y., ... Zhang, L. (2020). Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: A descriptive study. *The Lancet*, 395(10223), 507–513. [https://doi.org/10.1016/S0140-6736\(20\)30211-7](https://doi.org/10.1016/S0140-6736(20)30211-7)
- Chen, P., Zhang, Y., Wen, Y., Guo, J., Jia, J., Ma, Y., & Xu, Y. (2020). Epidemiological and clinical characteristics of 136 cases of COVID-19 in main district of Chongqing. *Journal of the Formosan Medical Association*, 119(7), 1180–1184. <https://doi.org/10.1016/j.jfma.2020.04.019>
- Chen, Q., Zheng, Z., Zhang, C., Zhang, X., Wu, H., Wang, J., ... Zheng, C. (2020). Clinical characteristics of 145 patients with corona virus disease 2019 (COVID-19) in Taizhou, Zhejiang, China. *Infection*, 1–9.
<https://doi.org/10.1007/s15010-020-01432-5>
- Chen, Tao, Wu, D., Chen, H., Yan, W., Yang, D., Chen, G., ... Ning, Q. (2020). Clinical characteristics of 113 deceased patients with coronavirus disease 2019: Retrospective study. *BMJ*, 368, m1091.
<https://doi.org/10.1136/bmj.m1091>
- Chen, TieLong, Dai, Z., Mo, P., Li, X., Ma, Z., Song, S., ... Xiong, Y. (2020). Clinical Characteristics and Outcomes of Older Patients with Coronavirus Disease 2019 (COVID-19) in Wuhan, China: A Single-Centered, Retrospective Study. *The Journals of Gerontology*, 75(9), 1788–1795.
<https://doi.org/10.1093/gerona/glaa089>
- Chen, Xiaoping, Jiang, Q., Ma, Z., Ling, J., Hu, W., Cao, Q., ... Zhang, Y. (2020). Clinical Characteristics of Hospitalized Patients with SARS-CoV-2 and Hepatitis B Virus Co-infection. *Virologica Sinica*, 1–4.
<https://doi.org/10.1007/s12250-020-00276-5>
- Chen, Xudan, Zhu, B., Hong, W., Zeng, J., He, X., Chen, J., ... Zhang, Y. (2020). Associations of clinical characteristics and treatment regimens with the duration of viral RNA shedding in patients with COVID-19. *International Journal of Infectious Diseases*, 98, 252–260. <https://doi.org/10.1016/j.ijid.2020.06.091>
- Chen, Yuchen, Yang, D., Cheng, B., Chen, J., Peng, A., Yang, C., ... Huang, K. (2020). Clinical Characteristics and Outcomes of Patients With Diabetes and COVID-19 in Association With Glucose-Lowering Medication. *Diabetes Care*. <https://doi.org/10.2337/dc20-0660>
- Chen, Yuhong, Zhang, K., Zhu, G., Liu, L., Yan, X., Cai, Z., ... Hu, Z. (2020). Clinical characteristics and treatment of critically ill patients with COVID-19 in Hebei. *Annals of Palliative Medicine*, 9(4), 2118–2130.
<https://doi.org/10.21037/apm-20-1273>
- Chen, Z., Hu, J., Zhang, Z., Jiang, S., Wang, T., Shi, Z., & Zhang, Z. (2020). Caution: The clinical characteristics of COVID-19 patients at admission are changing. *MedRxiv*, 2020.03.03.20030833.
<https://doi.org/10.1101/2020.03.03.20030833>
- Chu, J., Yang, N., Wei, Y., Yue, H., Zhang, F., Zhao, J., ... Zhang, H. (2020). Clinical characteristics of 54 medical staff with COVID-19: A retrospective study in a single center in Wuhan, China. *Journal of Medical Virology*. <https://doi.org/10.1002/jmv.25793>
- Colaneri, M., Sacchi, P., Zuccaro, V., Biscarini, S., Sachs, M., Roda, S., ... Bruno, R. (2020). Clinical characteristics of coronavirus disease (COVID-19) early findings from a teaching hospital in Pavia, North

- Italy, 21 to 28 February 2020. *Eurosurveillance*, 25(16). <https://doi.org/10.2807/1560-7917.ES.2020.25.16.2000460>
- Covino, M., Matteis, G. D., Santoro, M., Sabia, L., Simeoni, B., Candelli, M., ... Franceschi, F. (2020). Clinical characteristics and prognostic factors in COVID-19 patients aged ≥ 80 years. *Geriatrics & Gerontology International*, 20(7), 704–708. <https://doi.org/10.1111/ggi.13960>
- Dai, H., Zhang, X., Xia, J., Zhang, T., Shang, Y., Huang, R., ... Li, Y. (2020). High-resolution Chest CT Features and Clinical Characteristics of Patients Infected with COVID-19 in Jiangsu, China. *International Journal of Infectious Diseases*, 95, 106–112. <https://doi.org/10.1016/j.ijid.2020.04.003>
- Dai, S.-P., Zhao, X., & Wu, J. (2020). Effects of Comorbidities on the Elderly Patients with COVID-19: Clinical Characteristics of Elderly Patients Infected with COVID-19 from Sichuan, China. *The Journal of Nutrition, Health & Aging*. <https://doi.org/10.1007/s12603-020-1486-1>
- Deng, Q., Hu, B., Zhang, Y., Wang, H., Zhou, X., Hu, W., ... Zhou, Q. (2020). Suspected myocardial injury in patients with COVID-19: Evidence from front-line clinical observation in Wuhan, China. *International Journal of Cardiology*, 311, 116–121. <https://doi.org/10.1016/j.ijcard.2020.03.087>
- Deng, Y., Liu, W., Liu, K., Fang, Y.-Y., Shang, J., Zhou, L., ... Liu, H.-G. (2020). Clinical characteristics of fatal and recovered cases of coronavirus disease 2019 in Wuhan, China: A retrospective study. *Chinese Medical Journal*, 133(11), 1261–1267. <https://doi.org/10.1097/CM9.0000000000000824>
- D'Silva, K. M., Serling-Boyd, N., Wallwork, R., Hsu, T., Fu, X., Gravalles, E. M., ... Wallace, Z. S. (2020). Clinical characteristics and outcomes of patients with coronavirus disease 2019 (COVID-19) and rheumatic disease: A comparative cohort study from a US 'hot spot.' *Annals of the Rheumatic Diseases*, 79(9), 1156–1162. <https://doi.org/10.1136/annrheumdis-2020-217888>
- Du, Y., Tu, L., Zhu, P., Mu, M., Wang, R., Yang, P., ... Xu, G. (2020). Clinical Features of 85 Fatal Cases of COVID-19 from Wuhan. A Retrospective Observational Study. *American Journal of Respiratory and Critical Care Medicine*, 201(11), 1372–1379. <https://doi.org/10.1164/rccm.202003-0543OC>
- Duan, L., Zhang, S., Guo, M., Zhou, E., Fan, J., Wang, X., ... Jin, Y. (2020). Epidemiological and clinical characteristics in patients with SARS-CoV-2 antibody negative probable COVID-19 in Wuhan. *MedRxiv*, 2020.06.18.20134619. <https://doi.org/10.1101/2020.06.18.20134619>
- Duanmu, Y., Brown, I. P., Gibb, W. R., Singh, J., Matheson, L. W., Blomkalns, A. L., & Govindarajan, P. (2020). Characteristics of Emergency Department Patients With COVID-19 at a Single Site in Northern California: Clinical Observations and Public Health Implications. *Academic Emergency Medicine*, 27(6), 505–509. <https://doi.org/10.1111/acem.14003>
- Easom, N., Moss, P., Barlow, G., Samson, A., Taynton, T., Adams, K., ... Lillie, P. J. (2020). Sixty-eight consecutive patients assessed for COVID-19 infection: Experience from a UK Regional infectious diseases Unit. *Influenza and Other Respiratory Viruses*, 14(4), 374–379. <https://doi.org/10.1111/irv.12739>
- Favà, A., Cucchiari, D., Montero, N., Toapanta, N., Centellas, F. J., Vila-Santandreu, A., ... Melilli, E. (2020). Clinical characteristics and risk factors for severe COVID-19 in hospitalized kidney transplant recipients: A multicentric cohort study. *American Journal of Transplantation*, 20(11), 3030–3041. <https://doi.org/10.1111/ajt.16246>
- Feng, Z., Yu, Q., Yao, S., Luo, L., Zhou, W., Mao, X., ... Wang, W. (2020). Early prediction of disease progression in COVID-19 pneumonia patients with chest CT and clinical characteristics. *Nature Communications*, 11(1), 4968. <https://doi.org/10.1038/s41467-020-18786-x>
- Fu, S., Fu, X., Song, Y., Li, M., Pan, P., Tang, T., ... Ouyang, Y. (2020). Virologic and clinical characteristics for prognosis of severe COVID-19: A retrospective observational study in Wuhan, China. *MedRxiv*, 2020.04.03.20051763. <https://doi.org/10.1101/2020.04.03.20051763>
- García-Azorín, D., Trigo, J., Talavera, B., Martínez-Pías, E., Sierra, Á., Porta-Etessam, J., ... Guerrero, Á. L. (2020). Frequency and Type of Red Flags in Patients With Covid-19 and Headache: A Series of 104 Hospitalized Patients. *Headache: The Journal of Head and Face Pain*, 60(8), 1664–1672. <https://doi.org/10.1111/head.13927>
- Gayam, V., Chobufo, M. D., Merghani, M. A., Lamichanne, S., Garlapati, P. R., & Adler, M. K. (2020). Clinical characteristics and predictors of mortality in African-Americans with COVID-19 from an inner-city community teaching hospital in New York. *Journal of Medical Virology*. <https://doi.org/10.1002/jmv.26306>
- Goyal, P., Choi, J. J., Pinheiro, L. C., Schenck, E. J., Chen, R., Jabri, A., ... Safford, M. M. (2020). Clinical Characteristics of Covid-19 in New York City. *New England Journal of Medicine*, 382(24), 2372–2374. <https://doi.org/10.1056/NEJMc2010419>
- Guan, W., Liang, W., Zhao, Y., Liang, H., Chen, Z., Li, Y., ... He, J. (2020). Comorbidity and its impact on 1590 patients with COVID-19 in China: A nationwide analysis. *The European Respiratory Journal*, 55(5). <https://doi.org/10.1183/13993003.00547-2020>

- Guan, W., Ni, Z., Hu, Y., Liang, W., Ou, C., He, J., ... Zhong, N. (2020). Clinical Characteristics of Coronavirus Disease 2019 in China. *New England Journal of Medicine*, 382(18), 1708–1720. <https://doi.org/10.1056/NEJMoa2002032>
- Guo, T., Shen, Q., Guo, W., He, W., Li, J., Zhang, Y., ... Peng, H. (2020). Clinical Characteristics of Elderly Patients with COVID-19 in Hunan Province, China: A Multicenter, Retrospective Study. *Gerontology*, 66(5), 467–475. <https://doi.org/10.1159/000508734>
- Han, Y., Liu, Y., Zhou, L., Chen, E., Liu, P., Pan, X., & Lu, Y. (2020). Epidemiological Assessment of Imported Coronavirus Disease 2019 (COVID-19) Cases in the Most Affected City Outside of Hubei Province, Wenzhou, China. *JAMA Network Open*, 3(4). <https://doi.org/10.1001/jamanetworkopen.2020.6785>
- He, S., Zhou, K., Hu, M., Liu, C., Xie, L., Sun, S., ... Chen, L. (2020). Clinical characteristics of “re-positive” discharged COVID-19 pneumonia patients in Wuhan, China. *Scientific Reports*, 10(1), 17365. <https://doi.org/10.1038/s41598-020-74284-6>
- He, Y., Xie, M., Zhao, J., & Liu, X. (2020). Clinical Characteristics and Outcomes of Patients with Severe COVID-19 and Chronic Obstructive Pulmonary Disease (COPD). *Medical Science Monitor*, 26, e927212. <https://doi.org/10.12659/MSM.927212>
- Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., ... Cao, B. (2020). Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *The Lancet*, 395(10223), 497–506. [https://doi.org/10.1016/S0140-6736\(20\)30183-5](https://doi.org/10.1016/S0140-6736(20)30183-5)
- Huang, M., Yang, Y., Shang, F., Zheng, Y., Zhao, W., Luo, L., ... Wang, W. (2020). Clinical Characteristics and Predictors of Disease Progression in Severe Patients with COVID-19 Infection in Jiangsu Province, China: A Descriptive Study. *The American Journal of the Medical Sciences*, 360(2), 120–128. <https://doi.org/10.1016/j.amjms.2020.05.038>
- Huang, Z., Cao, J., Yao, Y., Jin, X., Luo, Z., Xue, Y., ... Ge, J. (2020). The effect of RAS blockers on the clinical characteristics of COVID-19 patients with hypertension. *Annals of Translational Medicine*, 8(7), 430. <https://doi.org/10.21037/atm.2020.03.229>
- Imam, Z., Odish, F., Gill, I., O'Connor, D., Armstrong, J., Vanood, A., ... Halalau, A. (2020). Older age and comorbidity are independent mortality predictors in a large cohort of 1305 COVID-19 patients in Michigan, United States. *Journal of Internal Medicine*, 288(4), 469–476. <https://doi.org/10.1111/joim.13119>
- Izquierdo, J. L., Ancochea, J., Savana COVID-19 Research Group, & Soriano, J. B. (2020). Clinical Characteristics and Prognostic Factors for Intensive Care Unit Admission of Patients With COVID-19: Retrospective Study Using Machine Learning and Natural Language Processing. *Journal of Medical Internet Research*, 22(10), e21801. <https://doi.org/10.2196/21801>
- Jalili, M., Payandemehr, P., Saghaei, A., Sari, H. N., Safikhani, H., & Kolivand, P. (2020). Characteristics and Mortality of Hospitalized Patients With COVID-19 in Iran: A National Retrospective Cohort Study. *Annals of Internal Medicine*. <https://doi.org/10.7326/M20-2911>
- Javanian, M., Bayani, M., Shokri, M., Sadeghi-Haddad-Zavareh, M., Babazadeh, A., Yeganeh, B., ... Ebrahimipour, S. (2020). Clinical and laboratory findings from patients with COVID-19 pneumonia in Babol North of Iran: A retrospective cohort study. *Romanian Journal of Internal Medicine*, 58(3), 161–167. <https://doi.org/10.2478/rjim-2020-0013>
- Ji, D., Zhang, D., Chen, Z., Xu, Z., Zhao, P., Zhang, M., ... Qin, E. (2020). *Clinical Characteristics Predicting Progression of COVID-19*. <https://doi.org/10.2139/ssrn.3539674>
- Jin, X., Lian, J.-S., Hu, J.-H., Gao, J., Zheng, L., Zhang, Y.-M., ... Yang, Y. (2020). Epidemiological, clinical and virological characteristics of 74 cases of coronavirus-infected disease 2019 (COVID-19) with gastrointestinal symptoms. *Gut*, 69(6), 1002–1009. <https://doi.org/10.1136/gutjnl-2020-320926>
- Ke, C., Yu, C., Yue, D., Zeng, X., Hu, Z., & Yang, C. (2020). Clinical characteristics of confirmed and clinically diagnosed patients with 2019 novel coronavirus pneumonia: A single-center, retrospective, case-control study. *Medicina Clinica*, 155(8), 327–334. <https://doi.org/10.1016/j.medcli.2020.06.055>
- Khan, M., Khan, H., Khan, S., & Nawaz, M. (2020). Epidemiological and clinical characteristics of coronavirus disease (COVID-19) cases at a screening clinic during the early outbreak period: A single-centre study. *Journal of Medical Microbiology*, 69(8), 1114–1123. <https://doi.org/10.1099/jmm.0.001231>
- Khraise, W. N., Khraise, T. W., Starling Emerald, B., & Allouh, M. Z. (2020). Epidemiologic and Clinical Characteristics of COVID-19 Patients from a Quarantine Center in a Developing Community: A Retrospective Study. *International Journal of General Medicine*, 13, 937–944. <https://doi.org/10.2147/IJGM.S276742>
- Killerby, M. E., Link-Gelles, R., Haight, S. C., Schrodt, C. A., England, L., Gomes, D. J., ... Kimball, A. (2020). Characteristics associated with hospitalization among patients with COVID-19—Metropolitan Atlanta, Georgia, March–April 2020. *Morbidity and Mortality Weekly Report*, 69(25), 790.

- Kim, G. -u, Kim, M.-J., Ra, S. H., Lee, J., Bae, S., Jung, J., & Kim, S.-H. (2020). Clinical characteristics of asymptomatic and symptomatic patients with mild COVID-19. *Clinical Microbiology and Infection*, 26(7), 948.e1-948.e3. <https://doi.org/10.1016/j.cmi.2020.04.040>
- Kim, M. K., Jeon, J. H., Kim, S. W., Moon, J. S., Cho, N. H., Han, E., ... Lee, J. H. (2020). The Clinical Characteristics and Outcomes of Patients with Moderate-to-Severe Coronavirus Disease 2019 Infection and Diabetes in Daegu, South Korea. *Diabetes & Metabolism Journal*, 44(4), 602–613. <https://doi.org/10.4093/dmj.2020.0146>
- Kluytmans-van den Bergh, M. F. Q., Buiting, A. G. M., Pas, S. D., Bentvelsen, R. G., van den Bijlaardt, W., van Oudheusden, A. J. G., ... Kluytmans, J. A. J. W. (2020). Prevalence and Clinical Presentation of Health Care Workers With Symptoms of Coronavirus Disease 2019 in 2 Dutch Hospitals During an Early Phase of the Pandemic. *JAMA Network Open*, 3(5). <https://doi.org/10.1001/jamanetworkopen.2020.9673>
- Koleilat, I., Galen, B., Choinski, K., Hatch, A. N., Jones, D. B., Billett, H., ... Lipsitz, E. (2020). Clinical characteristics of acute lower extremity deep venous thrombosis diagnosed by duplex in patients hospitalized for coronavirus disease 2019. *Journal of Vascular Surgery. Venous and Lymphatic Disorders*. <https://doi.org/10.1016/j.jvsv.2020.06.012>
- Kuang, Y., Zhang, H., Zhou, R., Lin, S., Lin, M., Wang, J., ... Ji, W. (2020). *Epidemiological and Clinical Characteristics of 944 Cases of 2019 Novel Coronavirus Infection of Non-COVID-19 Exporting City, Zhejiang, China*. <https://doi.org/10.2139/ssrn.3543604>
- Lai, C., Yu, R., Wang, M., Xian, W., Zhao, X., Tang, Q., ... Wang, F. (2020). Shorter incubation period is associated with severe disease progression in patients with COVID-19. *Virulence*, 11(1), 1443–1452. <https://doi.org/10.1080/21505594.2020.1836894>
- Lapostolle, F., Schneider, E., Vianu, I., Dollet, G., Roche, B., Berdah, J., ... Adnet, F. (2020). Clinical features of 1487 COVID-19 patients with outpatient management in the Greater Paris: The COVID-call study. *Internal and Emergency Medicine*, 15(5), 813–817. <https://doi.org/10.1007/s11739-020-02379-z>
- Lechien, J. R., Chiesa-Estomba, C. M., Place, S., Van Laethem, Y., Cabaraux, P., Mat, Q., ... COVID-19 Task Force of YO-IFOS. (2020). Clinical and epidemiological characteristics of 1420 European patients with mild-to-moderate coronavirus disease 2019. *Journal of Internal Medicine*, 288(3), 335–344. <https://doi.org/10.1111/joim.13089>
- Lee, D. J., Lockwood, J., Das, P., Wang, R., Grinspun, E., & Lee, J. M. (2020). Self-reported anosmia and dysgeusia as key symptoms of coronavirus disease 2019. *Cjem*, 1–8. <https://doi.org/10.1017/cem.2020.420>
- Lee, J. yeon, Hong, S. W., Hyun, M., Park, J. S., Lee, J. H., Suh, Y. S., ... Kim, H. ah. (2020). Epidemiological and clinical characteristics of coronavirus disease 2019 in Daegu, South Korea. *International Journal of Infectious Diseases*, 98, 462–466. <https://doi.org/10.1016/j.ijid.2020.07.017>
- Li, G., Deng, Q., Feng, J., Li, F., Xiong, N., & He, Q. (2020, August 10). Clinical Characteristics of Diabetic Patients with COVID-19 [Research Article]. <https://doi.org/10.1155/2020/1652403>
- Li, Jing, Ding, J., Chen, L., Hong, L., Yu, X., Ye, E., ... Sun, Q. (2020). Epidemiological and clinical characteristics of three family clusters of COVID-19 transmitted by latent patients in China. *Epidemiology and Infection*, 148. <https://doi.org/10.1017/S0950268820001491>
- Li, Jing, Zhang, Y., Wang, F., Liu, B., Li, H., Tang, G., ... Li, J. (2020). Sex differences in clinical findings among patients with coronavirus disease 2019 (COVID-19) and severe condition. *MedRxiv*, 2020.02.27.20027524. <https://doi.org/10.1101/2020.02.27.20027524>
- Li, Jinpeng, Gao, R., Wu, G., Wu, X., Liu, Z., Wang, H., ... Wu, X. (2020). Clinical characteristics of emergency surgery patients infected with coronavirus disease 2019 (COVID-19) pneumonia in Wuhan, China. *Surgery*, 168(3), 398–403. <https://doi.org/10.1016/j.surg.2020.05.007>
- Li, Jitian, Chen, Z., Nie, Y., Ma, Y., Guo, Q., & Dai, X. (2020). Identification of Symptoms Prognostic of COVID-19 Severity: Multivariate Data Analysis of a Case Series in Henan Province. *Journal of Medical Internet Research*, 22(6). <https://doi.org/10.2196/19636>
- Li, Junli, Xu, G., Yu, H., Peng, X., Luo, Y., & Cao, C. (2020). Clinical Characteristics and Outcomes of 74 Patients With Severe or Critical COVID-19. *The American Journal of the Medical Sciences*, 360(3), 229–235. <https://doi.org/10.1016/j.amjms.2020.05.040>
- Li, K., Wu, J., Wu, F., Guo, D., Chen, L., Fang, Z., & Li, C. (2020). The Clinical and Chest CT Features Associated With Severe and Critical COVID-19 Pneumonia. *Investigative Radiology*, 55(6), 327–331. <https://doi.org/10.1097/RLI.0000000000000672>
- Li, R., Tian, J., Yang, F., Lv, L., Yu, J., Sun, G., ... Ding, J. (2020). Clinical characteristics of 225 patients with COVID-19 in a tertiary Hospital near Wuhan, China. *Journal of Clinical Virology*, 127, 104363. <https://doi.org/10.1016/j.jcv.2020.104363>
- Li, T., Lu, L., Zhang, W., Tao, Y., Wang, L., Bao, J., ... Duan, J. (2020). Clinical characteristics of 312 hospitalized older patients with COVID-19 in Wuhan, China. *Archives of Gerontology and Geriatrics*, 91, 104185. <https://doi.org/10.1016/j.archger.2020.104185>

- Li, Xiao, Fang, X., Bian, Y., & Lu, J. (2020). Comparison of chest CT findings between COVID-19 pneumonia and other types of viral pneumonia: A two-center retrospective study. *European Radiology*, 30(10), 5470–5478. <https://doi.org/10.1007/s00330-020-06925-3>
- Li, Xiaochen, Xu, S., Yu, M., Wang, K., Tao, Y., Zhou, Y., ... Zhao, J. (2020). Risk factors for severity and mortality in adult COVID-19 inpatients in Wuhan. *The Journal of Allergy and Clinical Immunology*, 146(1), 110–118. <https://doi.org/10.1016/j.jaci.2020.04.006>
- Lian, Jiang-shan, Cai, H., Hao, S., Jin, X., Zhang, X., Zheng, L., ... Yang, Y. (2020). Comparison of epidemiological and clinical characteristics of COVID-19 patients with and without Wuhan exposure. *Journal of Zhejiang University. Science. B*, 1–9. <https://doi.org/10.1631/jzus.B2000112>
- Lian, Jiangshan, Jin, X., Hao, S., Cai, H., Zhang, S., Zheng, L., ... Yang, Y. (2020). Analysis of Epidemiological and Clinical Features in Older Patients With Coronavirus Disease 2019 (COVID-19) Outside Wuhan. *Clinical Infectious Diseases*, 71(15), 740–747. <https://doi.org/10.1093/cid/ciaa242>
- Liu, J., Ouyang, L., Guo, P., Wu, H. sheng, Fu, P., Chen, Y. liang, ... Zheng, C. sheng. (2020). Epidemiological, Clinical Characteristics and Outcome of Medical Staff Infected with COVID-19 in Wuhan, China: A Retrospective Case Series Analysis. *MedRxiv*, 2020.03.09.20033118. <https://doi.org/10.1101/2020.03.09.20033118>
- Liu, Kai, Chen, Y., Lin, R., & Han, K. (2020). Clinical features of COVID-19 in elderly patients: A comparison with young and middle-aged patients. *The Journal of Infection*, 80(6), e14–e18. <https://doi.org/10.1016/j.jinf.2020.03.005>
- Liu, Kui, Fang, Y.-Y., Deng, Y., Liu, W., Wang, M.-F., Ma, J.-P., ... Liu, H.-G. (2020). Clinical characteristics of novel coronavirus cases in tertiary hospitals in Hubei Province. *Chinese Medical Journal*, 133(9), 1025–1031. <https://doi.org/10.1097/CM9.0000000000000744>
- Liu, L., Gao, J.-Y., Hu, W., Zhang, X., Guo, L., Liu, C., ... Xiao, J. (2020). Clinical characteristics of 51 patients discharged from hospital with COVID-19 in Chongqing, China. *MedRxiv*, 2020.02.20.20025536. <https://doi.org/10.1101/2020.02.20.20025536>
- Liu, S., Luo, H., Wang, Y., Cuevas, L. E., Wang, D., Ju, S., & Yang, Y. (2020). Clinical characteristics and risk factors of patients with severe COVID-19 in Jiangsu province, China: A retrospective multicentre cohort study. *BMC Infectious Diseases*, 20(1), 584. <https://doi.org/10.1186/s12879-020-05314-x>
- Liu, X., Lu, S., Chen, J., Xia, L., Yang, Z., Charles, S., ... Lu, H. (2020). Clinical characteristics of foreign-imported COVID-19 cases in Shanghai, China. *Emerging Microbes & Infections*, 9(1), 1230–1232. <https://doi.org/10.1080/22221751.2020.1766383>
- Maechler, F., Gertler, M., Hermes, J., van Loon, W., Schwab, F., Piening, B., ... Seybold, J. (2020). Epidemiological and clinical characteristics of SARS-CoV-2 infections at a testing site in Berlin, Germany, March and April 2020—a cross-sectional study. *Clinical Microbiology and Infection*. <https://doi.org/10.1016/j.cmi.2020.08.017>
- Medetalibeyoglu, A., Senkal, N., Kose, M., Catma, Y., Bilge Caparali, E., Erelel, M., ... Tukek, T. (2020). Older Adults Hospitalized with COVID-19: Clinical Characteristics and Early Outcomes from a Single Center in Istanbul, Turkey. *The Journal of Nutrition, Health & Aging*, 1–10. <https://doi.org/10.1007/s12603-020-1477-2>
- Mo, P., Xing, Y., Xiao, Y., Deng, L., Zhao, Q., Wang, H., ... Zhang, Y. (2020). Clinical characteristics of refractory COVID-19 pneumonia in Wuhan, China. *Clinical Infectious Diseases: An Official Publication of the Infectious Diseases Society of America*. <https://doi.org/10.1093/cid/ciaa270>
- Mohamud, M., Mohamed, Y., Ali, A., & Ali, B. (2020). Loss of Taste and Smell are Common Clinical Characteristics of Patients with COVID-19 in Somalia: A Retrospective Double Centre Study. *Infection and Drug Resistance*, 13, 2631–2635. <https://doi.org/10.2147/IDR.S263632>
- Myers, L. C., Parodi, S. M., Escobar, G. J., & Liu, V. X. (2020). Characteristics of Hospitalized Adults With COVID-19 in an Integrated Health Care System in California. *JAMA*, 323(21), 2195–2198. <https://doi.org/10.1001/jama.2020.7202>
- Nagura-Ikeda, M., Imai, K., Kubota, K., Noguchi, S., Kitagawa, Y., Matsuoka, M., ... Maeda, T. (2020). Clinical characteristics and antibody response to SARS-CoV-2 spike 1 protein using the VITROS Anti-SARS-CoV-2 antibody tests in COVID-19 patients in Japan. *MedRxiv*, 2020.08.02.20166256. <https://doi.org/10.1101/2020.08.02.20166256>
- Nie, S., Zhao, X., Zhao, K., Zhang, Z., Zhang, Z., & Zhang, Z. (2020). Metabolic disturbances and inflammatory dysfunction predict severity of coronavirus disease 2019 (COVID-19): A retrospective study. *MedRxiv*, 2020.03.24.20042283. <https://doi.org/10.1101/2020.03.24.20042283>
- Niu, S., Tian, S., Lou, J., Kang, X., Zhang, L., Lian, H., & Zhang, J. (2020). Clinical characteristics of older patients infected with COVID-19: A descriptive study. *Arch Gerontol Geriatr*, 104058–104058.
- Nouri-Vaskeh, M., Khalili, N., Sharifi, A., Behnam, P., Soroureddin, Z., Ade, E. A., ... Baradaran, B. (2020). Clinical Characteristics of Fatal Cases of COVID-19 in Tabriz, Iran: An Analysis of 111 Patients. *Advanced Journal of Emergency Medicine*. <https://doi.org/10.22114/ajem.v0i0.499>

- Nowak, B., Szymański, P., Pańkowski, I., Szarowska, A., Życińska, K., Rogowski, W., ... Wierzba, W. (2020). Clinical characteristics and short-term outcomes of patients with coronavirus disease 2019: A retrospective single-center experience of a designated hospital in Poland. *Polish Archives of Internal Medicine*, 130(5), 407–411. <https://doi.org/10.20452/pamw.15361>
- Peng, Y. D., Meng, K., Guan, H. Q., Leng, L., Zhu, R. R., Wang, B. Y., ... Zeng, Q. T. (2020). Clinical characteristics and outcomes of 112 cardiovascular disease patients infected by 2019-nCoV. *Zhonghua Xin Xue Guan Bing Za Zhi*, 48(6), 450–455. <https://doi.org/10.3760/cma.j.cn112148-20200220-00105>
- Peng Yudong, Meng Kai, He Meian, Zhu Ruirui, Guan Hongquan, Ke Zihan, ... Zeng Qiutang. (2020). Clinical Characteristics and Prognosis of 244 Cardiovascular Patients Suffering From Coronavirus Disease in Wuhan, China. *Journal of the American Heart Association*, 9(19), e016796. <https://doi.org/10.1161/JAHA.120.016796>
- Perez-Guzman, P. N., Daunt, A., Mukherjee, S., Crook, P., Forlano, R., Kont, M. D., ... Nayagam, S. (2020). Clinical characteristics and predictors of outcomes of hospitalized patients with COVID-19 in a multi-ethnic London NHS Trust: A retrospective cohort study. *Clinical Infectious Diseases*. <https://doi.org/10.1093/cid/ciaa1091>
- Popov, G. T., Baymakova, M., Vaseva, V., Kundurzhiev, T., & Mutafchiyski, V. (2020). Clinical Characteristics of Hospitalized Patients with COVID-19 in Sofia, Bulgaria. *Vector Borne and Zoonotic Diseases*. <https://doi.org/10.1089/vbz.2020.2679>
- Price-Haywood, E. G., Burton, J., Fort, D., & Seoane, L. (2020). Hospitalization and Mortality among Black Patients and White Patients with Covid-19. *New England Journal of Medicine*, 382(26), 2534–2543. <https://doi.org/10.1056/NEJMsa2011686>
- Qi, D., Yan, X., Tang, X., Peng, J., Yu, Q., Feng, L., ... Xiang, J. (2020). Epidemiological and clinical features of 2019-nCoV acute respiratory disease cases in Chongqing municipality, China: A retrospective, descriptive, multiple-center study. *MedRxiv*, 2020.03.01.20029397. <https://doi.org/10.1101/2020.03.01.20029397>
- Qi, S., Guo, H., Shao, H., Lan, S., He, Y., Tiheiran, M., & Li, H. (2020). Computed Tomography Findings and Short-term follow-up with Novel Coronavirus Pneumonia. *MedRxiv*, 2020.04.02.20042614. <https://doi.org/10.1101/2020.04.02.20042614>
- Qi, X., Liu, C., Jiang, Z., Gu, Y., Zhang, G., Shao, C., ... Dong, J. (2020). Multicenter analysis of clinical characteristics and outcomes in patients with COVID-19 who develop liver injury. *Journal of Hepatology*, 73(2), 455–458. <https://doi.org/10.1016/j.jhep.2020.04.010>
- Qian, G.-Q., Yang, N.-B., Ding, F., Ma, A. H. Y., Wang, Z.-Y., Shen, Y.-F., ... Chen, X.-M. (2020). Epidemiologic and clinical characteristics of 91 hospitalized patients with COVID-19 in Zhejiang, China: A retrospective, multi-centre case series. *QJM: An International Journal of Medicine*, 113(7), 474–481. <https://doi.org/10.1093/qjmed/hcaa089>
- Qin, C., Zhou, L., Hu, Z., Yang, S., Zhang, S., Chen, M., ... Wang, W. (2020). Clinical Characteristics and Outcomes of COVID-19 Patients With a History of Stroke in Wuhan, China. *Stroke*, 51(7), 2219–2223. <https://doi.org/10.1161/STROKEAHA.120.030365>
- Qin, C., Zhou, L., Hu, Z., Zhang, S., Yang, S., Tao, Y., ... Tian, D.-S. (2020). Dysregulation of immune response in patients with COVID-19 in Wuhan, China. *Clinical Infectious Diseases*. <https://doi.org/10.1093/cid/ciaa248>
- Qin, X., Qiu, S., Yuan, Y., Zong, Y., Tuo, Z., Li, J., & Liu, J. (2020). *Clinical Characteristics and Treatment of Patients Infected with COVID-19 in Shishou, China*. <https://doi.org/10.2139/ssrn.3541147>
- Ramos-Rincon, J.-M., Buonaiuto, V., Ricci, M., Martín-Carmona, J., Paredes-Ruiz, D., Calderón-Moreno, M., ... Network, S.-C.-19. (2020). Clinical Characteristics and Risk Factors for Mortality in Very Old Patients Hospitalized With COVID-19 in Spain. *The Journals of Gerontology: Series A*. <https://doi.org/10.1093/gerona/glaa243>
- Ruan, Q., Yang, K., Wang, W., Jiang, L., & Song, J. (2020). Clinical predictors of mortality due to COVID-19 based on an analysis of data of 150 patients from Wuhan, China. *Intensive Care Medicine*, 46(5), 846–848. <https://doi.org/10.1007/s00134-020-05991-x>
- Samrah, S. M., Al-Mistarehi, A.-H. W., Ibnian, A. M., Raffee, L. A., Momany, S. M., Al-Ali, M., ... Khassawneh, B. Y. (2020). COVID-19 outbreak in Jordan: Epidemiological features, clinical characteristics, and laboratory findings. *Annals of Medicine and Surgery*, 57, 103–108. <https://doi.org/10.1016/j.amsu.2020.07.020>
- Sepulchre, E., Pittie, G., Stojkovic, V., Haesbroek, G., Crama, Y., Schyns, M., ... Minon, J.-M. (2020). Covid-19: Contribution of clinical characteristics and laboratory features for early detection of patients with high risk of severe evolution. *Acta Clinica Belgica*, 0(0), 1–7. <https://doi.org/10.1080/17843286.2020.1822078>
- Shahriarirad, R., Khodamoradi, Z., Erfani, A., Hosseinpour, H., Ranjbar, K., Emami, Y., ... Moghadami, M. (2020). Epidemiological and clinical features of 2019 novel coronavirus diseases (COVID-19) in the South of Iran. *BMC Infectious Diseases*, 20(1), 427. <https://doi.org/10.1186/s12879-020-05128-x>

- Shi, L., Lu, Z.-A., Que, J.-Y., Huang, X.-L., Liu, L., Ran, M.-S., ... Lu, L. (2020). Prevalence of and Risk Factors Associated With Mental Health Symptoms Among the General Population in China During the Coronavirus Disease 2019 Pandemic. *JAMA Network Open*, 3(7), e2014053–e2014053. <https://doi.org/10.1001/jamanetworkopen.2020.14053>
- Shi, P., Ren, G., Yang, J., Li, Z., Deng, S., Li, M., ... Chen, M. (2020). Clinical characteristics of imported and second-generation coronavirus disease 2019 (COVID-19) cases in Shaanxi outside Wuhan, China: A multicentre retrospective study. *Epidemiology & Infection*, 148. <https://doi.org/10.1017/S0950268820002332>
- Shi, Q., Zhang, X., Jiang, F., Zhang, X., Hu, N., Bimu, C., ... Wang, W. (2020). Clinical Characteristics and Risk Factors for Mortality of COVID-19 Patients With Diabetes in Wuhan, China: A Two-Center, Retrospective Study. *Diabetes Care*, 43(7), 1382–1391. <https://doi.org/10.2337/dc20-0598>
- Shi, Q., Zhao, K., Yu, J., Jiang, F., Feng, J., Zhao, K., ... Wang, W. (2020). Clinical characteristics of 101 COVID-19 nonsurvivors in Wuhan, China: A retrospective study. *MedRxiv*, 2020.03.04.20031039. <https://doi.org/10.1101/2020.03.04.20031039>
- Shi, S. M., Bakaev, I., Chen, H., Travison, T. G., & Berry, S. D. (2020). Risk Factors, Presentation, and Course of Coronavirus Disease 2019 in a Large, Academic Long-Term Care Facility. *Journal of the American Medical Directors Association*, 21(10), 1378–1383.e1. <https://doi.org/10.1016/j.jamda.2020.08.027>
- Shi, S., Qin, M., Shen, B., Cai, Y., Liu, T., Yang, F., ... Huang, C. (2020). Association of Cardiac Injury With Mortality in Hospitalized Patients With COVID-19 in Wuhan, China. *JAMA Cardiology*, 5(7), 802–810. <https://doi.org/10.1001/jamacardio.2020.0950>
- Shi, W., Gao, Z., Ding, Y., Zhu, T., Zhang, W., & Xu, Y. (2020). Clinical characteristics of COVID-19 patients combined with allergy. *Allergy*, 75(9), 2405–2408. <https://doi.org/10.1111/all.14434>
- Shu, L., Wang, X., Li, M., Chen, X., Ji, N., Shi, L., ... Feng, G. (2020). Clinical characteristics of moderate COVID-19 patients aggravation in Wuhan Stadium Cabin Hospital: A 571 cases of retrospective cohort study. *Journal of Medical Virology*. <https://doi.org/10.1002/jmv.26414>
- Song, C.-Y., Xu, J., He, J.-Q., & Lu, Y.-Q. (2020). COVID-19 early warning score: A multi-parameter screening tool to identify highly suspected patients. *MedRxiv*, 2020.03.05.20031906. <https://doi.org/10.1101/2020.03.05.20031906>
- Song, F., Shi, N., Shan, F., Zhang, Z., Shen, J., Lu, H., ... Shi, Y. (2020). Emerging 2019 Novel Coronavirus (2019-nCoV) Pneumonia. *Radiology*, 295(1), 210–217. <https://doi.org/10.1148/radiol.2020200274>
- Song, J., Hu, W., Yu, Y., Shen, X., Wang, Y., Yan, J., ... Wang, M. (2020). A Comparison of Clinical Characteristics and Outcomes in Elderly and Younger Patients with COVID-19. *Medical Science Monitor*, 26, e925047-1-e925047-8. <https://doi.org/10.12659/MSM.925047>
- Steinmeyer, Z., Vienne-Noyes, S., Bernard, M., Steinmeyer, A., Balardy, L., Piau, A., & Sourdhet, S. (2020). Acute Care of Older Patients with COVID-19: Clinical Characteristics and Outcomes. *Geriatrics*, 5(4), 65. <https://doi.org/10.3390/geriatrics5040065>
- Suleyman, G., Fadel, R. A., Malette, K. M., Hammond, C., Abdulla, H., Entz, A., ... Brar, I. (2020). Clinical Characteristics and Morbidity Associated With Coronavirus Disease 2019 in a Series of Patients in Metropolitan Detroit. *JAMA Network Open*, 3(6). <https://doi.org/10.1001/jamanetworkopen.2020.12270>
- Sun, H., Ning, R., Tao, Y., Yu, C., Deng, X., Zhao, C., ... Xu, D. (2020). Risk Factors for Mortality in 244 Older Adults With COVID-19 in Wuhan, China: A Retrospective Study. *Journal of the American Geriatrics Society*, 68(6), E19–E23. <https://doi.org/10.1111/jgs.16533>
- Sun, Ying, Dong, Y., Wang, L., Xie, H., Li, B., Chang, C., & Wang, F.-S. (2020). Characteristics and prognostic factors of disease severity in patients with COVID-19: The Beijing experience. *Journal of Autoimmunity*, 112, 102473. <https://doi.org/10.1016/j.jaut.2020.102473>
- Sun, Yinxiaohe, Koh, V., Marimuthu, K., Ng, O. T., Young, B., Vasoo, S., ... Isais, F. S. (2020). Epidemiological and Clinical Predictors of COVID-19. *Clinical Infectious Diseases*, 71(15), 786–792. <https://doi.org/10.1093/cid/ciaa322>
- Tao, Y., Cheng, P., Chen, W., Wan, P., Chen, Y., Yuan, G., ... Zhu, C. (2020). High incidence of asymptomatic SARS-CoV-2 infection, Chongqing, China. *MedRxiv*, 2020.03.16.20037259. <https://doi.org/10.1101/2020.03.16.20037259>
- Tenforde, M. W., Rose, E. B., Lindsell, C. J., Shapiro, N. I., Files, D. C., Gibbs, K. W., ... Gong, M. N. (2020). Characteristics of Adult Outpatients and Inpatients with COVID-19—11 Academic Medical Centers, United States, March–May 2020. *Morbidity and Mortality Weekly Report*, 69(26), 841.
- Tian, J., Yuan, X., Xiao, J., Zhong, Q., Yang, C., Liu, B., ... Wang, Z. (2020). Clinical characteristics and risk factors associated with COVID-19 disease severity in patients with cancer in Wuhan, China: A multicentre, retrospective, cohort study. *The Lancet Oncology*, 21(7), 893–903. [https://doi.org/10.1016/S1470-2045\(20\)30309-0](https://doi.org/10.1016/S1470-2045(20)30309-0)

- Ticinesi, A., Cerundolo, N., Parise, A., Nouvenne, A., Prati, B., Guerra, A., ... Meschi, T. (2020). Delirium in COVID-19: Epidemiology and clinical correlations in a large group of patients admitted to an academic hospital. *Aging Clinical and Experimental Research*, 1–8. <https://doi.org/10.1007/s40520-020-01699-6>
- Tomlins, J., Hamilton, F., Gunning, S., Sheehy, C., Moran, E., & MacGowan, A. (2020). Clinical features of 95 sequential hospitalised patients with novel coronavirus 2019 disease (COVID-19), the first UK cohort. *The Journal of Infection*, 81(2), e59–e61. <https://doi.org/10.1016/j.jinf.2020.04.020>
- Vandercam, G., Simon, A., Scohy, A., Belkhir, L., Kabamba, B., Rodriguez-Villalobos, H., & Yombi, J. C. (2020). Clinical characteristics and humoral immune response in healthcare workers with COVID-19 in a teaching hospital in Belgium. *Journal of Hospital Infection*, 106(4), 713–720. <https://doi.org/10.1016/j.jhin.2020.09.018>
- Vena, A., Giacobbe, D. R., Di Biagio, A., Mikulska, M., Taramasso, L., De Maria, A., ... Bassetti, M. (2020). Clinical characteristics, management and in-hospital mortality of patients with coronavirus disease 2019 in Genoa, Italy. *Clinical Microbiology and Infection*, 26(11), 1537–1544. <https://doi.org/10.1016/j.cmi.2020.07.049>
- Wan, S., Xiang, Y., Fang, W., Zheng, Y., Li, B., Hu, Y., ... Yang, R. (2020). Clinical features and treatment of COVID-19 patients in northeast Chongqing. *Journal of Medical Virology*, 92(7), 797–806. <https://doi.org/10.1002/jmv.25783>
- Wang, A., Gao, G., Wang, S., Chen, M., Qian, F., Tang, W., ... Zhang, F. (2020). Clinical Characteristics and Risk Factors of Acute Respiratory Distress Syndrome (ARDS) in COVID-19 Patients in Beijing, China: A Retrospective Study. *Medical Science Monitor*, 26, e925974-1-e925974-9. <https://doi.org/10.12659/MSM.925974>
- Wang, D., Hu, B., Hu, C., Zhu, F., Liu, X., Zhang, J., ... Peng, Z. (2020). Clinical Characteristics of 138 Hospitalized Patients With 2019 Novel Coronavirus–Infected Pneumonia in Wuhan, China. *JAMA*, 323(11), 1061–1069. <https://doi.org/10.1001/jama.2020.1585>
- Wang, D., Yin, Y., Hu, C., Liu, X., Zhang, X., Zhou, S., ... Peng, Z. (2020). Clinical course and outcome of 107 patients infected with the novel coronavirus, SARS-CoV-2, discharged from two hospitals in Wuhan, China. *Critical Care*, 24(1), 188. <https://doi.org/10.1186/s13054-020-02895-6>
- Wang, K., Kang, S., Tian, R., Zhang, X., Zhang, X., & Wang, Y. (2020). Imaging manifestations and diagnostic value of chest CT of coronavirus disease 2019 (COVID-19) in the Xiaogan area. *Clinical Radiology*, 75(5), 341–347. <https://doi.org/10.1016/j.crad.2020.03.004>
- Wang, L., He, W., Yu, X., Hu, D., Bao, M., Liu, H., ... Jiang, H. (2020). Coronavirus disease 2019 in elderly patients: Characteristics and prognostic factors based on 4-week follow-up. *The Journal of Infection*, 80(6), 639–645. <https://doi.org/10.1016/j.jinf.2020.03.019>
- Wang, M., Zhang, J., Ye, D., Wang, Z., Liu, J., He, H., ... Wan, J. (2020). Time-dependent changes in the clinical characteristics and prognosis of hospitalized COVID-19 patients in Wuhan, China: A retrospective study. *Clinica Chimica Acta*, 510, 220–227. <https://doi.org/10.1016/j.cca.2020.06.051>
- Wang, R., Pan, M., Zhang, X., Han, M., Fan, X., Zhao, F., ... Shen, L. (2020). Epidemiological and clinical features of 125 Hospitalized Patients with COVID-19 in Fuyang, Anhui, China. *International Journal of Infectious Diseases*, 95, 421–428. <https://doi.org/10.1016/j.ijid.2020.03.070>
- Wang, S., Chen, Z., Lin, Y., Lin, L., Lin, L., Fang, S., ... Shao, C. (2020). *Clinical characteristics of COVID-19 in Fujian Province: A multicenter retrospective study*. <https://doi.org/10.21203/rs.3.rs-21268/v1>
- Wang, W., Xin, C., Xiong, Z., Yan, X., Cai, Y., Zhou, K., ... Chen, J. (2020). Clinical Characteristics and Outcomes of 421 Patients With Coronavirus Disease 2019 Treated in a Mobile Cabin Hospital. *Chest*, 158(3), 939–946. <https://doi.org/10.1016/j.chest.2020.05.515>
- Wang, X., Fang, J., Zhu, Y., Chen, L., Ding, F., Zhou, R., ... Zhao, Q. (2020). Clinical characteristics of non-critically ill patients with novel coronavirus infection (COVID-19) in a Fangcang Hospital. *Clinical Microbiology and Infection*, 26(8), 1063–1068. <https://doi.org/10.1016/j.cmi.2020.03.032>
- Wang, Yafei, Zhou, Y., Yang, Z., Xia, D., Hu, Y., & Geng, S. (2020). Clinical Characteristics of Patients with Severe Pneumonia Caused by the SARS-CoV-2 in Wuhan, China. *Respiration*, 99(8), 649–657. <https://doi.org/10.1159/000507940>
- Wang, Yang, Lu, X., Li, Y., Chen, H., Chen, T., Su, N., ... Wang, J. (2020). Clinical Course and Outcomes of 344 Intensive Care Patients with COVID-19. *American Journal of Respiratory and Critical Care Medicine*, 201(11), 1430–1434. <https://doi.org/10.1164/rccm.202003-0736LE>
- Wang, Yi, Yao, L., Zhang, J.-P., Tang, P.-J., Ye, Z.-J., Shen, X.-H., ... Yu, X. (2020). Clinical characteristics and laboratory indicator analysis of 67 COVID-19 pneumonia patients in Suzhou, China. *BMC Infectious Diseases*, 20(1), 747. <https://doi.org/10.1186/s12879-020-05468-8>
- Wang, Z., Yang, B., Li, Q., Wen, L., & Zhang, R. (2020). Clinical Features of 69 Cases With Coronavirus Disease 2019 in Wuhan, China. *Clinical Infectious Diseases*, 71(15), 769–777. <https://doi.org/10.1093/cid/ciaa272>

- Wei, C., Liu, Y., Liu, Y., Zhang, K., Su, D., Zhong, M., & Meng, X. (2020). Clinical characteristics and manifestations in older patients with COVID-19. *BMC Geriatrics*, 20(1), 395. <https://doi.org/10.1186/s12877-020-01811-5>
- Wen, Y., Wei, L., Li, Y., Tang, X., Feng, S., Leung, K., ... Mei, S. (2020). Epidemiological and clinical characteristics of COVID-19 in Shenzhen, the largest migrant city of China. *MedRxiv*, 2020.03.22.20035246. <https://doi.org/10.1101/2020.03.22.20035246>
- Wu, C., Chen, X., Cai, Y., Xia, J., Zhou, X., Xu, S., ... Song, Y. (2020). Risk Factors Associated With Acute Respiratory Distress Syndrome and Death in Patients With Coronavirus Disease 2019 Pneumonia in Wuhan, China. *JAMA Internal Medicine*, 180(7), 1–11. <https://doi.org/10.1001/jamainternmed.2020.0994>
- Wu, F., Zhou, Y., Wang, Z., Xie, M., Shi, Z., Tang, Z., ... Ran, P. (2020). Clinical characteristics of COVID-19 infection in chronic obstructive pulmonary disease: A multicenter, retrospective, observational study. *Journal of Thoracic Disease*, 12(5), 1811–1823. <https://doi.org/10.21037/jtd-20-1914>
- Wu, J., Liu, J., Zhao, X., Liu, C., Wang, W., Wang, D., ... Li, L. (2020). Clinical Characteristics of Imported Cases of COVID-19 in Jiangsu Province: A Multicenter Descriptive Study. *Clinical Infectious Diseases*. <https://doi.org/10.1093/cid/ciaa199>
- Xiao, Y., Huang, S., Yan, L., Wang, H., Wang, F., Zhou, T., ... He, M. (2020). Clinical characteristics of diarrhea in 90 cases with COVID-19: A descriptive study. *Int Emerg Nurs*, 100912–100912.
- Xie, J., Ding, C., Li, J., Wang, Y., Guo, H., Lu, Z., ... He, H. (2020). Characteristics of patients with coronavirus disease (COVID-19) confirmed using an IgM-IgG antibody test. *Journal of Medical Virology*. <https://doi.org/10.1002/jmv.25930>
- Xie, Y., You, Q., Wu, C., Cao, S., Qu, G., Yan, X., ... Zhang, H. (2020). Impact of Cardiovascular Disease on Clinical Characteristics and Outcomes of Coronavirus Disease 2019 (COVID-19). *Circulation Journal: Official Journal of the Japanese Circulation Society*, 84(8), 1277–1283. <https://doi.org/10.1253/circj.CJ-20-0348>
- Xiong, S., Liu, L., Lin, F., Shi, J., Han, L., Liu, H., ... Ding, S. (2020). Clinical characteristics of 116 hospitalized patients with COVID-19 in Wuhan, China: A single-centered, retrospective, observational study. *BMC Infectious Diseases*, 20(1), 787. <https://doi.org/10.1186/s12879-020-05452-2>
- Xu, H., Hou, K., Xu, R., Li, Z., Fu, H., Wen, L., ... Zhang, N. (2020). Clinical Characteristics and Risk Factors of Cardiac Involvement in COVID-19. *Journal of the American Heart Association*, 9(18), e016807.
- Xu, T., Chen, C., Zhu, Z., Cui, M., Chen, C., Dai, H., & Xue, Y. (2020). Clinical features and dynamics of viral load in imported and non-imported patients with COVID-19. *International Journal of Infectious Diseases*, 94, 68–71. <https://doi.org/10.1016/j.ijid.2020.03.022>
- Xu, X.-W., Wu, X.-X., Jiang, X.-G., Xu, K.-J., Ying, L.-J., Ma, C.-L., ... Li, L.-J. (2020). Clinical findings in a group of patients infected with the 2019 novel coronavirus (SARS-Cov-2) outside of Wuhan, China: Retrospective case series. *BMJ*, 368. <https://doi.org/10.1136/bmj.m606>
- Xu, Yang, Li, Y., Zeng, Q., Lu, Z., Li, Y., Wu, W., ... Wang, X. (2020). Clinical Characteristics of SARS-CoV-2 Pneumonia Compared to Controls in Chinese Han Population. *MedRxiv*, 2020.03.08.20031658. <https://doi.org/10.1101/2020.03.08.20031658>
- Xu, Yonghao, Xu, Z., Liu, X., Cai, L., Zheng, H., Huang, Y., ... Li, Y. (2020). Clinical findings in critical ill patients infected with SARS-Cov-2 in Guangdong Province, China: A multi-center, retrospective, observational study. *MedRxiv*, 2020.03.03.20030668. <https://doi.org/10.1101/2020.03.03.20030668>
- Yan, X., Han, X., Peng, D., Fan, Y., Fang, Z., Long, D., ... Zhu, Y. (2020). Clinical Characteristics and Prognosis of 218 Patients With COVID-19: A Retrospective Study Based on Clinical Classification. *Frontiers in Medicine*, 7. <https://doi.org/10.3389/fmed.2020.00485>
- Yan, Y., Yang, Y., Wang, F., Ren, H., Zhang, S., Shi, X., ... Dong, K. (2020). Clinical characteristics and outcomes of patients with severe covid-19 with diabetes. *BMJ Open Diabetes Research and Care*, 8(1), e001343. <https://doi.org/10.1136/bmjdr-2020-001343>
- Yang, B. Y., Barnard, L. M., Emert, J. M., Drucker, C., Schwarcz, L., Counts, C. R., ... Rea, T. (2020). Clinical Characteristics of Patients With Coronavirus Disease 2019 (COVID-19) Receiving Emergency Medical Services in King County, Washington. *JAMA Network Open*, 3(7). <https://doi.org/10.1001/jamanetworkopen.2020.14549>
- Yang, G., Tan, Z., Zhou, L., Yang, M., Peng, L., Liu, J., ... He, S. (2020). Effects of Angiotensin II Receptor Blockers and ACE (Angiotensin-Converting Enzyme) Inhibitors on Virus Infection, Inflammatory Status, and Clinical Outcomes in Patients With COVID-19 and Hypertension: A Single-Center Retrospective Study. *Hypertension*, 76(1), 51–58. <https://doi.org/10.1161/HYPERTENSIONAHA.120.15143>
- Yang, K., Sheng, Y., Huang, C., Jin, Y., Xiong, N., Jiang, K., ... Wu, G. (2020). Clinical characteristics, outcomes, and risk factors for mortality in patients with cancer and COVID-19 in Hubei, China: A multicentre, retrospective, cohort study. *The Lancet Oncology*, 21(7), 904–913. [https://doi.org/10.1016/S1470-2045\(20\)30310-7](https://doi.org/10.1016/S1470-2045(20)30310-7)

- Yang, Q., Xie, L., Zhang, W., Zhao, L., Wu, H., Jiang, J., ... Wu, J. (2020). Analysis of the clinical characteristics, drug treatments and prognoses of 136 patients with coronavirus disease 2019. *Journal of Clinical Pharmacy and Therapeutics*, 45(4), 609–616. <https://doi.org/10.1111/jcpt.13170>
- Yang, W., Cao, Q., Qin, L., Wang, X., Cheng, Z., Pan, A., ... Yan, F. (2020). Clinical characteristics and imaging manifestations of the 2019 novel coronavirus disease (COVID-19): A multi-center study in Wenzhou city, Zhejiang, China. *Journal of Infection*, 80(4), 388–393. <https://doi.org/10.1016/j.jinf.2020.02.016>
- Yang, X., Yu, Y., Xu, J., Shu, H., Xia, J., Liu, H., ... Shang, Y. (2020). Clinical course and outcomes of critically ill patients with SARS-CoV-2 pneumonia in Wuhan, China: A single-centered, retrospective, observational study. *The Lancet Respiratory Medicine*, 8(5), 475–481. [https://doi.org/10.1016/S2213-2600\(20\)30079-5](https://doi.org/10.1016/S2213-2600(20)30079-5)
- Yao, T., Gao, Y., Cui, Q., Peng, B., Chen, Y., Li, J., ... Liu, Z. (2020). Clinical characteristics of a group of deaths with COVID-19 pneumonia in Wuhan, China: A retrospective case series. *BMC Infectious Diseases*, 20(1), 695. <https://doi.org/10.1186/s12879-020-05423-7>
- Yao, X., Liu, S., Wang, J., Zhao, K., Long, X., He, X., ... Zhang, H. (2020). The clinical characteristics and prognosis of COVID-19 patients with cerebral stroke : a retrospective study of 113 cases from one single center. *The European Journal of Neuroscience*. <https://doi.org/10.1111/ejn.15007>
- Yu, C., Lei, Q., Li, W., Wang, X., Li, W., & Liu, W. (2020). Epidemiological and clinical characteristics of 1663 hospitalized patients infected with COVID-19 in Wuhan, China: A single-center experience. *Journal of Infection and Public Health*, 13(9), 1202–1209. <https://doi.org/10.1016/j.jiph.2020.07.002>
- Yu, C., Lei, Q., Li, W., Wang, X., Liu, W., Fan, X., & Li, W. (2020). Clinical Characteristics, Associated Factors, and Predicting COVID-19 Mortality Risk: A Retrospective Study in Wuhan, China. *American Journal of Preventive Medicine*, 59(2), 168–175. <https://doi.org/10.1016/j.amepre.2020.05.002>
- Zerah, L., Baudouin, É., Pépin, M., Mary, M., Krypciak, S., Bianco, C., ... APHP / Universities / Inserm COVID-19 research collaboration. (2020). Clinical Characteristics and Outcomes of 821 Older Patients with SARS-Cov-2 Infection Admitted to Acute Care Geriatric Wards. *The Journals of Gerontology*. <https://doi.org/10.1093/gerona/glaa210>
- Zhang, Guoxin, Nie, S., Zhang, Z., & Zhang, Z. (2020). Longitudinal Change of Severe Acute Respiratory Syndrome Coronavirus 2 Antibodies in Patients with Coronavirus Disease 2019. *The Journal of Infectious Diseases*, 222(2), 183–188. <https://doi.org/10.1093/infdis/jiaa229>
- Zhang, Guqin, Hu, C., Luo, L., Fang, F., Chen, Y., Li, J., ... Pan, H. (2020). Clinical features and short-term outcomes of 221 patients with COVID-19 in Wuhan, China. *Journal of Clinical Virology*, 127, 104364. <https://doi.org/10.1016/j.jcv.2020.104364>
- Zhang, H., Shang, W., Liu, Q., Zhang, X., Zheng, M., & Yue, M. (2020). Clinical characteristics of 194 cases of COVID-19 in Huanggang and Taian, China. *Infection*, 1–8. <https://doi.org/10.1007/s15010-020-01440-5>
- Zhang, Jie, Meng, G., Li, W., Shi, B., Dong, H., Su, Z., ... Gao, P. (2020). Relationship of chest CT score with clinical characteristics of 108 patients hospitalized with COVID-19 in Wuhan, China. *Respiratory Research*, 21(1), 180. <https://doi.org/10.1186/s12931-020-01440-x>
- Zhang, Jishou, Wang, M., Zhao, M., Guo, S., Xu, Y., Ye, J., ... Wan, J. (2020). The Clinical Characteristics and Prognosis Factors of Mild-Moderate Patients With COVID-19 in a Mobile Cabin Hospital: A Retrospective, Single-Center Study. *Frontiers in Public Health*, 8. <https://doi.org/10.3389/fpubh.2020.00264>
- Zhang, J.-J., Cao, Y.-Y., Tan, G., Dong, X., Wang, B.-C., Lin, J., ... Gao, Y.-D. (2020). Clinical, radiological, and laboratory characteristics and risk factors for severity and mortality of 289 hospitalized COVID-19 patients. *Allergy*. <https://doi.org/10.1111/all.14496>
- Zhang, J.-J., Dong, X., Cao, Y.-Y., Yuan, Y.-D., Yang, Y.-B., Yan, Y.-Q., ... Gao, Y.-D. (2020). Clinical characteristics of 140 patients infected with SARS-CoV-2 in Wuhan, China. *Allergy*, 75(7), 1730–1741. <https://doi.org/10.1111/all.14238>
- Zhang, X., Cai, H., Hu, J., Lian, J., Gu, J., Zhang, S., ... Yang, Y. (2020). Epidemiological, clinical characteristics of cases of SARS-CoV-2 infection with abnormal imaging findings. *International Journal of Infectious Diseases*, 94, 81–87. <https://doi.org/10.1016/j.ijid.2020.03.040>
- Zhang, Y., Li, H., Zhang, J., Cao, Y., Zhao, X., Yu, N., ... Liu, X. (2020). The clinical characteristics and outcomes of patients with diabetes and secondary hyperglycaemia with coronavirus disease 2019: A single-centre, retrospective, observational study in Wuhan. *Diabetes, Obesity & Metabolism*, 22(8), 1443–1454. <https://doi.org/10.1111/dom.14086>
- Zhao, M., Wang, M., Zhang, J., Gu, J., Zhang, P., Xu, Y., ... Wan, J. (2020). Comparison of clinical characteristics and outcomes of patients with coronavirus disease 2019 at different ages. *Aging (Albany NY)*, 12(11), 10070–10086. <https://doi.org/10.18632/aging.103298>
- Zhao, Wei, Zhong, Z., Xie, X., Yu, Q., & Liu, J. (2020). Relation Between Chest CT Findings and Clinical Conditions of Coronavirus Disease (COVID-19) Pneumonia: A Multicenter Study. *AJR. American Journal of Roentgenology*, 214(5), 1072–1077. <https://doi.org/10.2214/AJR.20.22976>

- Zhao, Wen, Yu, S., Zha, X., Wang, N., Pang, Q., Li, T., & Li, A. (2020). Clinical characteristics and durations of hospitalized patients with COVID-19 in Beijing: A retrospective cohort study. *MedRxiv*, 2020.03.13.20035436. <https://doi.org/10.1101/2020.03.13.20035436>
- Zhao, X., Liu, B., Yu, Y., Wang, X., Du, Y., Gu, J., & Wu, X. (2020). The characteristics and clinical value of chest CT images of novel coronavirus pneumonia. *Clinical Radiology*, 75(5), 335–340. <https://doi.org/10.1016/j.crad.2020.03.002>
- Zhao, X.-Y., Xu, X.-X., Yin, H.-S., Hu, Q.-M., Xiong, T., Tang, Y.-Y., ... Huang, Z.-P. (2020). Clinical characteristics of patients with 2019 coronavirus disease in a non-Wuhan area of Hubei Province, China: A retrospective study. *BMC Infectious Diseases*, 20(1), 311. <https://doi.org/10.1186/s12879-020-05010-w>
- Zhao, Y., Cunningham, M. H., Mediavilla, J. R., Park, S., Fitzgerald, S., Ahn, H. S., ... Perlin, D. S. (2020). An Observational Study of COVID-19 from A Large Healthcare System in Northern New Jersey: Diagnosis, Clinical Characteristics, and Outcomes. *MedRxiv*, 2020.08.07.20170357. <https://doi.org/10.1101/2020.08.07.20170357>
- Zheng, F., Tang, W., Li, H., Huang, Y.-X., Xie, Y.-L., & Zhou, Z.-G. (2020). Clinical characteristics of 161 cases of corona virus disease 2019 (COVID-19) in Changsha. *European Review for Medical and Pharmacological Sciences*, 24(6), 3404–3410. https://doi.org/10.26355/eurrev_202003_20711
- Zheng, Y., Xu, H., Yang, M., Zeng, Y., Chen, H., Liu, R., ... Wang, D. (2020). Epidemiological characteristics and clinical features of 32 critical and 67 noncritical cases of COVID-19 in Chengdu. *Journal of Clinical Virology*, 127, 104366. <https://doi.org/10.1016/j.jcv.2020.104366>
- Zhong, Z.-F., Huang, J., Yang, X., Peng, J.-L., Zhang, X.-Y., Hu, Y., ... Yang, X.-F. (2020). Epidemiological and clinical characteristics of COVID-19 patients in Hengyang, Hunan Province, China. *World Journal of Clinical Cases*, 8(12), 2554–2565. <https://doi.org/10.12998/wjcc.v8.i12.2554>
- Zhou, F., Yu, T., Du, R., Fan, G., Liu, Y., Liu, Z., ... Cao, B. (2020). Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: A retrospective cohort study. *The Lancet*, 395(10229), 1054–1062. [https://doi.org/10.1016/S0140-6736\(20\)30566-3](https://doi.org/10.1016/S0140-6736(20)30566-3)
- Zhou, J., Sun, J., Cao, Z., Wang, W., Huang, K., Zheng, F., ... Zhou, Z. (2020). Epidemiological and clinical features of 201 COVID-19 patients in Changsha city, Hunan, China. *Medicine*, 99(34). <https://doi.org/10.1097/MD.00000000000021824>
- Zhou, Z., Zhao, N., Shu, Y., Han, S., Chen, B., & Shu, X. (2020). Effect of Gastrointestinal Symptoms in Patients With COVID-19. *Gastroenterology*, 158(8), 2294–2297. <https://doi.org/10.1053/j.gastro.2020.03.020>
- Zhu, T., Wang, Y., Zhou, S., Zhang, N., & Xia, L. (2020). A Comparative Study of Chest Computed Tomography Features in Young and Older Adults With Corona Virus Disease (COVID-19). *Journal of Thoracic Imaging*, 35(4), W97. <https://doi.org/10.1097/RTI.0000000000000513>