

Northumbria Research Link

Citation: Zhang, Xin, Zhou, Changle, Chao, Fei, Lin, Chih-Min, Yang, Longzhi, Shang, Changjing and Shen, Qiang (2022) Low-Cost Inertial Measurement Unit Calibration With Nonlinear Scale Factors. IEEE Transactions on Industrial Informatics, 18 (2). pp. 1028-1038. ISSN 1551-3203

Published by: IEEE

URL: <https://doi.org/10.1109/TII.2021.3077296>
<<https://doi.org/10.1109/TII.2021.3077296>>

This version was downloaded from Northumbria Research Link:
<http://nrl.northumbria.ac.uk/id/eprint/48083/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)

Low-cost IMU Calibration with Nonlinear Scale Factors

Xin Zhang, Changle Zhou, Fei Chao, *Member*, Chih-Min Lin, *Fellow*, Longzhi Yang, *Senior Member*, Changjing Shang, and Qiang Shen

Abstract—Inertial measurement units (IMU) have been widely used to provide accurate location and movement measurement solutions, along with the advances of modern manufacturing technologies. The scale factors of accelerometers and gyroscopes are linear when the range of the sensors are reasonably small, but the factor becomes non-linear when the range gets much bigger. Based on this observation, this paper presents a calibration method for low-cost IMU, by effectively deriving the nonlinear scale factors of the sensors. Two motion patterns of the sensor on a rigid object are moved to collect data for calibration, one motion pattern is to upcast and rotation the rigid object, another pattern is to place the rigid object on a stable base in different attitudes. The rotation motion produces centripetal and Coriolis force, which increases the measurement range of accelerometers. Four cost functions with different weight factors and two sets of data are utilized to optimize the IMU parameters. The weight factor comes from derived formula with input values which are the variance of the noise of the sampled data. The proposed approach was validated and evaluated on both synthetic and real-world data sets, and the experimental results demonstrated the superiority of the proposed approach in improving the accuracy of IMU for long range use. In particular, the errors of acceleration and angular velocity led by our algorithm are significantly smaller than those resulted from the existing approaches using the same testing datasets, demonstrating a remarkable improvement of 64.12% and 47.90%, respectively.

Index Terms—IMU calibration, nonlinear scale factors, low-cost IMU

I. INTRODUCTION

AN Inertial Measurement Unit (IMU) is often used to detect the acceleration and angular velocity of a moving object. Such measurements provide important navigation information (i.e., position, velocity, attitude, etc.) in aerospace or other space exploration applications [1]. Thanks to the advances of microelectrophoretical techniques, inertial sensors can be manufactured as microelectrophoretical system (MEMS), with considerably low cost, but with increased

accuracy, thereby greatly improving the applicability of IMU in many new areas, such as body activity classification [2], sports analysis [3], and indoor localisation [4]. However, MEMS inertial sensors still sometimes suffer from systematic and stochastic errors [5]. Systematic errors are caused by poorly calibrated system dynamics; thus, these errors can be eliminated in theory by involving very careful calibration. In contrast, stochastic errors are regarded as white noise with zero mean that comes from measurement error; and hence such errors cannot be eliminated. IMU calibration is therefore a critical process in an effort to reduce the systematic errors.

Systematic errors are practically handled by a set of adjustable parameters, including inaccurate scaling, sensor axis mis-alignments, cross-axis sensitivities, and non-zero biases. These parameters are set as vectors or matrices in most of the implementations of IMU calibration, [6], [7]. With the help of these parameters, through matrix multiplication operations, the original data of a sensor with systematic errors can be transformed into more accurate data without systematic errors. A number of optimisation algorithms, such as “least square method” [6] and “Kalman filter” [7] [8], are often employed to optimise these parameters. Because of the limited size of MEMS sensor devices, the scale factor of an accelerometer is a nonlinear parameter. For instance, if the value along the x -axis is $1g$, the scale factor is 0.9 ; however, if the value is $5g$, the scale factor changes to 1.1 ; and if the value is $-6g$, the scale factor is 1.2 . The scale factor of the gyroscope device is also nonlinear. Therefore, the scale factor must be non-linearly represented, in order to better reduce the systematic errors.

Studies have attempted to non-linearly model the scale factor of accelerometers. A method was proposed for the calculation of a nonlinear parameter for the scale factor of an accelerometer [9]; however, because the data for calibration is collected only in the gravitational field, the calculated scale factor of each axis is limited to the range of $[-1g, 1g]$. Such range-limited parameters thus cannot be used for the tasks with large gravity value. To overcome this, the work reported in [10] suggested rotating a sensor around a point to detect centripetal and Euler acceleration, so as to expand the detection range of IMU accelerometer [11]–[13]. This work used a turntable platform to create the rotation, and then to detect the accelerometer parameters, and the Kalman filter is used to obtain non-linear parameters. However, the radius of rotation is calculated from a linear scale factor, which affects the accuracy of the scale factor parameters. Therefore, the specification of the values of a radius vector remains a

This work was supported by the National Natural Science Foundation of China (No. 61673322 and 61673326), Fundamental Research Funds for the Central Universities (No. 20720190142), the Key Project of National Key R & D Project (No. 2017YFC1703303).

X. Zhang, C. Zhou, and F. Chao are with the Department of Artificial Intelligence, School of Informatics, Xiamen University, China.

C.-M. Lin is with the Department of Electrical Engineering, Yuan Ze University, Chung-Li, Tao-Yuan 320, Taiwan.

L. Yang is with the Department of Computer and Information Sciences, Northumbria University, Newcastle upon Tyne, NE2 1RW, UK.

F. Chao, C. Shang and Q. Shen are with Institute of Mathematics, Physics and Computer Science, Aberystwyth University, UK. (corresponding author: Fei Chao, phone: 0086-592-2580168; fax: 0086-592-2580258; e-mail: fchao@xmu.edu.cn)

challenge.

This paper proposes a method for obtaining nonlinear scale factors of a sensor without using high-cost instruments, to address the aforementioned challenge. In this method, the IMU is affixed to the surface of an object that cannot be easily deformed. To acquire the raw data of the IMU sensor, two types of actions are required using the object: (1) rotating the object and then placing it on a stable base at different attitudes, (2) throwing and rotating the object along different axes of rotation; then letting the object to fall freely and catching it by hand. A filter algorithm in this approach is designed to extract useful information from the raw data. With these data, all initial parameters of the IMU sensor are placed into four cost functions. Weighted least squares are adopted in this work as the cost functions, to optimize the parameters. Each cost function weight is derived from the inverse of the variance of the cost function, which is obtained by accumulating the variance of the noise from the sampled data. The proposed work has been validated and evaluated by experiments. The main contributions of this paper are summarised as follows: (1) A method is proposed to obtain IMU calibration parameters that include the nonlinear scale factor. The method covers a paradigm of data collection and algorithm for calculating parameters. (2) The weight factors of the cost functions are derived according to the variance of the noise of the sampled data.

The rest of this paper is organized as follow: Section II presents the background of the IMU error model; introduces the four cost functions for the IMU calibration and global cost function composed by these four cost function. Section III describes the calibration, static detector, *Runge-Kutta* integration and cumulative variance, and weight parameters of cost function. Section IV reports the experimental results of the proposed algorithm on synthetic and real data. This paper concludes in Section V with future work pointed out.

II. IMU ERROR MODEL AND CALIBRATION COST FUNCTION

Biases, scale factor errors, cross-coupling errors and random noise exist in accelerometers and gyroscopes. Higher order errors and angular rate-acceleration cross-sensitivity may also present [14]. Nonlinearity errors in the scale factor determine that the scale factor varies with specific force or angular velocity. To compensate these errors, the calibration model of the accelerometer is defined as follows:

$$\mathbf{a}^o + \delta\mathbf{a}^o = \mathbf{T}^a * \mathbf{f}^a(\mathbf{a}^s + \delta\mathbf{a}^s + \mathbf{b}^a, \mathbf{K}^a). \quad (1)$$

The input of this equation are the raw data of accelerometers, which are artificially divided into two parts, true states $\mathbf{a}^s = [a_x^s, a_y^s, a_z^s]^T$, and the error states $\delta\mathbf{a}^s = [\delta a_x^s, \delta a_y^s, \delta a_z^s]^T$. The true states, \mathbf{a}^s , are the ideal measurement values in sensor frames. The error states, $\delta\mathbf{a}^s$, are the measurement errors that cannot be eliminated and are independent from \mathbf{a}^s . Each triad of $\delta\mathbf{a}^s$ is an independent white noise with a mean value of zero. The vector, $\mathbf{b}^a = [b_x^a, b_y^a, b_z^a]^T$, represents the bias compensation. The scale factor function, \mathbf{f}^a , produces a 3×1

dimensional vector of 3-order nonlinear equations for each axis:

$$\mathbf{f}^a \left(\begin{bmatrix} \mathbf{a}_x \\ \mathbf{a}_y \\ \mathbf{a}_z \end{bmatrix}, \mathbf{K}^a \right) = \begin{bmatrix} k_{11}^a \mathbf{a}_x + k_{12}^a \mathbf{a}_x^2 + k_{13}^a \mathbf{a}_x^3 \\ k_{21}^a \mathbf{a}_y + k_{22}^a \mathbf{a}_y^2 + k_{23}^a \mathbf{a}_y^3 \\ k_{31}^a \mathbf{a}_z + k_{32}^a \mathbf{a}_z^2 + k_{33}^a \mathbf{a}_z^3 \end{bmatrix}, \quad (2)$$

where, $\mathbf{K}^a = [k_{11}^a, k_{12}^a, k_{13}^a, k_{21}^a, k_{22}^a, k_{23}^a, k_{31}^a, k_{32}^a, k_{33}^a]$ represents the parameters of \mathbf{f}^a . The reason for choosing the 3-order polynomial function is that the nonlinear system requires an odd function and an even function. The theoretical basis of this consideration comes from any continuous function that can be expressed as a combination of an odd function and an even function. The quadratic function is a simple even function; in addition, the cubic function is a simple odd function. Therefore, the scale factor function \mathbf{f} is produced as a 3-order polynomial nonlinear equation.

\mathbf{T}^a is a 3×3 matrix that eliminates the effects of the cross-coupling errors and converts the data from non-orthogonal to orthogonal. Conventionally, inspired by [15], for small angles, a measurement \mathbf{a}^S in a non-orthogonal frame can be transformed in the orthogonal body frame \mathbf{a}^B :

$$\mathbf{a}^B = \mathbf{T}\mathbf{a}^S, \mathbf{T} = \begin{bmatrix} 1 & -\theta_{yz} & \theta_{zy} \\ \theta_{xz} & 1 & -\theta_{zx} \\ -\theta_{xy} & \theta_{yx} & 1 \end{bmatrix}. \quad (3)$$

In the presented calibration method, we employ the accelerometers orthogonal frame AOF [6], where θ_{xz} , θ_{xy} , and θ_{yx} become zero. Therefore, in the case of accelerometers, \mathbf{T}^a becomes:

$$\mathbf{T}^a = \begin{bmatrix} 1 & -\alpha_{yz} & \alpha_{zy} \\ 0 & 1 & -\alpha_{zx} \\ 0 & 0 & 1 \end{bmatrix}. \quad (4)$$

The calibrated outputs of interferometers are also divided into two parts: true states, $\mathbf{a}^o = [a_x^o, a_y^o, a_z^o]^T$ transformed from \mathbf{a}^s , and error states, $\delta\mathbf{a}^o = [\delta a_x^o, \delta a_y^o, \delta a_z^o]^T$ transformed from $\delta\mathbf{a}^s$. The mean of $\delta\mathbf{a}^o$ is $\mathbf{0}_{3 \times 1}$ and $\delta\mathbf{a}^o$ cannot be eliminated. The superscript s , denotes the raw data from sensor; the superscript o represents the data is in calibrated frame; the superscript a represents the acceleration parameters.

Similarly, the calibration model of the gyroscope is defined as:

$$\boldsymbol{\omega}^o + \delta\boldsymbol{\omega}^o = \mathbf{T}^g * \mathbf{f}^g(\boldsymbol{\omega}^s + \delta\boldsymbol{\omega}^s + \mathbf{b}^g + \mathbf{G}^g(\mathbf{a}^o + \delta\mathbf{a}^o), \mathbf{K}^g). \quad (5)$$

The inputs are the true state, $\boldsymbol{\omega}^s = [\omega_x^s, \omega_y^s, \omega_z^s]^T$, and the error states $\delta\boldsymbol{\omega}^s = [\delta\omega_x^s, \delta\omega_y^s, \delta\omega_z^s]^T$, in the sensor frames. The gyroscope bias compensation is $\mathbf{b}^g = [b_x^g, b_y^g, b_z^g]^T$. An additional parameter g -dependent bias, \mathbf{G}^g [14], is defined as:

$$\mathbf{G}^g = \begin{bmatrix} G_1 & G_2 & G_3 \\ G_4 & G_5 & G_6 \\ G_7 & G_8 & G_9 \end{bmatrix}. \quad (6)$$

The low-cost IMU gyroscopes measure the Coriolis force [14] to obtain the angular velocity. The specific force \mathbf{a}^o also affects the oscillating mass. Therefore \mathbf{G}^g (i.e., the g -dependent bias matrix) is employed here to remove the effect of specific force. The scale factor function, \mathbf{f}^g , produces 3×1 dimensional

vector for each axis:

$$\mathbf{f}^g \begin{pmatrix} \omega_x \\ \omega_y \\ \omega_z \end{pmatrix}, \mathbf{K}^g = \begin{pmatrix} k_{11}^g \omega_x + k_{12}^g \omega_x^2 + k_{13}^g \omega_x^3 \\ k_{21}^g \omega_y + k_{22}^g \omega_y^2 + k_{23}^g \omega_y^3 \\ k_{31}^g \omega_z + k_{32}^g \omega_z^2 + k_{33}^g \omega_z^3 \end{pmatrix}, \quad (7)$$

where, $\mathbf{K}^g = [k_{11}^g, k_{12}^g, k_{13}^g, k_{21}^g, k_{22}^g, k_{23}^g, k_{31}^g, k_{32}^g, k_{33}^g]$ represents the parameters of \mathbf{f}^g ; and superscript g represents the gyroscope parameters. \mathbf{T}^g guarantees that the gyroscope and accelerometer measurement refers to the same frame in the AOF case [6]. Therefore, in the gyroscope case, \mathbf{T}^g becomes:

$$\mathbf{T}^g = \begin{bmatrix} 1 & -\gamma_{yz} & \gamma_{zy} \\ \gamma_{xz} & 1 & -\gamma_{zx} \\ -\gamma_{xy} & \gamma_{yx} & 1 \end{bmatrix}. \quad (8)$$

The outputs are the true states, $\omega^o = [\omega_x^o, \omega_y^o, \omega_z^o]^T$, and error states, $\delta\omega^o = [\delta\omega_x^o, \delta\omega_y^o, \delta\omega_z^o]^T$, in the calibrated frames; in addition, the coordinate system of ω^o are identical with that of \mathbf{a}^o .

A. Cost Function of Accelerometer

The parameters in the matrix of the accelerometers can be represented as a vector: $\theta^a = [\alpha_{yz}, \alpha_{zy}, \alpha_{zx}, b_x^a, b_y^a, b_z^a, k_{11}^a, k_{12}^a, k_{13}^a, k_{21}^a, k_{22}^a, k_{23}^a, k_{31}^a, k_{32}^a, k_{33}^a]$. For simplicity, the calibration model of the accelerometer, as defined in Eq. 1, can be restated as follows:

$$\mathbf{a}^o + \delta\mathbf{a}^o = \mathbf{h}(\mathbf{a}^s, \delta\mathbf{a}^s, \theta^a) = \mathbf{T}^a * \mathbf{f}(\mathbf{a}^s + \delta\mathbf{a}^s + \mathbf{b}^a, \mathbf{K}^a). \quad (9)$$

If the sensor is in a stationary state, the resultant output force of the corrected accelerometers is 1g. Thus the cost function of the accelerometer calibration can be defined as follows:

$$L_a(\theta^a) = \sum_{k=1}^M (\|\mathbf{h}(\mathbf{a}_k^s, \theta^a)\|^2 - \|g\|^2)^2, \quad (10)$$

where the vectors, \mathbf{a}_k^s , measured in the sensor frame, are the means of acceleration data in a temporal window t_w ; and the acceleration data is collected from the sensor in different (M) attitudes.

B. Cost Function of Gyroscopes

The unknown parameters for gyroscope calibration can be represented as: $\theta^g = [\gamma_{yz}, \gamma_{zy}, \gamma_{xz}, \gamma_{zx}, \gamma_{xy}, \gamma_{yx}, b_x^g, b_y^g, b_z^g, k_{11}^g, k_{12}^g, k_{13}^g, k_{21}^g, k_{22}^g, k_{23}^g, k_{31}^g, k_{32}^g, k_{33}^g, G_1, G_2, G_3, G_4, G_5, G_6, G_7, G_8, G_9]$. Two cost functions are employed for the gyroscope calibration in two different states. When the sensor is in stationary, the ideal output of the gyroscope is the vector, $\mathbf{0}_{3 \times 1}$, which can be defined as:

$$L_g^1(\theta^g) = \sum_{k=1}^M \|\omega_k^s + \mathbf{b}^g + \mathbf{G}^g \mathbf{a}_k^o\|^2, \quad (11)$$

where ω_k^s are the means of the gyroscope data in a temporal window t_w , and ω_k^s and \mathbf{a}_k^s are measured simultaneously. \mathbf{a}_k^o is calibrated from \mathbf{a}_k^s by following Eq. 9.

When the sensor is moving, the gyroscopes record changes in the attitudes as the gravity vector changes along with the attitude of the sensor. this means the accelerometers detect




Fig. 1. (a) Centrifugal force in IMU. Red arrow represents Centripetal force, that is in a plane with angular velocity ω and radius r simultaneously vertical to angular velocity ω . (b) Euler acceleration in IMU. Green point represents Euler acceleration, that is a arrow vertical to angular velocity ω and radius r and point to paper inside.

different gravity vectors at different attitudes in the moving state, which can be concisely represented as:

$$\mathbf{a}_k^o + \delta\mathbf{a}_k^o = (\mathbf{R}_{k-1,k} + \delta\mathbf{R}_{k-1,k})(\mathbf{a}_{k-1}^o + \delta\mathbf{a}_{k-1}^o), \quad (12)$$

where the initial gravity vector is \mathbf{a}_{k-1}^o , and $\delta\mathbf{a}_{k-1}^o$ is the measurement errors of \mathbf{a}_{k-1}^o ; \mathbf{a}_k^o is the gravity vector after the change of attitude, and $\delta\mathbf{a}_k^o$ is the measurement errors of \mathbf{a}_k^o ; $\mathbf{R}_{k-1,k}$ represents the rotation matrix, indicating the transformation from the $k-1$ attitude to the k attitude, and $\delta\mathbf{R}_{k-1,k}$ is the measurement errors of $\mathbf{R}_{k-1,k}$ that come from the error in angular velocity measurement. Rotation matrix $\mathbf{R}_{k-1,k}$ is derived from the quaternion $\mathbf{q} = [q_0, q_1, q_2, q_3]^T$ using the following:

$$\mathbf{R} = \begin{bmatrix} 1 - 2q_2^2 - 2q_3^2 & 2(q_1q_2 - q_0q_3) & 2(q_0q_2 + q_1q_3) \\ 2(q_1q_2 + q_0q_3) & 1 - 2q_1^2 - 2q_3^2 & 2(q_2q_3 - q_0q_1) \\ 2(q_1q_3 - q_0q_2) & 2(q_2q_3 + q_0q_1) & 1 - 2q_1^2 - 2q_2^2 \end{bmatrix}. \quad (13)$$

The quaternion, \mathbf{q} , represents the attitude. The updating of quaternion, \mathbf{q}_n , is achieved from the accumulation of the sequence of n angular velocity, ω_i^o . Therefore, the cost function for the gyroscope calibration in moving state is defined as:

$$L_g^2(\theta^g) = \sum_{k=2}^M \|\mathbf{a}_k^o - \mathbf{R}_{k-1,k} \mathbf{a}_{k-1}^o\|^2. \quad (14)$$

C. Cost Function of Weightless IMU

As the three axes of the accelerometer are capsuled in a $3 \times 3 \times 1mm^3$ cubic space, for simplicity, it is presumed that the sensitive axes of the accelerometer triad meet at one point in this work. The error led by this presumption is neglectable in comparison to the errors that arise from nonlinearity [16]. IMU is always attached to a rigid ball when utilised. When the rigid ball rotates, the acceleration \mathbf{a}_s detected in the sensor frame can be defined as [14]:

$$\mathbf{a}_s = \mathbf{a}_b + \omega_b \times \omega_b \times \mathbf{r}_{bs} + 2\omega_b \times \dot{\mathbf{r}}_{bs} + \dot{\omega}_b \times \mathbf{r}_{bs} + \ddot{\mathbf{r}}_{bs} \quad (15)$$

where \mathbf{a}_b denotes the inertial acceleration of the rigid body; \mathbf{r}_{bs} is the radius from the center of gravity to the origin of sensor frame; $\dot{\mathbf{r}}_{bs}$ and $\ddot{\mathbf{r}}_{bs}$ are the first and second derivatives of \mathbf{r}_{bs} , respectively; ω_b is the vector of angular velocity in the rigid body frame; $\dot{\omega}_b$ is the first derivative of ω_b . The term, $\omega_b \times \omega_b \times \mathbf{r}_{bs}$, represents a centripetal acceleration. The term, $2\omega_b \times \dot{\mathbf{r}}_{bs}$, is known as Coriolis acceleration [14] and the term, $\dot{\omega}_b \times \mathbf{r}_{bs}$, is an Euler acceleration (or tangential acceleration).

The term, \mathbf{a}_b , is the combined force of all the forces received by the rigid body. \mathbf{a}_b includes gravity and air resistance of the rigid body during vertical movement. Gravity accelerates the rigid ball downward. If ignoring the air resistance, the vertical force felt by the sensor is $\mathbf{0}_{3 \times 1}$. Since the air resistance in the direction of motion is related to the velocity of the rigid body; it is necessary reduce the impact of air resistance. If the rigid body is thrown at the highest point, the vertical speed is 0, and the air resistance is also 0. Controlling the height of the tossed rigid ball will effectively reduce the vertical movement speed of the rigid ball. The radius of the rigid ball is 0.1 meters. If the height of the rigid body tossed is 0.1m, the maximum speed is 1.40m/s, and the maximum air resistance is 0.012N.

As the rigid body \mathbf{r}_{bs} is a constant, $\dot{\mathbf{r}}_{bs}$ and $\ddot{\mathbf{r}}_{bs}$ are $\mathbf{0}_{3 \times 1}$. The Coriolis acceleration, $2\boldsymbol{\omega}_b \times \dot{\mathbf{r}}_{bs}$, are $\mathbf{0}_{3 \times 1}$. When the rigid body is at the highest point after tossed, the sensor can only detect centripetal acceleration and Euler acceleration:

$$\mathbf{a}_s = \boldsymbol{\omega}_s \times \boldsymbol{\omega}_s \times \mathbf{r}_{bs} + \dot{\boldsymbol{\omega}}_s \times \mathbf{r}_{bs}. \quad (16)$$

1) *Centripetal acceleration*: The centrifugal force of IMU is illustrated in Fig. 1-a, where $\boldsymbol{\omega}$ represents the angular velocity; \mathbf{P} is the center of gravity of the rigid body; \mathbf{O} is the origin of sensor frame. The radius, \mathbf{r} , is the vector from \mathbf{O} to \mathbf{P} . The centripetal acceleration $\mathbf{f}_C(\boldsymbol{\omega}, \mathbf{r})$, is calculated as:

$$\mathbf{f}_C(\boldsymbol{\omega}, \mathbf{r}) = \begin{bmatrix} (\omega_y^2 + \omega_z^2)r_x - \omega_x\omega_y r_y - \omega_x\omega_z r_z \\ -\omega_x\omega_y r_x + (\omega_x^2 + \omega_z^2)r_y - \omega_y\omega_z r_z \\ -\omega_x\omega_z r_x - \omega_y\omega_z r_y + (\omega_x^2 + \omega_y^2)r_z \end{bmatrix}, \quad (17)$$

where $\boldsymbol{\omega} = [\omega_x, \omega_y, \omega_z]^T$ and $\mathbf{r} = [r_x, r_y, r_z]^T$.

2) *Euler acceleration*: If a subject throw a rigid body to rotate in the air, the resultant force from the hand does not completely act on the rigid center of gravity. The resultant force causes the rigid body's rotation axis to precess around a certain axis. The change in the rotation axis produces the Euler acceleration. Due to the conservation of energy, the combined speed of rotation is constant, so that the combined speed will be used in the determination of weightlessness of rigid bodies.

The Euler acceleration is illustrated in Fig. 1-b, where $\dot{\boldsymbol{\omega}}$ is the first derivative of $\boldsymbol{\omega}$. Note that the directions of $\boldsymbol{\omega}$ and $\dot{\boldsymbol{\omega}}$ are not in parallel in most cases; then the Euler acceleration is calculated as follows:

$$\mathbf{f}_E(\dot{\boldsymbol{\omega}}, \mathbf{r}) = \begin{bmatrix} \dot{\omega}_z r_y - \dot{\omega}_y r_z \\ \dot{\omega}_x r_z - \dot{\omega}_z r_x \\ \dot{\omega}_y r_x - \dot{\omega}_x r_y \end{bmatrix}, \quad (18)$$

where $\dot{\boldsymbol{\omega}} = [\dot{\omega}_x, \dot{\omega}_y, \dot{\omega}_z]^T$. Using Eq.17 and Eq.18 to rewrite Eq. 16, the cost function of the IMU in weightless situation is then defined as follows:

$$\mathbf{L}_{weightless}(\boldsymbol{\theta}^a, \boldsymbol{\theta}^g, \mathbf{r}) = \sum_{j=1}^N \|\mathbf{a}_j^o - \mathbf{f}_C(\boldsymbol{\omega}_j^o, \mathbf{r}) - \mathbf{f}_E(\dot{\boldsymbol{\omega}}_j^o, \mathbf{r})\|^2, \quad (19)$$

where, N is the number of frames of data in the weightless state detected by the static detector operator; $\dot{\boldsymbol{\omega}}$ in the term, $\mathbf{f}_E(\dot{\boldsymbol{\omega}}, \mathbf{r})$, can be calculated using:

$$\dot{\boldsymbol{\omega}}_j = \frac{\boldsymbol{\omega}_{j-2} - \boldsymbol{\omega}_{j-1}}{12\Delta t} - \frac{2\boldsymbol{\omega}_{j-1}}{3\Delta t} + \frac{2\boldsymbol{\omega}_{j+1}}{3\Delta t} - \frac{\boldsymbol{\omega}_{j+2}}{12\Delta t} + O(\Delta t^4), \quad (20)$$

where $\boldsymbol{\omega}_{j-2}$, $\boldsymbol{\omega}_{j-1}$, $\boldsymbol{\omega}_j$, $\boldsymbol{\omega}_{j+1}$, $\boldsymbol{\omega}_{j+2}$ are samples of the

gyroscope in interval, Δt .

D. Global Cost Function

The weights of the cost functions are used to constitute a global cost function, which can be defined as:

$$\begin{aligned} \mathbf{L}(\boldsymbol{\theta}^a, \boldsymbol{\theta}^g, \mathbf{r}) &= \sum_{k=1}^M C_1 (\|\mathbf{h}(\mathbf{a}_k^s, \boldsymbol{\theta}^a)\|^2 - \|\mathbf{g}\|^2)^2 \\ &+ \sum_{k=1}^M C_2 \|\boldsymbol{\omega}_k^s + \mathbf{b}^g + \mathbf{G}^g \mathbf{a}_k^o\|^2 \\ &+ \sum_{k=2}^M C_3 \|\mathbf{a}_k^o - \mathbf{R}_{k-1,k} \mathbf{a}_{k-1}^o\|^2 \\ &+ \sum_{j=1}^N C_4 \|\mathbf{a}_j^o - \mathbf{f}_C(\boldsymbol{\omega}_j^o, \mathbf{r}) - \mathbf{f}_E(\dot{\boldsymbol{\omega}}_j^o, \mathbf{r})\|^2, \end{aligned} \quad (21)$$

where, the weight coefficients C_1, C_2, C_3 , and C_4 enable the cost functions to have the same contribution to the global cost function during parameter optimisation. The weight coefficients are the reciprocals of the variances of the cost functions, which will be detailed in Section III-C. The following section introduces the procedure of the calibration algorithm.




Fig. 2. Diagram of calibration protocol

III. CALIBRATION PROCEDURE

The proposed calibration protocol is shown in Fig. 2, which consists of a data collection part and a parameter calculation part. In the **data collection** stage, two types of raw IMU data (RD1 and RD2) must be collected from different sensor motions. For RD1, the sensor is set at M different poses. Each pose is stably placed for at least t_w seconds. In addition, the time of the first pose placed is set to T_{init} seconds, longer than t_w . The transition from a pose to another pose is manually controlled. Thus, data of the sensor in stationary and movement can be then acquired.

The **parameter calculation** is performed in two steps: **Step 1** initialises the parameters $\boldsymbol{\theta}^a$, $\boldsymbol{\theta}^g$ and \mathbf{r} . Through filtering, the raw data RD1 is divided into stationary data and movement data; the raw data RD2 is for the presumption of weightless IMU (denoted as ‘‘weightless data’’). The stationary data are fed into the cost functions as specified in Eqs. 10 and 11, with $\widehat{\mathbf{T}}^a, \widehat{\mathbf{K}}^a, \widehat{\mathbf{b}}^a, \widehat{\mathbf{b}}^g$ and $\widehat{\mathbf{G}}^g$ being the output. The movement data

and \widehat{T}^a , \widehat{K}^a , \widehat{b}^a , \widehat{b}^g , \widehat{G}^g are substituted into the cost function defined in Eq. 14, leading to the pre-estimated parameters \widehat{T}^g and \widehat{K}^g . Note that, for simplicity, only the first column k_{11}, k_{21}, k_{31} of \widehat{K}^a and \widehat{K}^g are calculated; the other items are set as 0. Then, the weightless data and $\widehat{T}^a, \widehat{K}^a, \widehat{b}^a, \widehat{b}^g, \widehat{G}^g, \widehat{T}^g, \widehat{K}^g$ are used to calculate the radius \widehat{r} from the center of the sensor to the center of the rigid object. **Step 2** optimise the initialised parameters set in Sept 1 in an effort to optimize the global cost function as defined in Eq. 21.

The *Levenberg-Marquardt (LM)* algorithm is employed here to minimize these cost functions as demonstrated by Eqs. 10, 11, 14, 19, and 21. After several iterations, if the difference between the cost function of the current parameters and the cost function of the previous step parameters is less than a preset threshold; then, the parameters have reached the optimal values. Note that, the *LM* algorithm is merely used as an optimization tool, which solves the optimization problem of 45 parameters in the cost function. It is difficult to simultaneously optimize 45 parameters for general problems. If the initial values are not selected properly, it is easy to fall into local optimums, which makes the calibration failed. The calibration algorithm proposed in this work might fall into the local optimum only in setting the initial value.

For the convergence issue, first of all, IMU has an absolute calibration parameter, in the case of excluding random walks. Second, the absolute calibration parameter has the minimum value under each sub-cost functions Eqs. 10, 11, 14, 19, and global cost function Eqs. 21. In the calculation of the initial value, if the initial parameters, $\hat{\theta}^a$, $\hat{\theta}^g$, and \hat{r}^a , satisfy the minimum sub-cost function value, the estimation is close to the absolute calibration parameter. Therefore, substituting these initial values into the global cost function can obtain a closer estimation of the absolute calibration parameters.

A. Static Detector




Fig. 3. An example of static detector for RD2. The red line represents the static detector.

As discussed earlier, the streams of raw data RD1 and RD2 are divided into three forms: stationary, movement and weightless data. In the static state, although a bias is existing, the resultant velocity of rotation does not change. Conversely, the gyroscope's value will change during the movement. In the weightless state, the resultant velocity of rotation is constant.

The variance based static detector operator as reported in the work of [17] is used here as a shear. From this, the variance

of the gyroscopes, $[\omega_x^t; \omega_y^t; \omega_z^t]$ is defined as:

$$\zeta(t) = \text{var}_{t_w}(\sqrt{(\omega_x^t)^2 + (\omega_y^t)^2 + (\omega_z^t)^2}), \quad (22)$$

where $\text{var}_{t_w}()$ is an operator to compute the variance in a time window, t_w seconds, and t represents a time point which is the center of the time window.

A threshold is defined as the multiplication of the square of the variance magnitude ζ_{init} from Eq. 22 and n for all data captured in the initialization period of T_{init} . The length of T_{init} is calculated by *Allan* variance [18]. To classify data, a simple check is built to determine whether the value of $\zeta(t)$ is less or greater than the threshold $n\zeta_{init}$. The result of the static detector is separated into M segments of stationary data and $M-1$ segments of movement data. Fig. 3 shows the segment of three-axis angular velocity in RD2. The static detector is shown by a red line, which indicates that the sensor is in a weightless state.

B. Attitude Integration and Cumulative Variance

The attitude of the sensor is expressed in the form of a quaternion \mathbf{q} . The differential of \mathbf{q} describes the quaternion kinematics, which can be expressed as [19]:

$$\begin{bmatrix} q_0^{k+1} \\ q_1^{k+1} \\ q_2^{k+1} \\ q_3^{k+1} \end{bmatrix} = \begin{bmatrix} \cos \frac{\theta}{2} & -\frac{\theta_x}{\theta} \sin \frac{\theta}{2} & -\frac{\theta_y}{\theta} \sin \frac{\theta}{2} & -\frac{\theta_z}{\theta} \sin \frac{\theta}{2} \\ \frac{\theta_x}{\theta} \sin \frac{\theta}{2} & \cos \frac{\theta}{2} & \frac{\theta_z}{\theta} \sin \frac{\theta}{2} & -\frac{\theta_y}{\theta} \sin \frac{\theta}{2} \\ \frac{\theta_y}{\theta} \sin \frac{\theta}{2} & -\frac{\theta_z}{\theta} \sin \frac{\theta}{2} & \cos \frac{\theta}{2} & \frac{\theta_x}{\theta} \sin \frac{\theta}{2} \\ \frac{\theta_z}{\theta} \sin \frac{\theta}{2} & \frac{\theta_y}{\theta} \sin \frac{\theta}{2} & -\frac{\theta_x}{\theta} \sin \frac{\theta}{2} & \cos \frac{\theta}{2} \end{bmatrix} \begin{bmatrix} q_0^k \\ q_1^k \\ q_2^k \\ q_3^k \end{bmatrix} \quad (23)$$

where $[\theta_x, \theta_y, \theta_z] = [\omega_x, \omega_y, \omega_z]\Delta t$ is 3-axes angle in unit time from 3-axes angular velocity, and $\theta = \sqrt{\theta_x^2 + \theta_y^2 + \theta_z^2}$.

In the presence of noise $\delta\omega$ in angular velocity measurement, the attitude update of IMU is similar to Gaussian process. Then calculate the variance of the accumulated error, assuming that the variance of the cumulative altitude error of the k th time is $D[\mathbf{q}^k + \delta\mathbf{q}^k] = [\sigma_{q_0^k}^2, \sigma_{q_1^k}^2, \sigma_{q_2^k}^2, \sigma_{q_3^k}^2]^T$. The derivation of the cumulative altitude error of the $k+1$ th time is as follows:

$$\begin{aligned} & \begin{bmatrix} q_0^{k+1} + \delta q_0^{k+1} \\ q_1^{k+1} + \delta q_1^{k+1} \\ q_2^{k+1} + \delta q_2^{k+1} \\ q_3^{k+1} + \delta q_3^{k+1} \end{bmatrix} \\ & \approx D \begin{bmatrix} 1 & -\frac{\theta_x + \delta\theta_x}{2} & -\frac{\theta_y + \delta\theta_y}{2} & -\frac{\theta_z + \delta\theta_z}{2} \\ \frac{\theta_x + \delta\theta_x}{2} & 1 & \frac{\theta_z + \delta\theta_z}{2} & -\frac{\theta_y + \delta\theta_y}{2} \\ \frac{\theta_y + \delta\theta_y}{2} & -\frac{\theta_z + \delta\theta_z}{2} & 1 & \frac{\theta_x + \delta\theta_x}{2} \\ \frac{\theta_z + \delta\theta_z}{2} & \frac{\theta_y + \delta\theta_y}{2} & -\frac{\theta_x + \delta\theta_x}{2} & 1 \end{bmatrix} \begin{bmatrix} q_0^k + \delta q_0^k \\ q_1^k + \delta q_1^k \\ q_2^k + \delta q_2^k \\ q_3^k + \delta q_3^k \end{bmatrix} \\ & \approx \begin{bmatrix} \sigma_{q_0^k}^2 + \frac{\Delta t^2}{4} ((q_1^k)^2 \sigma_{\omega_x}^2 + (q_2^k)^2 \sigma_{\omega_y}^2 + (q_3^k)^2 \sigma_{\omega_z}^2) \\ \sigma_{q_1^k}^2 + \frac{\Delta t^2}{4} ((q_0^k)^2 \sigma_{\omega_x}^2 + (q_2^k)^2 \sigma_{\omega_z}^2 + (q_3^k)^2 \sigma_{\omega_y}^2) \\ \sigma_{q_2^k}^2 + \frac{\Delta t^2}{4} ((q_0^k)^2 \sigma_{\omega_y}^2 + (q_1^k)^2 \sigma_{\omega_z}^2 + (q_3^k)^2 \sigma_{\omega_x}^2) \\ \sigma_{q_3^k}^2 + \frac{\Delta t^2}{4} ((q_0^k)^2 \sigma_{\omega_z}^2 + (q_1^k)^2 \sigma_{\omega_y}^2 + (q_2^k)^2 \sigma_{\omega_x}^2) \\ + \frac{\Delta t^2}{4} (\omega_x^2 \sigma_{q_1^k}^2 + \omega_y^2 \sigma_{q_2^k}^2 + \omega_z^2 \sigma_{q_3^k}^2) \\ + \frac{\Delta t^2}{4} (\omega_x^2 \sigma_{q_0^k}^2 + \omega_z^2 \sigma_{q_2^k}^2 + \omega_y^2 \sigma_{q_3^k}^2) \\ + \frac{\Delta t^2}{4} (\omega_y^2 \sigma_{q_0^k}^2 + \omega_z^2 \sigma_{q_1^k}^2 + \omega_x^2 \sigma_{q_3^k}^2) \\ + \frac{\Delta t^2}{4} (\omega_z^2 \sigma_{q_0^k}^2 + \omega_y^2 \sigma_{q_1^k}^2 + \omega_x^2 \sigma_{q_2^k}^2) \end{bmatrix}, \quad (24) \end{aligned}$$

C. Weight Parameters of Cost Function

The weight coefficients C_1 , C_2 , C_3 and C_4 are derived from the reciprocals of the variances of the cost functions. When the calibration parameters are accurate, the variance of the cost functions is originated from the white noise of the measurement data. The variances $[\sigma_{a_x^s}^2, \sigma_{a_y^s}^2, \sigma_{a_z^s}^2]^T$ and $[\sigma_{\omega_x^s}^2, \sigma_{\omega_y^s}^2, \sigma_{\omega_z^s}^2]^T$ in the sensor frame are obtained by the statistics of RD1 at the beginning T_{init} interval. The variance $\sigma_{a^o}^2$ of δa^o in calibrated frame is $[\sigma_{a_x^o}^2, \sigma_{a_y^o}^2, \sigma_{a_z^o}^2]^T = [k_{11}^a{}^2 \sigma_{a_x^s}^2, k_{21}^a{}^2 \sigma_{a_y^s}^2, k_{31}^a{}^2 \sigma_{a_z^s}^2]^T$, whilst the variance $\sigma_{\omega^o}^2$ of $\delta \omega^o$ is $[\sigma_{\omega_x^o}^2, \sigma_{\omega_y^o}^2, \sigma_{\omega_z^o}^2]^T = [k_{11}^g{}^2 \sigma_{\omega_x^s}^2, k_{21}^g{}^2 \sigma_{\omega_y^s}^2, k_{31}^g{}^2 \sigma_{\omega_z^s}^2]^T$. The parameters such as k_{11}^a and k_{11}^g are obtained from the pre-estimation of $\hat{\theta}^a$ and $\hat{\theta}^g$. The effect of T^a and T^g are ignored, when calculating the calibrated frame variances. For the convenience of calculation and expression, the three components of $\sigma_{a^o}^2$ are replaced by their mean values $\bar{\sigma}_{a^o}^2 = \frac{\sigma_{a_x^o}^2 + \sigma_{a_y^o}^2 + \sigma_{a_z^o}^2}{3}$, $\bar{\sigma}_{\omega^o}^2 = \frac{\sigma_{\omega_x^o}^2 + \sigma_{\omega_y^o}^2 + \sigma_{\omega_z^o}^2}{3}$ and $\bar{\sigma}_{\omega^o}^2 = \frac{\sigma_{\omega_x^o}^2 + \sigma_{\omega_y^o}^2 + \sigma_{\omega_z^o}^2}{3}$, respectively.

The variance of the cost function as specified in Eq. 10 is:

$$D[\|\mathbf{h}(\mathbf{a}^s, \delta \mathbf{a}^s, \boldsymbol{\theta}^a)\|^2 - \|\mathbf{g}\|^2] = 2(\sigma_{a_x^o}^4 + \sigma_{a_y^o}^4 + \sigma_{a_z^o}^4) + 4[a_x^{o2} \sigma_{a_x^o}^2 + a_y^{o2} \sigma_{a_y^o}^2 + a_z^{o2} \sigma_{a_z^o}^2]. \quad (25)$$

The variance of the cost function Eq. 11 is:

$$D[\boldsymbol{\omega}_k^s + \delta \boldsymbol{\omega}_k^s + \mathbf{b}^g + \mathbf{G}^g(\mathbf{a}_k^o + \delta \mathbf{a}_k^o)] = \begin{bmatrix} \sigma_{\omega_x^s}^2 + G_1^2 \sigma_{a_x^o}^2 + G_2^2 \sigma_{a_y^o}^2 + G_3^2 \sigma_{a_z^o}^2 \\ \sigma_{\omega_y^s}^2 + G_4^2 \sigma_{a_x^o}^2 + G_5^2 \sigma_{a_y^o}^2 + G_6^2 \sigma_{a_z^o}^2 \\ \sigma_{\omega_z^s}^2 + G_7^2 \sigma_{a_x^o}^2 + G_8^2 \sigma_{a_y^o}^2 + G_9^2 \sigma_{a_z^o}^2 \end{bmatrix}. \quad (26)$$

The variance of the cost function Eq. 14 can be expressed as:

$$D[\mathbf{a}_k^o + \delta \mathbf{a}_k^o - (\mathbf{R}_{k-1,k} + \delta \mathbf{R}_{k-1,k})(\mathbf{a}_{k-1}^o + \delta \mathbf{a}_{k-1}^o)] = \begin{bmatrix} \mathbf{g}^2(4\sigma_{q^m}^2 + 8\sigma_{q^m}^4) + 2\bar{\sigma}_{a^o}^2 \\ \mathbf{g}^2(4\sigma_{q^m}^2 + 8\sigma_{q^m}^4) + 2\bar{\sigma}_{a^o}^2 \\ \mathbf{g}^2(4\sigma_{q^m}^2 + 8\sigma_{q^m}^4) + 2\bar{\sigma}_{a^o}^2 \end{bmatrix}. \quad (27)$$

In this equation, the cumulative error $\sigma_{q^m}^2$ is led by the angular velocity error. For the convenience of calculation, the variance of each component of \mathbf{q}^m is set as a common value, and the variance iteration formula of a single component can be expressed as:

$$\begin{cases} \sigma_{q^0}^2 = 0 \\ \sigma_{q^1}^2 \approx \frac{\Delta t^2}{4} \bar{\sigma}_{\omega^o}^2 \\ \sigma_{q^{i+1}}^2 \approx (1 + \frac{3\Delta t^2}{4} \bar{\omega}^2) \sigma_{q^i}^2 + \frac{\Delta t^2}{4} \bar{\sigma}_{\omega^o}^2, \end{cases} \quad (28)$$

where $\bar{\omega}$ is the average of the absolute value of the angular velocity in the movement data.

The variance of the cost function Eq. 19 is:

$$D[\mathbf{a}^o + \delta \mathbf{a}^o - \mathbf{f}_C(\boldsymbol{\omega}^o + \delta \boldsymbol{\omega}^o, \mathbf{r}) - \mathbf{f}_E(\dot{\boldsymbol{\omega}}^o + \delta \dot{\boldsymbol{\omega}}^o, \mathbf{r})] = \begin{bmatrix} \omega_{max}^2 \bar{\sigma}_{\omega^o}^2 [(2\hat{r}_x - \hat{r}_y)^2 + (2\hat{r}_x - \hat{r}_z)^2 + (\hat{r}_y + \hat{r}_z)^2] \\ \omega_{max}^2 \bar{\sigma}_{\omega^o}^2 [(2\hat{r}_y - \hat{r}_x)^2 + (2\hat{r}_y - \hat{r}_z)^2 + (\hat{r}_x + \hat{r}_z)^2] \\ \omega_{max}^2 \bar{\sigma}_{\omega^o}^2 [(2\hat{r}_z - \hat{r}_x)^2 + (2\hat{r}_z - \hat{r}_y)^2 + (\hat{r}_x + \hat{r}_y)^2] \\ + \bar{\sigma}_{\omega^o}^4 (4\hat{r}_x^2 + \hat{r}_y^2 + \hat{r}_z^2) + \frac{65\bar{\sigma}_{\omega^o}^2(\hat{r}_y^2 + \hat{r}_z^2)}{72\Delta t^2} + \bar{\sigma}_{a^o}^2 \\ + \bar{\sigma}_{\omega^o}^4 (4\hat{r}_y^2 + \hat{r}_x^2 + \hat{r}_z^2) + \frac{65\bar{\sigma}_{\omega^o}^2(\hat{r}_x^2 + \hat{r}_z^2)}{72\Delta t^2} + \bar{\sigma}_{a^o}^2 \\ + \bar{\sigma}_{\omega^o}^4 (4\hat{r}_z^2 + \hat{r}_x^2 + \hat{r}_y^2) + \frac{65\bar{\sigma}_{\omega^o}^2(\hat{r}_x^2 + \hat{r}_y^2)}{72\Delta t^2} + \bar{\sigma}_{a^o}^2 \end{bmatrix}, \quad (29)$$

where ω_{max} is obtained by counting the weightless data,

which is the maximum absolute value of the angular velocity of the three axes; \hat{r}_x , \hat{r}_y , and \hat{r}_z are the three components of the pre-estimated $\hat{\mathbf{r}}$.

From Eqs. 25-29, to summarise, the weight coefficients can be obtained by:

$$\begin{cases} C_1 = \frac{1}{6\bar{\sigma}_{a^o}^4 + 4\mathbf{g}^2 \bar{\sigma}_{a^o}^2} \\ C_2 = \frac{1}{\bar{\sigma}_{\omega^o}^2 + 3(\hat{\mathbf{G}}_{max})^2 \bar{\sigma}_{a^o}^2} \\ C_3 = \frac{1}{2\bar{\sigma}_{a^o}^2 + \mathbf{g}^2(4\sigma_{q^m}^2 + 8\sigma_{q^m}^4)} \\ C_4 = \frac{1}{max(Eq. 29)}, \end{cases} \quad (30)$$

where $\hat{\mathbf{G}}_{max}$ is the largest absolute number in the matrix $\hat{\mathbf{G}}$.

IV. EXPERIMENTS

The proposed algorithm was validated and evaluated on both synthetic data and real-world data. In particular, the synthetic data was generated to simulate the sensors under different motions with artificial parameters. The parameters led by the proposed algorithm were then compared with the artificial parameters, and the variance of difference values between the two set of parameters was presented and analysed. The proposed algorithm has also been applied to real-world benchmark data set for a comparative study in reference to the results resulted from the existing algorithms using same IMU data. The comparative study was conducted using two measurement approaches, including the measurement of the accuracy of centripetal acceleration for accelerometer, and the measurement of the accuracy of the attitude updating for the gyroscopes. In the third part of the experiments, the calculated parameters are applied to the real application scene, and a state detector is designed to detect whether the rigid body with an IMU device is in a falling state.

A. Experiment on Synthetic Data

The synthetic data contains two sets of data streams: RD1 is the sensor static-movement data, RD2 is the sensor data on rigid body in free fall with spinning. At first noise-free data in the two sets is generated. Secondly, distort parameters of \mathbf{T} , \mathbf{K} and \mathbf{b} are added to transform the generated data. Thirdly, the Gaussian noise $\boldsymbol{\nu}$ with 0 mean and σ_a for accelerometers and σ_g for gyroscopes is added. The following equations complete the conversion process for the accelerometers and gyroscopes.

$$\mathbf{a}_{syn}^s = \mathbf{f}_a^{-1}((\mathbf{T}^a)^{-1} \mathbf{a}_{syn}^o, \mathbf{K}^a) - \mathbf{b}^a + \boldsymbol{\nu}^a \quad (31)$$

$$\boldsymbol{\omega}_{syn}^s = \mathbf{f}_g^{-1}((\mathbf{T}^g)^{-1} \boldsymbol{\omega}_{syn}^o, \mathbf{K}^g) - \mathbf{b}^g - \mathbf{G}_g \mathbf{a}^o + \boldsymbol{\nu}^g \quad (32)$$

In RD1 generation, $n_1 = 40$ different accelerometer vectors are randomly created under the condition that all norms of these vectors are $\|\mathbf{g}\|$. Expand each of accelerometer vectors with $[0, 0, 0]$ gyroscope vector to be a sequence data in time $t_1 = 3sec$ as stationary data. Calculate the angular velocity by divide the angle between accelerometer vectors $\mathbf{a}_{i-1, syn}^o$ and $\mathbf{a}_{i, syn}^o$ in $t_2 = 2sec$. Meanwhile the accelerometer vector area gradual linear transformation process from $\mathbf{a}_{i-1, syn}^o$ to $\mathbf{a}_{i, syn}^o$ in $t_2 = 2sec$. The time varying data accelerometer vector and angular velocity is the movement data. The stationary data and movement data are alternately connected.

In RD2 generation, $n_2 = 100$ set of accelerometer vectors and angular velocity ω^o under weightlessness in $t = 1sec$ is obtained by the following Eq.33. This equation describe two combination movements: rotation and coning motion.

$$\begin{bmatrix} \omega_{x,syn}^o \\ \omega_{y,syn}^o \\ \omega_{z,syn}^o \end{bmatrix} = \frac{\mathbf{R}(\mathbf{q}_{rand})}{\sqrt{\omega_{set}^2 + 80^2}} \begin{bmatrix} \sin(\psi(t))\omega_{set} \\ \cos(\psi(t))\omega_{set} \\ 80 \end{bmatrix} \quad (33)$$

where $\mathbf{R}(\mathbf{q}_{rand})$ is a rotation matrix, which is obtained by substituting a randomly generated quaternion \mathbf{q}_{rand} in Eq. 13. $\omega_{set} = 2\pi[\frac{1}{4}rand() + \frac{3}{4}]V_{spin}$ is used to randomly generate angular velocity vectors, here $rand()$ is function to obtain a random number with a mean of 0 and a variance of 1. V_{spin} is the velocity of the rigid body when it is rotating in the air, V_{spin} is set to 7. $\psi(t) = 0.8t + 2\pi rand()$ is a function that generates a sequence of rotation axes. The angular acceleration $\dot{\omega}_{syn}$ is derived from the Eq. 33. The α_{syn}^o is obtained by substituting ω_{syn} and $\dot{\omega}_{syn}$ into Eqs.17 and 18. The sampling frequency of the entire synthetic data is fixed to 100 Hz.

Twenty sets of RD1 and RD2 are randomly generated using the above method, so as to obtains 40 sets of parameters for the proposed algorithm. Then, the means and variances of each parameters are calculated for the linear model and nonlinear model. The experimental results are listed in Table I, for each calibration parameter, the three sub-tables in the upper part are: set values, calculated mean of the linear model, and calculated means of the nonlinear model; the two sub-tables of the lower part are: standard deviations of the linear model, and standard deviations of the nonlinear model.

The calculation results show that: under the conditions of the data generated by the nonlinear model, the calculation results of the nonlinear parameters are closer to the true values than those of the linear model; in addition, the variances of our method are also smaller than those of the linear model.



Fig. 4. Hollow steel ball and IMU sensor. The IMU sensor is fixed on the hollow steel ball.

B. Experiment on Real-World Data

So far, IMU calibration does not have a consensus public data set. In this paper, we try to use the most simple tools without the dependency of the accuracy of the tools to obtain more accurate calibration parameters through calibrations. However, we can find only one method, i.e., Tedaldi et al.'s work [6], which does not depend on the accuracy of tools. Moreover, Tedaldi et al.'s work has the most citations on the

TABLE I
COMPARE PARAMETERS

Cross-Coupling-Accelerometer T^a								
1	0.03	-0.04	1	0.02963	-0.03952	1	0.03001	-0.04000
0	1	0.035	0	1	0.03523	0	1	0.03502
0	0	1	0	0	1	0	0	1
0	2.2e-6	1.4e-6	0	2.2e-6	1.4e-6	0	2.4e-8	2.1e-8
0	0	1.6e-6	0	0	1.6e-6	0	0	1.5e-8
0	0	0	0	0	0	0	0	0
Cross-Coupling-Gyroscope T^g								
1	-0.02	0.04	1	-0.02023	0.03979	1	-0.02002	0.04002
0.02	1	-0.02	0.02027	1	-0.01980	0.01998	1	-0.01999
-0.026	0.03	1	-0.02705	0.03014	1	-0.02606	0.02995	1
0	8.5e-6	5.1e-6	0	8.5e-6	5.1e-6	0	3.1e-8	3.1e-8
7.0e-6	0	6.8e-6	7.0e-6	0	6.8e-6	7.0e-6	0	2.6e-8
7.4e-6	9.6e-6	0	7.4e-6	9.6e-6	0	4.2e-8	2.5e-8	0
Scale Factor-Accelerometer K^a								
9.81	-0.03	0.04	9.83011	0	0	9.80983	-0.02998	0.03996
9.79	0.04	0.04	9.8108	0	0	9.78998	0.03971	0.03998
9.76	0.03	0.06	9.7962	0	0	9.76000	0.03003	0.05992
5.2e-5	0	0	5.2e-5	0	0	7.6e-7	3.1e-6	6.8e-8
5.4e-5	0	0	5.4e-5	0	0	1.0e-6	4.6e-6	6.4e-8
3.6e-5	0	0	3.6e-5	0	0	9.3e-7	4.6e-6	1.4e-7
Scale Factor-Gyroscope K^g								
3.12	0.015	0.023	3.12091	0	0	3.12003	0.01498	0.02300
3.15	-0.027	0.021	3.15932	0	0	3.14993	-0.02701	0.02101
3.09	0.02	0.03	3.09132	0	0	3.08993	0.01997	0.03000
5.7e-5	0	0	5.7e-5	0	0	1.7e-7	2.4e-8	2.4e-9
3.6e-5	0	0	3.6e-5	0	0	1.9e-7	2.1e-8	2.1e-9
7.1e-5	0	0	7.1e-5	0	0	1.7e-7	9.2e-8	3.8e-9
Bias-Accelerometer b^a								
0.04	0.5	-0.35	0.03850	0.50216	-0.34845	0.03999	0.50004	-0.35000
2.6e-7	3.9e-7	2.0e-7	2.6e-7	3.9e-7	2.0e-7	1.3e-8	1.5e-8	2.2e-8
Bias-Gyroscope b^g								
0.04	-0.15	0.55	0.40006	-0.15014	0.55010	0.40000	-0.15000	0.55000
1.8e-8	1.6e-8	1.4e-8	1.8e-8	1.6e-8	1.4e-8	1.2e-10	1.7e-10	1.4e-10
g-dependent Bias Matrix $G^g (10^{-4})$								
1	2	-1	0	0	0	1.00290	1.99882	-1.00738
-1	2	1	0	0	0	-1.00012	1.99770	1.00605
2	3	1	0	0	0	1.99540	3.00467	1.00001
0	0	0	0	0	0	8.8e-12	5.9e-12	7.0e-12
0	0	0	0	0	0	5.5e-12	7.2e-12	6.9e-12
0	0	0	0	0	0	8.0e-12	6.1e-12	9.6e-12
Radius r								
0.07	0.07	0.07	0.09595	0.09530	0.09034	0.06998	0.06997	0.06997
1.4e-6	1.8e-6	1.2e-6	1.4e-6	1.8e-6	1.2e-6	1.3e-8	1.3e-8	1.3e-8

IMU calibration during recent years. Other methods must rely on precise equipment, such as [20], [21]. Several methods must use instruments designed by themselves, [22], [23]. It is extremely difficult for us to reproduce these devices. Hence, our method is only compared with Tedaldi et al.'s work in real-world data.

In this experiment, the IMU sensor ICM42605 from InvenSense was used for calibration. The full scale range of ICM42605 is $\pm 2000dps$ (degrees per second) for gyroscope and $\pm 16g$ for accelerometer. The parameters are set as: for RD1, $M = 20$, $T_{init} = 60sec$, $T_w = 2sec$ and $n = 6$; for RD2, $N = 100$, $t_w = 0.05sec$ and $n = 1000$. A hollow steel ball was used as the rigid body in the experiment. The IMU

sensor was mounted on the surface of the ball, as shown in Fig. 4. To collect RD1, the ball was manually switched to a different posture for a period t_w . To collect RD2, the ball was thrown vertically and rotated, the rotation axis is random, and 200 sets of data were collected under such conditions.

The accuracy of the algorithm was accessed by an indirect method, to avoid the use of a professional measuring instrument. The test data RD3 was collected by throwing the hollow steel ball vertically, catching the ball and placing it on the stable base; This was repeated for ten times and then ten data sets were collected. The accuracy of the acceleration calibration was determined by calculating the difference between the acceleration measurement and the centripetal force and the Euler force. The accuracy of the gyroscope calibration was accessed by examining the angle between the gravity calculated by the attitude and the true gravity. Note that the more accurate the gyroscope is calibrated, the smaller the angle becomes.

The acquisition of RD1 is also applicable to the calibration algorithm of *Tedaldi D* [6], which is a linear model. In this experiment, a set of calibration parameters is calculated by the algorithm *Tedaldi D*. Four combinations of the parameters, including *Linear*, *Quadratic*, *Cube* and *All* are calculated using the proposed algorithm. Here, *Linear* indicates that the scale factors of the calibration model is linear and the g-dependent bias G^g is ignored; and in the calculation process only RD1 is used and, C_4 in the global cost function is set to 0; *Quadratic* and *Cube* respectively indicate that the scale factors of the calibration model are quadratic and cube, and the g-dependent bias G^g is ignored. *All* indicate that all parameters mentioned in this paper are calculated. The calculated parameters that are obtained by *Tedaldi D* and the proposed algorithms are summarised in Table II.

The accuracies of the acceleration calibration from different sets of parameters as listed Table II are summarised in Table III. In particular, the RD3 is extracted by the static detector operator, and the error is calculated by:

$$L(\theta^a, \theta^g, \mathbf{r}) = \sum_{j=1}^S \|\mathbf{a}_j^o - \mathbf{f}_C(\omega_j^o, \mathbf{r}) - \mathbf{f}_E(\dot{\omega}_j^o, \mathbf{r})\|^2. \quad (34)$$

Note that a smaller error indicates better accuracy of the calibration parameters. S represents the number of frames of RD3 in a weightless state.

The accuracies of the gyroscopes calibration from different sets of parameters are listed in Table IV. A performance indicator is designed as the *cos* value of the angle between the two vectors \mathbf{a}_j^o and $\mathbf{R}_{j-1,j}\mathbf{a}_{j-1}^o$:

$$L(\theta^a, \theta^g) = \sum_{j=2}^{S+1} \frac{\mathbf{a}_j^{oT} \mathbf{R}_{j-1,j} \mathbf{a}_{j-1}^o}{\|\mathbf{a}_j^o\| \|\mathbf{a}_{j-1}^o\|}. \quad (35)$$

The closer the *cos* value to 1, the more accurate the calibration parameters are. The parameter r was not used in the models in *Tedaldi D* and *Linear* in the process of calculating the performance indicator, but r was used when calculating *All*.

The ranking of the precisions from low to high of different parameters are summarised in Tables III and IV, including

TABLE II
CALCULATED PARAMETERS

	Tedaldi D	Our Method			
		linear	quadratic	cube	all
α_{yz}	1.4387e-04	1.5988e-03	1.3055e-03	1.4718e-03	1.4910e-03
α_{zy}	-1.6944e-03	-3.8875e-03	-3.3402e-03	-3.3564e-03	-3.3904e-03
α_{zx}	4.5197e-04	3.5809e-03	3.7436e-03	3.6216e-03	3.6206e-03
$b_x^a(m/s^2)$	1.5359e-03	5.6602e-04	1.1061e-03	9.7759e-04	9.9456e-04
$b_y^a(m/s^2)$	1.8357e-03	2.8507e-03	3.0009e-03	3.0966e-03	3.0840e-03
$b_z^a(m/s^2)$	-3.575e-03	-3.8443e-03	-4.0922e-03	-3.8634e-03	-3.8754e-03
γ_{yz}	-4.4878e-03	-5.2886e-04	-5.998e-04	-5.2218e-04	-4.9946e-04
γ_{zy}	-2.3963e-03	-1.0262e-02	-1.0011e-02	-1.0019e-02	-1.0046e-02
γ_{zx}	7.1768e-03	5.8778e-03	5.8353e-03	5.8536e-03	5.8725e-03
γ_{xz}	4.1875e-03	2.1119e-03	2.3471e-03	2.276e-03	2.2758e-03
γ_{xy}	1.1272e-02	9.1793e-03	1.0216e-02	1.02e-02	1.0138e-02
γ_{yx}	4.0622e-04	2.652e-03	2.8927e-03	2.8124e-03	2.8249e-03
$b_x^g(rad/s)$	-1.2961e-03	-1.4304e-03	-1.3405e-03	-1.3435e-03	-1.3494e-03
$b_y^g(rad/s)$	-1.2349e-03	-1.6229e-03	-1.3244e-03	-1.3271e-03	-1.3124e-03
$b_z^g(rad/s)$	1.9384e-05	1.0797e-04	4.5239e-05	4.8474e-05	6.8465e-05
$r_x(m)$		1.4096e-03	1.4057e-03	1.4045e-03	1.4082e-03
$r_y(m)$		5.8362e-03	5.852e-03	5.8415e-03	5.8413e-03
$r_z(m)$		-1.0941e-01	-1.0942e-01	-1.0937e-01	-1.0938e-01
$k_{11}^a(m/s^2)$	9.7882e+00	9.7958e+00	9.7935e+00	9.7976e+00	9.7976e+00
k_{12}^a			-9.7025e-03	-9.3689e-03	-9.3256e-03
k_{13}^a				-6.7377e-04	-7.2719e-04
$k_{21}^a(m/s^2)$	9.7926e+00	9.7964e+00	9.7945e+00	9.7976e+00	9.7974e+00
k_{22}^a			-6.8205e-04	7.2986e-04	7.9315e-04
k_{23}^a				-7.5889e-04	-7.7014e-04
$k_{31}^a(m/s^2)$	9.7848e+00	9.7855e+00	9.7885e+00	9.7856e+00	9.7857e+00
k_{32}^a			1.8747e-03	2.3233e-05	1.1308e-04
k_{33}^a				-1.5299e-04	-1.4873e-04
$k_{11}^g(rad/s)$	3.1351e+00	3.1323e+00	3.1327e+00	3.1346e+00	3.1345e+00
k_{12}^g			-3.1524e-05	-3.6341e-05	-2.3754e-05
k_{13}^g				-1.6504e-05	-1.5991e-05
$k_{21}^g(rad/s)$	3.1125e+00	3.1183e+00	3.119e+00	3.1181e+00	3.1181e+00
k_{22}^g			-3.955e-05	-2.1107e-05	-5.1553e-05
k_{23}^g				2.7426e-05	2.6358e-05
$k_{31}^g(rad/s)$	3.1228e+00	3.1196e+00	3.1222e+00	3.1183e+00	3.1183e+00
k_{32}^g			-2.9493e-04	-2.3602e-04	-2.3978e-04
k_{33}^g				1.1842e-04	1.1732e-04
$G_1(rad * s/m)$					-3.4576e-06
$G_2(rad * s/m)$					-3.1213e-06
$G_3(rad * s/m)$					2.1329e-06
$G_4(rad * s/m)$					-8.7706e-06
$G_5(rad * s/m)$					-3.5515e-07
$G_6(rad * s/m)$					-7.1096e-06
$G_7(rad * s/m)$					-1.6885e-05
$G_8(rad * s/m)$					-8.1315e-07
$G_9(rad * s/m)$					-2.4591e-06

TABLE III
PARAMETERS USED TO COMPARE ACCELEROMETERS

Tedaldi D	Our Method			
	linear	quadratic	cube	all
66.31	15.96	14.37	13.70	13.62
43.68	20.60	17.27	13.31	12.24
34.88	17.35	15.63	15.92	15.12
151.10	89.81	88.65	89.34	87.50
114.52	45.41	32.88	30.12	30.37
123.58	48.95	45.54	37.02	36.72
197.54	60.41	58.26	52.61	52.28
362.41	230.00	204.44	191.81	192.14
201.92	68.36	59.41	56.67	56.86
342.84	177.00	140.16	131.85	132.35

Tedaldi D, *Linear*, *Quadratic*, *Cube* and *All*. In particular, *Linear* and *Tedaldi D* shared identical data and model parameters, but *Linear* has achieved relatively better performances for the global cost function for the overall optimization of the parameters. *Quadratic* shown a better performance than *Linear* for the accelerator and angular velocity. Compared with *Linear* and *Quadratic*, *Cube* had an essential improvement in the acceleration and angular velocity. *All* has one more parameter, g-dependent bias G^g , than *Cube*. The average reduction percentage of the accelerometers error is 64.12% in Table III, obtained

TABLE IV
PARAMETERS USED TO COMPARE GYROSCOPES

Tedraldi D	Our Method				angle(π)
	linear	quadratic	cube	all	
0.99962	0.99813	0.99924	0.99913	0.99932	30.6
0.96867	0.95936	0.97081	0.98862	0.98881	55.9
0.87617	0.84341	0.88079	0.95506	0.95282	77.7
0.94326	0.95452	0.98280	0.99450	0.99546	99.8
0.95350	0.95584	0.98621	0.98905	0.99092	115.6
0.95631	0.95619	0.97603	0.94215	0.94735	128.7
0.60969	0.67034	0.79010	0.94798	0.94109	140.2
0.68052	0.73106	0.85015	0.97835	0.97443	148.0
0.71950	0.72965	0.84653	0.98860	0.98521	154.8
0.72404	0.79269	0.90238	0.99922	0.99828	159.0

TABLE V
PARAMETERS OF IMU IN IPHONE

T^a			T^g		
1	-1.9609e-03	5.3115e-03	1	3.1193e-04	6.8747e-03
0	1	1.4379e-03	2.2605e-03	1	8.7853e-04
0	0	1	2.6503e-03	-2.4195e-03	1
K^a			K^g		
1.0018	-2.0349e-04	-2.9115e-05	0.99827	6.2259e-05	-7.4481e-06
1.0015	-5.3635e-05	-2.2143e-05	1.0070	1.6163e-04	-2.9095e-05
0.99638	-1.2255e-04	5.1980e-05	0.99831	-8.1644e-04	8.3276e-06
$B^a (m/s^2)$			$B^g (rad/s)$		
-7.6651e-03	2.0240e-02	9.0172e-02	-9.4971e-05	7.2700e-05	1.7860e-04
$r (m)$			G^g		
-1.4174e-02	-2.0610e-02	1.9555e-03	-8.7428e-07	-1.8119e-05	-2.5090e-06
			8.6587e-07	-1.4582e-05	-1.1737e-05
			-1.8528e-05	2.7332e-05	1.8225e-05

by: $\sum (1 - L(\theta_{all}^a, \theta_{all}^g, r_{all}) / L(\theta_{Tedraldi}^a, \theta_{Tedraldi}^g, r_{all})) / N$. Also, The average reduction percentage of the gyroscopes error is 47.90% in Table IV, obtained by: $\sum (1 - \arccos(L(\theta_{all}^a, \theta_{all}^g)) / \arccos(L(\theta_{Tedraldi}^a, \theta_{Tedraldi}^g))) / N$.

By observing Tables III and IV, The g-dependent bias G^g , does not substantially improve the accuracy of the IMU calibration, compared to *Cube*. The reason is that the accuracy of the MEMS sensor used in this experiment cannot accurately calculate the true g-dependent bias G^g . To summarise, the nonlinear scale factor has led to better performance over a larger range of the sensor, and the global cost function further improved the accuracy.

The models and algorithms presented in this paper outperformed those referenced approaches utilised in the experiments. In the calibration model, the scale factor of the sensor conforms to a linear property in a small range, that is a fixed value, but the scale factor varies if a larger range of the sensor is used, which led to the necessity of a nonlinear scale factor. This is achieved by globally optimising the cost function such that all parameters are optimised in the same time. In addition, the weights of the sub cost functions also ensure that the calibrated parameters are achieved for an optimal solution.

C. Experiment on Application Scene

In the experiment, a state detector is designed to detect whether a rigid body (a mobile phone) with an IMU device is in the falling state. The rigid body in the experiment is chosen as "iphone 8", and the "Phyposx App" in the iphone is utilized to collect the IMU data.

Using the algorithm mentioned above, we calculate the parameters of the IMU. In the collection of RD1, the iphone was placed in different attitudes for 20 times. In the collection of RD2, the iphone was thrown up by different rotation axis and different rotation speeds. The iphone was thrown for 12 times in the experiment. Note that a soft bed surface was chosen for the throwing place to avoid breaking the iphone.

The parameters present in Table V are the processed results by our IMU calibration method. Our method successfully generated the parameters for T^a , T^g , K^a , K^g , B^a , B^g , G^g and r . The position of the iphone's gravity center in the IMU coordinate system is $[-14.174, -20.610, 1.9555]mm$.




Fig. 5. The position of IMU in the phone's coordinate system. On the left side the pink point is the calculated IMU position. On the right side, the position pointed by the red arrow is the real position of the IMU in an iphone 8.

Fig. 5 illustrates the position of IMU in the phone's coordinate system. The origin is the gravity center, assuming that the gravity center of the iphone is in the device's physical center.

The IMU data and parameters calculated by our algorithm are substituted into Equation 19 to obtain the loss. A threshold was set at $2.5m/s^2$. If the loss is less than the threshold, the rigid body is judged as in a falling state, (if an object is static, the result of Eq. 19 should be $9.8m/s^2$).

Fig. 6 illustrates the falling state detector results of the IMU data, which was collected when the iphone was thrown up for other 8 times. The detector's data is shown on the top and IMU raw data is on the bottom of the figure. In the top of Fig. 6, the red line is the acceleration of the resultant force that removes centripetal force and Euler force. The blue line is acceleration that comes from normalizing the raw data of accelerometers. The black line is a falling state detector. If the line is on the value 100, this situation indicates the iphone is in a falling state. This figure illustrates that our method can successfully detect almost all the falling states. However, in Fig. 6, the second and fifth falling states were not detected. The reason is that the original angular velocity data of the Y-axis of the gyroscope went beyond the measurement range of the iphone, i.e., the detector device has not obtained the real angular velocity data, thus the judgment fails.




Fig. 6. Falling state detector and the raw data of IMU. The upper part is the falling state detector. The middle and bottom parts are the raw data of accelerometers and gyroscopes respectively.

V. CONCLUSION

This paper presents a method for the calculation of the parameters of IMUs when they are used in a large range, in which the scale factors are nonlinear. By placing the IMU in a rigid object in free fall and rotation states, a large amount of data from the accelerometer and gyroscopes can be obtained, which provides the necessary data for calculating nonlinear scale factors of the IMU. In the calibration process, the global cost function is used, and each of the sub cost functions is weighted to ensure the global optimum. The experiments on the synthesis and real-world data sets showed that the proposed model and algorithm are feasible; and the performance of this method is better than that of *Tedaldi's* method: the errors of acceleration and angular velocity led by our algorithm are significantly smaller than those resulted from the existing approaches, demonstrating a remarkable improvement of 64.12% and 47.90%, respectively. In the application scene, a falling state detector with the proposed IMU calibration was designed and demonstrated our approach's effectiveness.

There is still room for improving this work. For example, the calibrated IMU can be integrated with a camera to create a brush writing motion capturing system. Thus, a data set including the handwriting trajectories of the Chinese characters or English letter can be conveniently obtained.

ACKNOWLEDGMENT

The authors are very grateful to the anonymous reviewers for their constructive comments, which helped greatly in revising this work.

REFERENCES

- [1] B. Wang, Z. Deng, C. Liu, Y. Xia, and M. Fu, "Estimation of information sharing error by dynamic deformation between inertial navigation systems," *IEEE Transactions on Industrial Electronics*, vol. 61, no. 4, pp. 2015–2023, 2013.
- [2] S. Jiang, B. Lv, W. Guo, C. Zhang, H. Wang, X. Sheng, and P. B. Shull, "Feasibility of wrist-worn, real-time hand, and surface gesture recognition via ssem and imu sensing," *IEEE Transactions on Industrial Informatics*, vol. 14, no. 8, pp. 3376–3385, 2017.

- [3] F. Lin, A. Wang, Y. Zhuang, C. Zhang, M. R. Tomita, and W. Xu, "Smart insole: A wearable sensor device for unobtrusive gait monitoring in daily life," *IEEE Transactions on Industrial Informatics*, vol. 12, no. 6, pp. 2281–2291, 2016.
- [4] X. Tong, Y. Su, Z. Li, C. Si, G. Han, J. Ning, and F. Yang, "A double-step unscented kalman filter and hmm-based zero velocity update for pedestrian dead reckoning using mems sensors," *IEEE Transactions on Industrial Electronics*, pp. 1–1, 2019.
- [5] S. Poddar, V. Kumar, and A. Kumar, "A comprehensive overview of inertial sensor calibration techniques," *Journal of Dynamic Systems, Measurement, and Control*, vol. 139, no. 1, p. 011006, 2017.
- [6] D. Tedaldi, A. Pretto, and E. Menegatti, "A robust and easy to implement method for imu calibration without external equipments," in *IEEE International Conference on Robotics and Automation*, 2014, pp. 3042–3049.
- [7] P. Gao, K. Li, T. Song, and Z. Liu, "An accelerometers-size-effect self-calibration method for triaxis rotational inertial navigation system," *IEEE Transactions on Industrial Electronics*, vol. 65, no. 2, pp. 1655–1664, 2017.
- [8] B. Wang, Q. Ren, Z. Deng, and M. Fu, "A self-calibration method for nonorthogonal angles between gimbals of rotational inertial navigation system," *IEEE Transactions on Industrial Electronics*, vol. 62, no. 4, pp. 2353–2362, 2014.
- [9] Q. Cai, N. Song, G. Yang, and Y. Liu, "Accelerometer calibration with nonlinear scale factor based on multi-position observation," *Measurement Science and Technology*, vol. 24, no. 10, p. 105002, 2013.
- [10] H. Sohrabi and S. Ebadollahi, "Accuracy enhancement of mems accelerometer by determining its nonlinear coefficients using centrifuge test," *Measurement*, vol. 112, pp. 29–37, 2017.
- [11] A. Olivares, G. Olivares, J.M.Goriz, and J.Ramirez, "High-efficiency low-cost accelerometer-aided gyroscope calibration," in *2009 International Conference on Test and Measurement*, vol. 1. IEEE, 2009, pp. 354–360.
- [12] A. Kozlov, I. Sazonov, and N. Vavilova, "Imu calibration on a low grade turntable: Embedded estimation of the instrument displacement from the axis of rotation," in *2014 International Symposium on Inertial Sensors and Systems (ISISS)*. IEEE, 2014, pp. 1–4.
- [13] E. E. Aktakka, J.-K. Woo, and K. Najafi, "On-chip characterization of scale-factor of a mems gyroscope via a micro calibration platform," in *2017 IEEE International Symposium on Inertial Sensors and Systems (INERTIAL)*. IEEE, 2017, pp. 1–4.
- [14] G. P. D. *Principles of GNSS, inertial, and multisensor integrated navigation systems*. Artech house, 2013.
- [15] C. Jekeli, *Inertial navigation systems with geodetic applications*. Walter de Gruyter, 2012.
- [16] P. Schopp, H. Graf, W. Burgard, and Y. Manoli, "Self-calibration of accelerometer arrays," *IEEE Transactions on Instrumentation and Measurement*, vol. 65, no. 8, pp. 1913–1925, 2016.
- [17] N. El-Sheimy, H. Hou, and X. Niu, "Analysis and modeling of inertial sensors using allan variance," *IEEE Transactions on instrumentation and measurement*, vol. 57, no. 1, pp. 140–149, 2007.
- [18] Y. F. Jiang and Y. P. Lin, "Improved strapdown coning algorithms," *IEEE Transactions on Aerospace and Electronic Systems*, vol. 28, no. 2, pp. 484–490, 1992.
- [19] P. G. Savage, "Strapdown inertial navigation integration algorithm design part 1: Attitude algorithms," *Journal of guidance, control, and dynamics*, vol. 21, no. 1, pp. 19–28, 1998.
- [20] P. Schopp, H. Graf, W. Burgard, and Y. Manoli, "Self-calibration of accelerometer arrays," *IEEE Transactions on Instrumentation and Measurement*, vol. 65, no. 8, pp. 1913–1925, 2016.
- [21] U. Qureshi and F. Golnaraghi, "An algorithm for the in-field calibration of a mems imu," *IEEE Sensors Journal*, vol. 17, no. 22, pp. 7479–7486, 2017.
- [22] H. Sohrabi and S. Ebadollahi, "Accuracy enhancement of mems accelerometer by determining its nonlinear coefficients using centrifuge test," *Measurement*, vol. 112, pp. 29–37, 2017.
- [23] H. Wei, M. Wu, and J. Cao, "New matching method for accelerometers in gravity gradiometer," *Sensors*, vol. 17, no. 8, p. 1710, 2017.



Xin Zhang received the B.Sc. degree in mathematics and applied mathematics from School of Mathematical Sciences, Xiamen University, China in 2009. He received the M.Sc. degree in intelligence science and technology from the School of Informatics, Xiamen University, in 2014. He is currently working towards his Ph.D. degree in intelligence science and technology from School of Informatics, Xiamen University. His research interests include inertial sensors, calibration, data fusion, motion capture and pattern recognition.



Longzhi Yang (M'12-SM'17) is currently a Programme Leader and a Reader with Northumbria University, Newcastle upon Tyne, U.K. His research interests include computational intelligence, machine learning, big data, computer vision, intelligent control systems, and the application of such techniques in real-world uncertain environments. He is the Founding Chair of the IEEE Special Interest Group on Big Data for Cyber Security and Privacy. Dr. Yang received the Best Student Paper Award from the 2010 IEEE International Conference on

Fuzzy Systems.



Changle Zhou received his PhD from Peking University in 1990. Currently, he is a professor of the Artificial Intelligence Department at the Xiamen University. He is also an affiliated professor of linguistics and applied linguistics in the Humanity College at the Zhejiang University, and an affiliated professor of the Philosophy Department at the Xiamen University. His research interests lie in the areas of artificial intelligence. His scientific contribution to the AI has more to do with machine consciousness and the logic of mental self-reflection. Beyond AI

project, he also carries out research on a host of other topics including computational brain modeling, computational modeling of analogy and metaphor and creativity, computational musicology and information processing of data regarding traditional Chinese medicine. His philosophical works lie in ancient oriental thoughts of Chinese, such as ZEN, TAO, YI etc., viewed from science.



Changjing Shang received a Ph.D. in computing and electrical engineering from Heriot-Watt University, UK. She is a University Research Fellow with the Department of Computer Science, Institute of Mathematics, Physics and Computer Science at Aberystwyth University, UK. Prior to joining Aberystwyth, she worked for Heriot-Watt, Loughborough and Glasgow Universities. Her research interests include pattern recognition, data mining and analysis, space robotics, and image modelling and classification.



Fei Chao (M'11) received the B.Sc. degree in Mechanical Engineering from the Fuzhou University, China, and the M.Sc. Degree with distinction in Computer Science from the University of Wales, Aberystwyth, U.K., in 2004 and 2005, respectively, and the Ph.D. degree in robotics from the Aberystwyth University, Wales, U.K. in 2009. He is currently an Associate Professor with the School of Informatics, Xiamen University, China. Dr Chao has published more than 100 peer-reviewed journal and conference papers. His research interests include

developmental robotics, machine learning, and optimization algorithms.



Chih-Min Lin (M'87-SM'99-F'10) was born in Taiwan, in 1959. He received the B.S. and M.S. degrees from Department of Control Engineering and the Ph.D. degree from Institute of Electronics Engineering, National Chiao Tung University, Hsinchu, Taiwan, in 1981, 1983 and 1986, respectively. He is currently a Chair Professor and the Vice President of Yuan Ze University, Chung-Li, Taiwan. His current research interests include fuzzy neural network, cerebellar model articulation controller, intelligent control systems and signal processing. He

also serves as an Associate Editor of IEEE Transactions on Cybernetics and IEEE Transactions on Fuzzy Systems. He is an IEEE Fellow.



Qiang Shen received the Ph.D. in Computing and Electrical Engineering (1990) from Heriot-Watt University, Edinburgh, U.K., and the D.Sc. in Computational Intelligence (2013) from Aberystwyth University, Aberystwyth, U.K. He holds the Established Chair in Computer Science and is the Pro Vice-Chancellor: Faculty of Business and Physical Sciences, Aberystwyth University. His research interests include computational intelligence and its application in robotics. He has authored two research monographs and over 400 peer-reviewed papers,

including one receiving an Outstanding Transactions Paper Award from the IEEE.