

Northumbria Research Link

Citation: Inam, Fawad (2014) Carbon nanotechnology for future aerospace. In: International Conference on Nanomaterials and Nanotechnology 2014 (ICNN-2014), 7-9 April 2014, Karachi, Pakistan.

URL:

This version was downloaded from Northumbria Research Link:
<https://nrl.northumbria.ac.uk/id/eprint/16676/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)

Carbon nanotechnology for future aerospace

Fawad Inam

Faculty of Engineering and Environment,

University of Northumbria at Newcastle,

Newcastle upon Tyne, UK

Carbon nanotubes (CNTs) and graphene are being widely investigated for their addition in polymer, ceramic and metal matrices to prepare nanocomposites owing to the combination of the superlative mechanical, thermal, and electronic properties attributed to them. These materials are subject of significant research interest for their utilisation in an increasing number of applications including energy, transportation, defence, automotive, aerospace, sporting goods, and infrastructure sectors. Particularly among brittle materials (polymers and ceramics), carbon nanofillers have been reported to significantly improve mechanical, thermal and electrical properties. Apart from these improvements, such nanofillers also offer structural damage sensing ability to materials specific to aerospace applications. Structural health monitoring (SHM) is a type of a Non-destructive Evaluation (NDE) technique that essentially involves the strategic embedding of conductive filler into a structure to allow continuous and remote monitoring for damage, deformation and failure. SHM technology is applied increasingly for research and industrial purposes as a potential tool for quality assurance. However, many of the developed and available NDE technologies are complex, expensive and require significant calibration with the passage of time. Nanostructured carbon embedded systems have proven to be more sensitive towards structural damage. The current talk focusses on the development of a novel method for assessing structural damage by analysing change in the electrical conductivities of ceramic and polymer nanocomposites filled with different types of carbon nanofillers (including carbon black).