

Northumbria Research Link

Citation: Sparagano, Olivier (2011) Improving Vaccine Design Against The Ectoparasite *Dermanyssus Gallinae*. In: Northumbria Research Conference, 5-6 May 2011, Northumbria University, Newcastle-upon-Tyne.

URL:

This version was downloaded from Northumbria Research Link:
<https://nrl.northumbria.ac.uk/id/eprint/1113/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)



**Northumbria
University**
NEWCASTLE



UniversityLibrary

Talk Abstract

Improving Vaccine Design Against The Ectoparasite *Dermanyssus Gallinae*

Harrington, D.¹, Sparagano O.A.E.^{2*}

¹Veterinary Laboratory Agency, New Haw, KT15 3NB, UK ²Northumbria University, School of Life Sciences, Ellison Building Newcastle upon Tyne, NE1 8ST, UK.

*Presenting author: Olivier.sparagano@northumbria.ac.uk

The poultry red mite, *Dermanyssus gallinae* is a temporary blood-feeding ectoparasite of poultry, wild birds and sometimes mammals. In commercial poultry production *D. gallinae* is mainly controlled via hygiene and chemical methods. Due to acaricide resistance and the withdrawal of acaricides through changes in national and European legislations there is an urgent need to develop alternative control methods such as vaccination campaigns. However, developing a vaccine against ectoparasites that only interact with host immunity via ingestion of the blood meal is extremely difficult due to the limited targets for host immune mechanisms.

We successfully immunised chickens with either somatic *D. gallinae* antigens or recombinant proteins and the birds developed a strong antibody (IgY) response. Mortality in mites fed on blood spiked with IgY from vaccinated birds was up to 35% higher than non-vaccinated controls. Mite feeding stimulates an initial inflammatory response but feeding does not generally appear to stimulate pronounced host immune responses other than IgY production. Vaccination with somatic *D. gallinae* proteins stimulates a down-regulation of the IL4 and IL5 in birds and an up-regulation of the IL10, cytokines involved with inflammation.

Other proteins are now being considered, including antigen cocktails, to enable increased efficacy of a potential *D. gallinae* vaccine.