

# Northumbria Research Link

Citation: Harvey, Morgan and Elsweller, David (2015) Automated Recommendation of Healthy, Personalised Meal Plans. In: 9th ACM Conference on Recommender Systems (RecSys), 16 - 20 September 2015, Vienna, Austria.

URL:

This version was downloaded from Northumbria Research Link:  
<https://nrl.northumbria.ac.uk/id/eprint/23215/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)



**Northumbria  
University**  
NEWCASTLE



**UniversityLibrary**

# Automated Recommendation of Healthy, Personalised Meal Plans

Morgan Harvey<sup>1</sup> David Elsweiler<sup>2</sup>

<sup>1</sup>Northumbria University at Newcastle , United Kingdom

<sup>2</sup>Institute for Information and Media, Language and Culture

University of Regensburg, Germany

e-mail: morgan.harvey@northumbria.ac.uk, david@elsweiler.co.uk

## ABSTRACT

Poor health due to a lack of understanding of nutrition is a major problem in the modern world, one which could potentially be addressed via the use of recommender systems. In this demo we present a system to generate meal plans for users which they will not only like, based on their taste preferences, but will also conform to daily nutritional guidelines. The interface allows the selection of recipes for breakfast, lunch and dinner and can automatically complete a daily meal plan or can generate entire plans itself.

## Keywords

Health, Recommender Systems, Planning, Prevention

## 1. INTRODUCTION AND MOTIVATION

Poor dietary habits are a major cause of today's world health problems, however lifestyle-related illnesses can be prevented and sometimes even reversed through good nutrition [1]. Since people often lack the requisite knowledge to implement positive changes [2] food recommender systems (RS) have been touted as a potential means to assist people in nourishing themselves more healthily [3].

Food RS make sense as part of a strategy for behavioural change as suggesting a change that is less painful, i.e. based on something the user might like, is more likely to be accepted and followed. Recommenders are likely to be effective at predicting which changes will be painful or not but they have a serious drawback when aiming for positive change: they learn user preferences for ingredients and food styles. This leads to users who like fat- and calorie-laden meals being recommended fat- and calorie-laden meals [3] - an outcome not conducive to improving nutritional habits.

This demo presents a web-based system able to automatically create daily meal plans for users. It does so by calculating the nutritional requirements of the user based on their personal *personas* (age, gender, height, etc.) and, using the top recommendations given by a state-of-the-art recipe recommendation algorithm [3], attempts to generate a plan




Figure 1: Diagram of system architecture.

which corresponds to guidelines published by international health agencies. The planner is designed to form part of a larger web site where users can share, rate, search and browse recipes. After rating recipes, the user can receive recommendations of other recipes they might like and can even submit their own. The nutritional properties of the recipes are automatically estimated by the system using a state-of-the-art algorithm [4].

## 2. SYSTEM ARCHITECTURE

Figure 1 shows the main components of, and flow of data within, the meal planning system. The user first provides information about their tastes by rating a number of recipes in the system via a typical 5 star rating paradigm. These are used to build the user's taste *profile* which is fed into the

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

Copyright 20XX ACM X-XXXXX-XX-X/XX/XX ...\$15.00.




Figure 2: Screenshots showing meal planning interface (centre and right) and user *persona* creation (left).

RS detailed in [3]. The user also provides information about their height, weight, age, daily activity level and goal (to lose, gain or maintain weight). This is the user's *persona* and is an input to the planning algorithm and used to calculate their nutritional needs.

We calculate nutritional requirements using a version of the Harris-Benedict equation revised by Roza and Shizgal [5] which estimates an individual's basal metabolic rate (BMR) and daily calorie requirements. The estimated BMR value is multiplied by a number between 1.2 and 1.9 corresponding to the individual's activity level giving a recommended daily energy intake to maintain current body weight. We add or remove 500 kcal for individuals who wish to gain or lose weight which would result in the safe gain or loss of 0.45 kgs per week. We assume that 20% of the required energy will come from drinks and between-meal snacks and use standard measures for the proportion of calories that should come from proteins, fats, carbohydrates and fibres<sup>1</sup>.

The RS generates predicted ratings for as yet unrated recipes and sends a ranked list of these (along with the recipes the user rated 4 or 5) to the planner. We can create plans for a given user (persona-profile combination) by first taking the top  $x$  recommendations from the RS for the taste profile. This set of recipes is then split into two separate sets, one for breakfasts and one for main meals. A full search is performed to find **every combination** of these recipes in the sequence [breakfast, main meal, main meal] which meets the target nutritional requirements defined above. Combinations with the same meals cannot be repeated, e.g. [R1, R2, R3] and [R1, R3, R2] are treated as only one plan.

The planner calculates the nutritional needs of the user based on the *persona* and attempts to build plans from the top  $x$  recommended recipes that can combine to provide all of the user's daily needs within an error margin of 10%. These plans are outputted for the user to evaluate and use. Note that it is also possible for the user to directly choose 1 or 2 meals for a plan and in this case the planner must complete the plan by filling in the blank meals (not shown).

## 2.1 Demo System

Figure 2 shows screenshots of the demo application. On the left is the interface for creating a user *persona*. The centre screenshot shows a list of recipes that can be dragged and

dropped into the planning interface on the right. The system also provides a number of features for searching, sorting and browsing recipes which (not shown). The user has already chosen a lunch and dinner and can either have their plan automatically completed by clicking the "complete this plan" link (dashed line) or can try dragging another recipe of their choice into the breakfast slot (solid line). The screenshot on the extreme right shows one of the 18 generated meal plans for this example in which the system has chosen a breakfast which fits in to the existing meal plan. The table near the bottom summarises the nutritional properties of the plan and compares this to the target values for the user. The final column shows a colour-coded percentage indicating how far away from the ideal value the current plan is.

## 3. SUMMARY

This demo presents a first attempt at incorporating health and nutrition into the food recommendation problem by generating meal plans. This shows it is possible to combine recommended recipes into balanced meal plans according to nutritional guidelines.

## 4. REFERENCES

- [1] D. Ornish et al. Can lifestyle changes reverse coronary heart disease?: The lifestyle heart trial. *The Lancet*, 336(8708):129 – 133, 1990.
- [2] J. F. Guthrie, B. M. Derby, and A. S. Levy. *America's Eating Habits: Changes and Consequences Agriculture Information Bulletin No. (AIB750)*, pages 243–280. US Dept. for Agriculture, 1999.
- [3] M. Harvey, B. Ludwig, and D. Elswiler. You are what you eat: Learning user tastes for rating prediction. In *SPIRE*, pages 153–164, 2013.
- [4] M. Müller, M. Harvey, D. Elswiler, and S. Mika. Ingredient matching to determine the nutritional properties of internet-sourced recipes. In *PervasiveHealth Conference*, pages 73–80, 2012.
- [5] A.M. Roza and H.M. Shizgal. The harris benedict equation reevaluated: resting energy requirements and the body cell mass. *Am Jour. of clinical nutrition*, 40(1):168–182, 1984.

<sup>1</sup><https://www.nrv.gov.au/chronic-disease/summary>

## **Description**

The demo application presents the full recipe website interface allowing users to browse and search for recipes, rate recipes and even submit their own recipes to the system. At any time the user can add recipes to their meal plan and have the planner generate a set of plans for them. Plans can contain user-selected recipes or be generated entirely by the planning system without any user input.

Users can also alter their person information within the web application, allowing them to input data such as their height, age and daily activity level. Changing these values will affect the daily nutritional requirements as calculated by the system and will, therefore, have a knock-on effect on the plans generated.

The web application will be made freely available online so that conference delegates can try it out at their own leisure after the conference is over.

## **Setup and presenter**

As the system is web-based (and therefore the majority of the work is done by a remote server), the only equipment required will be a basic computer/laptop with an internet connection and a large display for showing the demo to delegates. The demo will be presented by one of the demo's authors who has worked on the nutrition project this work is drawn since its inception in 2012.