

Northumbria Research Link

Citation: Shynkevich, Yauheniya, McGinnity, T. M., Coleman, Sonya A., Belatreche, Ammar and Li, Yuhua (2017) Forecasting price movements using technical indicators: Investigating the impact of varying input window length. *Neurocomputing*, 264. pp. 71-88. ISSN 0925-2312

Published by: Elsevier

URL: <https://doi.org/10.1016/j.neucom.2016.11.095>
<<https://doi.org/10.1016/j.neucom.2016.11.095>>

This version was downloaded from Northumbria Research Link:
<http://nrl.northumbria.ac.uk/id/eprint/31339/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)

Forecasting Price Movements using Technical Indicators: Investigating the Impact of Varying Input Window Length

Yauheniya Shynkevich^{1,*}, T.M. McGinnity^{1,2}, Sonya Coleman¹, Ammar Belatreche³, Yuhua Li⁴

¹Intelligent Systems Research Centre, Ulster University, Derry, UK

²School of Science and Technology, Nottingham Trent University, Nottingham, UK

³Department of Computer and Information Sciences, Faculty of Engineering and Environment, Northumbria University, Newcastle upon Tyne, UK

⁴School of Computing, Science and Engineering, University of Salford, Manchester, UK

Abstract — The creation of a predictive system that correctly forecasts future changes of a stock price is crucial for investment management and algorithmic trading. The use of technical analysis for financial forecasting has been successfully employed by many researchers. Input window length is a time frame parameter required to be set when calculating many technical indicators. This study explores how the performance of the predictive system depends on a combination of a forecast horizon and an input window length for forecasting variable horizons. Technical indicators are used as input features for machine learning algorithms to forecast future directions of stock price movements. The dataset consists of ten years daily price time series for fifty stocks. The highest prediction performance is observed when the input window length is approximately equal to the forecast horizon. This novel pattern is studied using multiple performance metrics: prediction accuracy, winning rate, return per trade and Sharpe ratio.

Keywords— stock price prediction, financial forecasting, technical trading, decision making

1. INTRODUCTION

Analysis and accurate forecasts of stock markets become increasingly more challenging and advantageous [1]. Globalization of the economy continuously requires innovations in the field of

* Corresponding author.

E-mail address: shynkevich-y@email.ulster.ac.uk

computational science and information technologies. Financial forecasting is often based on computational intelligence techniques that can analyse large amounts of data and extract meaningful information [2]. A predictive system that is able to forecast the direction of a stock price movement helps investors to make appropriate decisions, improves profitability and hence decreases possible losses. Forecasting of the stock market prices and their directional changes plays an important role in financial decision making, investment management and algorithmic trading.

Financial forecasting based on computational intelligence approaches often uses technical analysis (TA) to form features used as inputs to the approaches. Time series of stock price and trading volume are utilised to compute a technical indicator (TI) where a composition of open, low, high and close price values and volume size is taken over a certain time period. As reported by Atsalakis and Valavanis [2], approximately 20% of the financial market forecasting approaches use TIs as input features. In order to compute TIs, their parameters are required to be set. Every time a new predictive system is developed, its creators select a number of indicators suitable for their purposes and then choose appropriate parameters values to calculate them. The selection of indicators suitable for forming the input features and the choice of their parameters remains an area of active research. In order to overcome difficulties such as determining optimal combinations of indicators or tuning their parameters several efforts have been made [3], [4]. However, there is no sophisticated well-established technique that allows the system's developers to easily select appropriate parameters. To date, the dependency of a predictive system performance on a forecast horizon and indicator parameters has not been fully investigated. To the best of our knowledge, there is no existing research investigating the relationship between the forecast horizon and the time frame used to calculate TIs. However, every researcher that is developing a financial forecasting system based on TA faces the problem of selecting appropriate values of parameters for the chosen TIs.

The current research sheds light on this topic and studies how the performance of a predictive financial system based on TA changes when the forecast horizon is intended for prediction and a time frame is varied for computing TIs. Time period used to calculate TIs is required to be set prior to the calculation. Later in this paper this time period will be referred as the input window length of an

indicator. The paper investigates the dependency of the forecasting system performance on the combination of the input window length and the forecast horizon, and searches for the optimal combination of these parameters that maximizes the performance of the predictive system when predicting the direction of a price movement. A previously undiscovered pattern is revealed in the current study: for each horizon the highest prediction performance is reached when the input window length is approximately equal to the horizon. Sets of reasonable values of forecast horizons and input window lengths are selected for analysis. Three well-established machine learning approaches, Support Vector Machines (SVM), Artificial Neural Networks (ANN) and k-Nearest Neighbours (kNN), are utilized to forecast directions of future price movements. The presented research studies the relationship between the forecast horizon and the input window length utilising different performance measures that demonstrates that the observed pattern persists over a number of metrics. The prediction accuracy describes how good the developed prediction system is for the defined task. Return per trade, Sharpe ratio and winning rate characterize the prediction system from a trading point of view. These measures provide information about the potential profitability of the system and help evaluate the relationship between two examined parameters. The discovered pattern enables researchers to go for a simple solution when selecting an input window length for a specific forecast horizon. This pattern can be used to initialise the input window length for all TIs and then a separate approach can be used to adjust this parameter for each indicator by varying its value. Taking into account the popularity of the TIs, this research explores meaningful empirical rules, which should be considered when creating a predictive system based on TA.

The remainder of the paper is organized as follows. A theoretical background to financial forecasting is reviewed in Section 2 and related work is discussed in Section 3. Section 4 describes the raw dataset used, data pre-processing and data points labelling procedures. Section 5 provides details about the calculation of technical indicators, experimental model, parameter settings and employed algorithms. Section 6 discusses the obtained results and key findings. Finally, Section 7 concludes the paper and outlines directions for future research.

2. MARKET THEORIES AND TRADING PHILOSOPHIES

The efficient markets hypothesis (EMH) of Fama [5] is based on the idea that all the information available is continuously processed by the market and is embedded into asset prices which results in the instant assimilation of any piece of new information at any given point in time. There are three levels of market efficiency, strong, semi-strong and weak, defined by Fama's theory. The weak level claims that present market prices reflect all historical publicly available information. The semi-strong form of the EMH assumes that prices of the traded stocks already integrated and absorbed all the historical and present public information. The strong EMH supposes that even insider and latent information is immediately incorporated in a market price. The fundamentals of the EMH postulate that all historical, general and private information about an asset is embodied into its current price that it is not possible to systematically outperform the market. In the Random Walk Theory, stock price fluctuations are inter independent and follow the same distribution. Consequently, historical information about an asset price has no correlation with its future movements and cannot be used for predictions. Conforming to this theory, a random walk is the most probable way the asset price moves, and accurate predictions are not feasible.

The question about market efficiency with respect to its extent and applicability to different markets remains an active and ongoing area of research where contradictory results are present. Recently researchers have proposed a counter-theory named Adaptive Market Hypothesis (AMH) in an attempt to align the EMH with behavioural finance [6]. Behavioural finance looks at the market price as a purely perceived value instead of a derivative of its costs. Market agents have cognitive biases including overreaction, overconfidence, information bias and representative bias, which implies that many human errors in information processing and reasoning can be predictable [7]. A comprehensive empirical study on the AMH is conducted in [8] where three of the most developed markets are examined: the UK, US and Japanese stock markets. The authors used long run data and formed five-yearly subsamples subject to linear and nonlinear tests to distinguish various behaviours of stock returns over time. The results from linear tests reveal that each stock market provides evidence of being an adaptive market where returns are going through periods of dependence and independence. Nonlinear tests reveal strong

dependence for each market in every subsample although the magnitude of the dependence varies considerably. The overall results strongly suggest that the AMH describes the behaviour of stock returns better than the EMH.

According to the results of recent research [2], financial markets do not exhibit random behaviour and it is possible to forecast market changes. In the trading world, two major trading philosophies exist. A fundamental trading philosophy focuses on the analysis of the financial state of an entity that is determined through economic indicators. It studies the factors that influence supply and demand. The decisions are made based on the performance of the company, its competitors, industry, sector and general economy. The economic indicators taken into account include company's economic growth, earnings, debt level and return on equity as well as unemployment and inflation rates. On the contrary TA utilizes historical data to forecast future behaviour of an asset price. TA is based on the idea that the behaviour of preceding investors and traders is often repeated by the subsequent ones. It is supposed that profitable opportunities can be disclosed through computing the averaged movements of the historical time series of price and volume and comparing them against their current values. It is also believed that some psychological price barriers exist and their observation can lead to profitable strategies. TIs help the traders to estimate whether the observed trend is weak or strong or whether a stock is overbought or oversold. Traders have developed many TIs such as moving average (MA), rate of change (ROC), relative strength index (RSI), oscillators, etc. A comprehensive analysis of technical trading strategies and their performance is presented in [9]. The authors separate the studies into early studies (1960-1987) and modern studies (1988-2004). Early studies feature several limitations in the testing procedure, and their results differ from market to market. Modern studies are enhanced in relation to the limitations of early studies, and in most cases (approximately 60%) the profitability of technical trading strategies is affirmed. Mixed results are presented in approximately 20% of studies, whereas the rest demonstrate negative results and reject the usefulness of technical analysis. More recent studies show that the market predictability depends on business cycles and the performance of trading rules based on TA varies in time and depends on the financial markets conditions [10], [11]. Lately TIs have become extensively used as input features in machine learning based financial forecasting systems

[2]. These systems learn to recognize complex patterns in market data and forecast future behaviours of an asset price. In this study, TA is employed to form input features for machine learning techniques, and the importance of the time frame used to compute the indicators is examined.

3. RELATED WORK

Technical indicators, such as MA and RSI, are mathematical tools used to determine whether a stock is oversold or overbought or a price trend is weak or strong, and therefore to forecast its future price movements. A number of efforts have been made to determine optimal combinations of indicators or to tune parameters, such as time frames and the smoothing period. An attempt to find optimal parameters for a widely used indicator, moving average convergence/divergence (MACD), is made using evolutionary algorithms [12]. Another commonly used TI, RSI, is added in the later research [13], and the same technique is applied to analyse these two indicators and determine appropriate values of their parameters. Subsequently, a parallel evolutionary algorithm is proposed to optimize parameters of MACD and RSI in [3]. The results of these experiments show that the developed predictive system obtains better performance when the parameters of TIs are fine-tuned than when standard parameter values suggested in the literature [14] are utilised. In [4], close prices of the stock PETR4 are predicted using several combinations of the input window length and prediction horizon, however no analysis of the relationship between these parameters is presented. In [15], the iJADE Stock Advisor system is evaluated for short-term and long-term trend predictions based upon different input window lengths used for data pre-processing. The authors do not use TIs but mention that the concept of their price pre-processing is analogous to that of the TA. The optimal input window length found for the short-term stock predictions is equal to three days, and that for the long-term prediction is found to be 20 days.

Financial forecasting is usually built on numerical information about financial assets and the market state. Many computational intelligence techniques have been utilized for this purpose. SVM is a popular machine learning technique used by many researchers. In [16], [17] Tay and Cao compare the SVM approach with an ANN and explore its suitability for predicting market prices. According to their results, SVM outperforms the ANN in forecasting a relative change of bonds and stock index futures prices for a five day prediction horizon. Afterwards, Kim [18] examines the SVM sensitivity to its

parameters, the upper bound C and kernel parameters. The SVM performance is compared to case-based reasoning and ANN approaches. According to the experimental results, SVM surpasses both approaches and its accuracy is sensitive to the considered parameters. Huang et al. [19] uses SVM to investigate the predictability of stock market price movements by forecasting the weekly directional movements of the NIKKEI 225 index. Two macroeconomic variables, the exchange rate of US Dollars against Japanese Yen and the S&P 500 Index, are utilised as inputs. The authors find that the highest performance is achieved by a proposed combining model that integrates SVM with other methods. The performance of SVM and ANN in forecasting directional movements of a stock index is compared in [20]. The models are tested on emerging markets and both approaches show strong capability in financial forecasting. Arroyo and Maté [21] forecast histogram time series using the kNN approach and state that promising results are achieved using meteorological and financial data. In [22] kNN is applied to create an automated framework for trading stocks listed on the São Paulo stock exchange. The authors employ common tools of TA such as TIs, transaction costs, stop loss/gain and RSI filters and claim that the developed trading system is capable of producing profit. SVMs have been widely applied and extended in recent studies. Khemchandani [23] proposes a novel approach, regularized least squares fuzzy SVR, for financial forecasting, and demonstrates its efficacy. In [24] the authors propose to use principal component analysis for forecasting directional changes in the Korean composite stock price and Hangseng indices. The authors state that the method achieves high hit ratios. In [25], least square SVM is employed to examine the usefulness of TA and its prediction power for identifying trend movements in small emerging Southeast European markets. The results show that specific TIs are not consistent in different time periods but prove that TA has a certain level of prediction power.

Taking into account the reviewed literature, three well-established learning approaches, SVM, ANN and kNN, are selected to study the relationship between the forecast horizon and input window length for the purpose of finding the optimal combination in this paper. Additionally, the Naïve Bayes approach was employed for comparison, however it showed low prediction performance and the corresponding results are not presented in this paper. The results obtained using SVM, ANN and kNN are examined to explore whether the observed pattern is specific to a selected machine learning

technique or it is more generally observable. The results show that the pattern is reproducible for different machine learning techniques and its presence depends on the prediction performance achieved by the specific machine learning technique.

4. DATASET

This section provides detailed information regarding the dataset used, the data pre-processing techniques applied and the process of assigning labels to the data points.

4.1 Raw Data

The developed prediction system is applied to predict future price movements of the components of the S&P 500 stock market index. The index comprises 500 large companies having high market capitalizations and publicly traded on the NASDAQ and NYSE markets. Only companies from the list of the S&P 500 index components with a trading history started before January 29, 2002 are considered and 50 stocks are randomly selected. The list of the selected stocks is available in Appendix A. The dataset is downloaded from the Yahoo! Finance website, which is a publicly available source of data. 2640 data points each corresponding to a single trading day are constructed from the data for each stock. A single data point contains daily open, close, high and low prices, adjusted for stock splits and paid dividends, and trading volume for the corresponding trading day. The dataset is divided into two sets, a training set and a testing set. The training dataset contains 1740 trading days from January 29, 2002 to December 23, 2008 and the testing dataset contains 900 trading days from December 24, 2008 to July 20, 2012. The relative size ratio between training and testing data sets is approximately 2:1.

4.2 Data pre-processing

Data pre-processing is required in order to transform raw time series data into a form acceptable for applying a machine learning technique. The pre-processing steps used are listed below.

- **Interpolation** is carried out when information about prices and volume for a trading day is not available. For some stocks, several points are missing in the data. Overall, the missing data constitutes less than 0.1% out of all data points. The price and volume values for these data points are interpolated from the existing adjacent price and volume values using linear regression.

- **Transformation** of the original time series data into a set of TIs and the usage of the derived values are widely utilised in research techniques [2]. In the current study, ten TIs are computed for each data point of each stock and used as the input.

- **Normalization** of the data set is applied after transformation so that each input feature had zero mean and unit variance. The mean and variance are computed for each feature based on the training dataset. These values are then applied to normalize both the training and testing datasets.

4.3 Data Labelling

In the following experiments, the directions of future price movements are predicted by classifying them into two and three classes. The assignment of labels to each data point is performed according to the forthcoming behaviour of the closing prices, as described below. Labels are assigned to each data point depending on the forecast horizon for which the predictions are made.

In two class classification, class labelling is illustrated in (1). The label ‘Up’ is assigned to a data point when the corresponding closing stock price went up. The label ‘Down’ is assigned to a data point when the corresponding closing stock price went down,

$$Label_{2cl}(t,s) = \begin{cases} 'Up' & , \text{ if } (C_{t+s} - C_t)/C_t > 0; \\ 'Down' & , \text{ if } (C_{t+s} - C_t)/C_t \leq 0, \end{cases} \quad (1)$$

where s is a forecast horizon, C_t and C_{t+s} are closing prices of a stock on the days t and $t+s$ respectively.

Equation (2) explains how class labels are assigned to data points for three class classification,

$$Label_{3cl}(t,s) = \begin{cases} 'Up', & \text{ if } (C_{t+s} - C_t)/C_t > \delta; \\ 'No Move', & \text{ if } -\delta \leq (C_{t+s} - C_t)/C_t \leq \delta; \\ 'Down', & \text{ if } (C_{t+s} - C_t)/C_t < -\delta, \end{cases} \quad (2)$$

where δ is a threshold used to define the level of an absolute value of a relative price change below which the change is considered to be insignificant. In three class classification, label ‘Up’ is assigned if the relative change in the price is higher than the pre-defined threshold. In a similar way, label ‘Down’ is appointed to an instance of data when a price has decreased noticeably so that a negative relative price change is lower than the threshold taken with a negative sign. If the relative change lies in the range

between the negative and positive thresholds, it is considered to be insignificant and label 'No Move' is assigned to a data point. Considering the terminology for directional changes [26], the threshold is a minimal relative price change by which the price has risen or dropped so that this change can be regarded as a directional movement. In this research the negative and positive thresholds are equal in absolute value and opposite in sign, however the absolute value varies depending on the horizon. The threshold values used for different forecast horizons are shown in Table I. These values are selected such that approximately one third of data points belongs to each class. The threshold values increase with an increase in a horizon because price movements become larger with the passage of time, and larger threshold values are required to assign one third of the data points to the 'No Move' class. The selection of the threshold values can also be justified from the profitability point of view. An accurate forecasting of a decrease or an increase in a stock price value does not necessarily enable a profitable strategy. Transaction costs, capital gain taxes and interest rates on borrowed funds or stocks are reducing the net profit from a trade [27]. With the usage of the threshold these losses are decreased by avoiding trades when an asset price does not change significantly. The amount of interest spent to borrow funds or stocks is increasing with the passage of time. Therefore, the threshold used for a longer time period has to be larger than for a shorter time period which explains the selection of the threshold values in the current research. A typical value of the threshold for one day ahead forecasting is 0.5-1%.

The percentage of data points assigned to each class depending on the forecast horizon are given in Table II. Table II (a) provides information about the percentage of cases when an asset price increased ('Up' class) or decreased ('Down' class) after a number of trading days equal to the forecast horizon has passed. Table II (b) presents the fraction of 'Up', 'Down' and 'No Move' labels assigned to data points for the three class classification in the training dataset. Stock price fluctuates constantly around its market value in both increasing and decreasing directions. For short forecast horizons approximately the same number of data points belongs to each class whereas for longer horizons the percentage of 'Up' points dominates. It is caused by the fact that the market is generally rising during the training period and the overall trend tends to have a stronger influence on the price changes for longer forecast horizons than for shorter ones.

TABLE I. Threshold values

Forecast horizon, trading days	Threshold value (%)
1	0.63
3	1.15
5	1.49
7	1.79
10	2.14
15	2.65
20	3.08
25	3.48
30	3.94

TABLE II. The percentage of data points in the training dataset assigned to each class depending on the forecast horizon

(a) Two Class Classification									
Forecast horizon, trading days	1	3	5	7	10	15	20	25	30
Fraction of 'Up' points, %	50.08	51.64	52.40	53.11	53.59	54.61	55.15	55.43	55.65
Fraction of 'Down' points, %	49.92	48.36	47.60	46.89	46.41	45.39	44.85	44.57	44.35
(b) Three Class Classification									
Forecast horizon, trading days	1	3	5	7	10	15	20	25	30
Fraction of 'Up' points, %	33.59	34.15	34.80	35.22	35.70	36.61	37.50	38.01	37.90
Fraction of 'Down' points, %	32.48	30.93	30.54	29.94	29.79	29.33	29.02	28.78	27.91
Fraction of 'No Move' points, %	33.93	34.92	34.66	34.84	34.51	34.06	33.48	33.21	34.19

5. PREDICTIVE SYSTEM

This section provides details of the selected input features, their parameters, chosen forecast horizons, the experimental model and methodology.

5.1 Forecast Horizon

To investigate how the performance of a predictive system depends on the selection of an input window length for computing TIs, a set of forecast horizons is used in the experiments. Values of 1, 3, 5, 7, 10, 15, 20, 25 and 30 trading days are chosen for analysis. There has been a lot of interest in one-day-ahead forecasting which remains an area of active research [20], [28], [29]. Therefore, the smallest horizon is set to one trading day. The successive values are selected so that the balance between the advantages of a detailed analysis using small increases in a forecast horizon and the consumption of the computational time is kept. Starting from the forecast horizon equal to ten, each consecutive horizon is larger than the preceding one by five trading days. The largest horizon utilized is 30 trading days which

is approximately equal to a month and half.

5.2 Input Window Length

Technical indicators describe the current state of the market price and also incorporate information about its past trends. An indicator can be seen as a snapshot of the current situation that accounts for the past behaviour over a certain period of time. The aim of this study is to determine how far back in the past do the indicators impact on better predictions of future price movements. In this paper, the range of the employed input window lengths starts from the smallest value equal to three trading days because values of one or two days would not allow the calculation of all the indicators selected for the analysis. The subsequent values of the input window length range are selected to be the same as values in the range of forecast horizons. Therefore, the range of input window lengths consists of 3, 5, 7, 10, 15, 20, 25 and 30 days. This range is employed to identify the window length that achieves the highest results over the stocks considered. In each experiment, once the input window length is selected, it is utilized to compute all TIs used as input. The data are resampled for each combination of {forecast horizon, input window length} where the input window length defines how TIs are calculated and the forecast horizon determines the label assigned to each data point.

5.3 Input Features

To form input feature vectors, ten TIs are selected based on reviewed financial forecasting literature [18], [20], [30], [31]. Each indicator facilitates the inclusion of additional information derived from a stock price in a different way. For each stock, TIs are calculated for every trading day from raw time series data which include open, close, high and low stock prices and trading volume. Therefore, each data point corresponds to a certain trading day and consists of ten input values, each equal to a certain technical indicator. The length of all TIs is set equal to a selected value of the input window length parameter. The following ten TIs are computed over a period of time in the past require an input window length parameter to be set.

1. **Simple Moving Average (SMA)** is a trend indicator calculated as an average price over a particular period:

$$SMA_n = \frac{1}{n} \sum_{i=0}^{n-1} C_{t-i} \quad (3)$$

where C_t is a close price on day t , n is an input window length.

2. **Exponential Moving Average (EMA)** is a type of moving average where weights, ω_i , of past prices decrease exponentially:

$$EMA_n = \sum_{i=0}^{n-1} \omega_i C_{t-i}, \quad (4)$$

where $\sum_{i=0}^{n-1} \omega_i = 1$ and n is the input window length.

3. **Average True Range (ATR)** provides information about the degree of price volatility.

$$ATR_n = EMA_n(\max(H_t - L_t, |H_t - C_{t-1}|, |L_t - C_{t-1}|), \quad (5)$$

where H_t , L_t and C_t are the high, low and closing prices on day t respectively, $|\dots|$ denotes the absolute value of a number, and n is the input window length.

4. **Average Directional Movement Index (ADMI)** indicates the strength of a trend in price time series. It is a combination of the negative and positive directional movements indicators, DI_n^+ and DI_n^- , computed over a period of n past days corresponding to the input window length:

$$ADMI_n = 100 * (DI_n^+ - DI_n^-) / (DI_n^+ + DI_n^-), \quad (6)$$

$$DI_n^+ = 100 * EMA_n(DM^+) / ATR_n, \quad (7)$$

$$DI_n^- = 100 * EMA_n(DM^-) / ATR_n, \quad (8)$$

where $DM^+ = \max(C_t - C_{t-1}, 0)$ and $DM^- = \min(C_t - C_{t-1}, 0)$ are positive and negative directional movements.

5. **Commodity Channel Index (CCI)** is an oscillator used to determine whether a stock is overbought or oversold. It assesses the relationship between an asset price, its moving average and deviations from that average:

$$CCI_n = (M^t - SMA_n(M^t)) / \left(0.015 \sum_{i=1}^n |M_{t-i+1} - SMA_n(M^t)| / n \right), \quad (9)$$

where M^t is a sum of the high, low and closing prices on day t , $M^t = H_t + L_t + C_t$, and $SMA_n(M^t)$ is a SMA of M^t values computed over n days corresponding to the input window length.

6. **Price rate-of-change (ROC)** shows the relative difference between the closing price on the day of forecast and the closing price n days previously, where n is equal to the input window length:

$$ROC_n = (C_t - C_{t-n}) / C_{t-n} . \quad (10)$$

7. **Relative Strength Index (RSI)** compares the size of recent gains to recent losses, it is intended to reveal the strength or weakness of a price trend from a range of closing prices over a time period:

$$RSI_n = 100 - 100 / \left(1 + EMA_n(DM^+) / EMA_n(DM^-) \right), \quad (11)$$

where $EMA_n(DM^+)$ and $EMA_n(DM^-)$ are computed over a period of n previous days equal to the input window length in the same manner as for the ADMI indicator.

8. The **William's %R oscillator** shows the relationship between the current closing price and the high and low prices over the latest n days equal to the input window length:

$$Williams_R_n = 100 * (H_n - C_t) / (H_n - L_n) . \quad (12)$$

9. **Stochastic %K** is a technical momentum indicator that compares a close price and its price interval during a period of n past days and gives a signal meaning that a stock is oversold or overbought:

$$\%K_n = 100 * (C_t - LL_n) / (HH_n - LL_n), \quad (13)$$

where HH_n and LL_n are the mean highest high and lowest low prices in the last n days respectively, and n corresponds to the selected input window length.

10. **Stochastic %D** gives a turnaround signal meaning that a stock is oversold or overbought. It is computed as a 3-days EMA of Stochastic %K obtained using Equation (13) over a period of n previous days equal to the input window length:

$$\%D_n = EMA_3(\%K_n). \quad (14)$$

Technical Analysis Library (TA-Lib) is an open-source library available at www.ta-lib.org which is widely used by trading software developers for performing TA of market data [32]. It is utilised for calculating TIs in this study. The main focus of this research is the uncertainty regarding the optimal value of an input window length that should be used for calculation of indicators.

5.4 The experimental model

The architecture of the prediction system used for forecasting directional changes in stock prices is

displayed in Fig. 1. For each data point, ten input features are used. To understand whether the relationship between the system performance and the combination of the input window length and the forecast horizon depends on a chosen approach, several machine learning techniques including the SVM, ANN and kNN are employed. A system is trained and tested separately for each stock and each distinct combination of {number of classes, forecast horizon, input window length}. Every performance measure utilised to test the system’s ability to forecast price movements is calculated for each distinct combination and its value is averaged over the fifty stocks.




Fig. 1. The architecture of a prediction system.

5.5 Methodology

This subsection describes the methodology used for training, validation and testing. It provides details about the usage of the three machine learning techniques employed in experiments and the parameters tuning. Additionally, it specifies the benchmark model utilised for analysis of results. Three machine learning techniques and the benchmark are described one by one below.

1. **SVM.** In this study, the SVM approach is implemented using the LibSVM library which is an open-source software [33]. In the experiments a sigmoid function is used as a kernel. It takes a gamma parameter, γ , that significantly affects performance and is required to be optimized. Another parameter of the SVM model that requires optimization is a penalty rate for misclassification, C . A grid search is employed to identify good parameters combinations where values of gamma and C are selected from exponentially growing sequences $\gamma = \{2^{-15}, 2^{-13}, \dots, 2^3\}$ and $C = \{2^{-5}, 2^{-3}, \dots, 2^{15}\}$ respectively as suggested in [34]. Five-fold cross-validation is employed to find optimal values of the gamma and C parameters among different combinations of their values. For that purpose, the whole training dataset, which contains 1740 data points, is divided into five folds. SVM is trained using four folds and then tested using the remaining fifth fold. The procedure is repeated five times for each fold being used for testing. The performance under different parameters settings is measured using the overall prediction accuracy which is defined as the percentage of correctly classified data points. The obtained accuracy

is averaged over the five folds and this measure is used to determine optimal values for the gamma and C parameters. Once the optimal parameter values are found, they are used to classify data points from the testing dataset, which contains 900 data points. The prediction performance is then assessed using multiple measures discussed in Section 6 in detail.

2. **ANN.** The ANN machine learning approach is employed to find out whether the pattern observed for SVM can be reproduced using other approaches. For this purpose, the ANN implementation in Matlab neural networks toolbox is used. The feedforward ANN model employed contains three layers: input, hidden and output. The ANN model utilised in this study employs the hyperbolic tangent sigmoid activation function (*tansig* transfer function in Matlab) and the scaled conjugate gradient backpropagation learning algorithm (*trainscg* training function in Matlab). Default values of training parameters specified for the *trainscg* network training function in Matlab are used in the experiments [35]. The network has ten input neurons that correspond to the ten calculated input features. The number of neurons in the hidden layer is set to ten for all stocks. The output layer contains two or three nodes depending on the number of classes considered. Under the employed implementation of the ANN model, all parameters are fixed and there is no need to adjust them explicitly during validation. However in order to minimize overfitting, the training dataset (consisting of 1740 data points) is subdivided so that 75% (containing 1305 points) are used to train the network which is adjusted according to the training error, and 25% (containing 435 points) are used during the validation procedure to measure network generalization and to halt training when generalization stops improving. Once the network is trained and validated, it is used to classify 900 data points set aside as the testing dataset. The procedure of assessing the prediction performance of the network is the same as of SVM.

3. **kNN.** The kNN approach is also employed for obtaining better understanding of the replicability of the pattern. The implementation of kNN in Matlab is utilised in the experiments. The optimal number k of the nearest neighbours is selected from a range of $\{1,2,\dots,10\}$ during validation. The five-fold cross-validation procedure employed here is the same as the validation procedure for SVM. The forecasting performance of the kNN approach is tested using 900 data points set aside for testing, where the classification procedure is performed in the following way. When a new point x from

the testing dataset is assigned a class, the kNN approach finds k points in the training set that are nearest to x and observes class labels associated with each of those k points. Then a class label is assigned to x based on the posterior probabilities among the class values for the nearest k points. The detailed procedure of assigning class labels to data points in Matlab is described in [36].

4. **Benchmark.** To evaluate the results produced by the developed predictive system and to get a better understanding of its performance, a standard benchmark [37], [38] following the conditions of the stock market is utilised. In the long-term, stock market prices tend to increase, and it is essential to assure that the trading system based on predictions outperforms a simple benchmark and actually generates value. The simplest trading strategy is a buy-and-hold strategy where an asset is bought at a starting point in time, held for a specified period of time and sold at the end. The idea is similar to the index investment and constitutes a common way for investment funds to benchmark themselves; therefore, the benchmark is used for comparison.

6. EXPERIMENTAL RESULTS AND DISCUSSIONS

This section discusses the experimental results obtained using the developed prediction system. Experiments are performed separately for each selected stock. For the sake of diversified analysis of the relationship between the input window length and the forecast horizon, the performance of each machine learning techniques is measured using a number of performance metrics: prediction accuracy, winning rate, return per trade and Sharpe ratio. Prediction accuracy characterizes the classification performance of the machine learning technique. Determining the direction of a price move is important, which is described by the accuracy. But in particular those points that come with large price movements have to be identified, while mistakes in identifying movements with almost zero return will have little effect on the performance of the trading system. In order to investigate the behaviour of the predictive system from a trading point of view using different settings, the predictive system is evaluated as a trading system. An assumption is made that each time the predictive system generates a buy/sell signal, an amount of money X is invested. When the system predicted an ‘Up’ price movement, a long trade is made where an underlying stock is bought for X at the moment of prediction and sold at the end of a forecast horizon. When the system predicted a ‘Down’ price movement, a short trade is made where an

underlying stock is sold for X at the moment of prediction and bought back at the end of the forecast horizon. Once the decision is made, the investment stays static and no adjustments are made until the end of the forecasting horizon. This approach allows for a consistent comparison of results obtained with different values of forecast horizon and input window length. For two class classification, trades are made for each of 900 data points because the system predicted either ‘Up’ or ‘Down’ movements for every single data point. For three class classification, no trades are made when ‘No Move’ class is predicted, therefore the number of trades made during the testing phase varies. Based on the developed virtual trading system, winning rate, return per trade and Sharpe ratio are computed. These performance measures help to study the relationship between the forecast horizon and input window length from the point of a risk and reward. All the results are provided in tables where each row corresponds to a certain horizon. The highest value in a row is highlighted in green whereas red indicates the lowest value. The background colours in the remaining cells are scaled depending on how close their values are to the highest and the lowest points. The colour map helps to identify the pattern in the experimental results. Every value in the tables represents a mean value of a considered measure over 50 stocks. It is accompanied by its standard deviation followed after a ‘±’ sign. The indication of both the mean and standard deviation provides more detailed information about the estimated values and helps to get more insight about their distribution. In order to conclude whether the applied strategy generates additional value, each value of a metric is compared to the corresponding value of the benchmark model. If a mean value of a measure is not higher than that of the benchmark, it is underlined and shown in *Italic font*.

6.1 Prediction Accuracy

The prediction accuracy obtained for a single stock is calculated using (15) and (16) for two and three class classifications respectively:

$$Accuracy_{2CL} = \frac{TrueUp + TrueDown}{N} \tag{15}$$

$$Accuracy_{3CL} = \frac{TrueUp + TrueNoMove + TrueDown}{N} \tag{16}$$

where N is the total number of classified data points, $TrueUp$, $TrueDown$ and $TrueNoMove$ are correctly classified 'Up', 'Down' and 'No Move' data points respectively. The averaged accuracy is computed as an arithmetic mean of accuracies over 50 stocks.

The values of the averaged accuracies and their standard deviations obtained with respect to the forecast horizons and input window lengths using different approaches are presented in Tables III and IV for two and three class classification respectively. The highest prediction accuracy of 75.4% is obtained by SVM for two class classification when predicting for 15 days ahead with the input window length equal to 15 days. The obtained prediction accuracy is within a comparable range of that from the related literature. For example, the highest accuracy obtained by Kara et al. [20] is equal to 75.74%. The combined model developed by Huang et al. [19] showed 75% of the forecasting accuracy. These results indicate that the values produced by the developed predictive system are comparable with the state-of-the-art approaches and that the decision to select SVM to investigate the relationships between input window length and forecast horizon is robust and reasonable. The following pattern is observed for SVM: the highest prediction accuracy for each value of a forecast horizon is generally reached when an input window length is approximately equal to the horizon. Similar values of accuracy can be observed for several adjacent windows, but a range of input window lengths that produces high values of accuracy is moving towards larger window lengths with the increase of the forecast horizon. This pattern is reproduced for both two and three class classification. The standard deviation is gradually increasing with an increase in the forecast horizon. However, it tends to be smaller for values around the highest value in a row, which corresponds to input window lengths roughly equal to the forecast horizon. This behaviour emphasizes the idea that setting the input window length approximately equal to the selected horizon gives high classification performance and increases the robustness of the system.

When observing the performance obtained using the ANN approach, the prediction accuracy is relatively high in comparison with the benchmark, and the pattern observed for SVM is clearly visible for ANN for both two and three classes. The vast majority of the accuracy values obtained for SVM and ANN are higher than those of the benchmark with a few exceptions when predicting long forecast horizons using short input window lengths for input calculations.

TABLE III. Averaged prediction accuracy in percentage (%) for two class classification obtained using different classifiers (a) SVM, (b) ANN and (c) kNN

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) SVM								
1	67.5±2.2	64.5±2.2	64.4±2.4	62.6±2.2	57.6±1.9	57.1±1.8	56.0±1.9	55.3±1.9
3	71.9±2.8	72.8±2.8	69.5±3.1	67.8±2.9	65.0±3.2	63.5±2.5	62.0±2.0	60.9±2.4
5	70.4±2.9	74.4±3.1	72.1±3.6	71.0±3.0	69.0±3.0	67.3±3.1	65.4±2.9	64.0±3.2
7	68.3±2.6	74.2±3.6	73.4±3.5	72.8±4.1	72.0±3.3	69.9±3.4	68.3±3.1	66.5±3.4
10	64.5±4.5	71.6±3.6	72.6±3.8	74.5±3.5	74.0±3.7	72.3±3.9	70.3±3.7	68.7±4.4
15	61.8±6.0	68.4±5.4	70.6±5.1	74.1±4.2	75.4±4.0	74.1±4.0	73.3±4.0	72.4±4.7
20	<u>60.0±7.0</u>	65.7±6.1	67.9±6.0	71.9±5.7	74.3±4.8	74.6±4.5	73.9±4.9	73.5±5.3
25	<u>58.6±7.6</u>	63.3±6.9	65.5±6.5	69.7±6.1	73.3±5.0	74.3±4.7	74.4±4.7	74.4±5.4
30	<u>58.2±8.8</u>	<u>61.5±8.5</u>	63.4±7.8	67.2±7.0	71.0±5.4	72.8±5.3	73.7±5.7	74.4±6.0
(b) ANN								
1	63.6±4.9	61.9±3.2	58.9±3.7	57.2±2.8	55.2±2.3	53.7±2.6	53.2±2.7	52.8±2.2
3	71.0±4.1	70.6±4.8	66.3±4.7	63.7±4.4	61.7±4.0	60.1±4.0	58.4±3.8	57.4±3.5
5	68.3±5.0	72.9±4.3	69.5±5.2	67.1±6.7	65.7±4.7	63.4±4.7	61.9±4.1	60.8±3.5
7	65.9±4.6	72.2±6.4	71.9±5.5	71.4±5.3	67.9±6.0	65.9±5.5	64.4±5.1	62.5±5.1
10	61.7±6.4	69.8±5.6	71.5±5.5	71.9±6.1	69.7±6.8	69.1±3.8	67.1±4.6	65.0±4.7
15	<u>59.2±6.7</u>	66.7±5.6	67.9±7.2	71.1±7.7	73.2±5.3	71.8±4.9	69.6±6.0	67.6±7.8
20	<u>57.4±7.2</u>	62.3±8.4	66.4±6.5	69.9±7.5	71.5±9.1	71.0±9.7	70.8±8.3	68.7±9.0
25	<u>56.3±8.1</u>	<u>61.2±7.2</u>	63.5±7.6	67.3±7.4	70.2±8.0	71.1±9.1	71.8±7.0	69.6±8.0
30	<u>55.4±8.5</u>	<u>58.2±9.3</u>	<u>60.7±9.2</u>	63.4±8.8	68.5±8.0	68.8±9.7	70±10.2	71.2±8.9
(c) kNN								
1	55.9±3.2	54.2±2.3	52.8±2.2	52.1±2.5	<u>51.6±1.8</u>	<u>50.5±2.1</u>	<u>50.7±2.2</u>	<u>50.8±1.7</u>
3	58.9±4.0	58.9±3.9	56.5±3.4	55.0±3.0	<u>53.3±2.9</u>	<u>52.2±2.3</u>	<u>52.4±2.2</u>	<u>51.8±2.1</u>
5	58.1±4.1	60.3±4.3	58.6±4.1	56.8±4.1	<u>55.0±3.6</u>	<u>53.6±2.7</u>	<u>52.8±2.9</u>	<u>52.4±2.9</u>
7	56.8±4.5	59.8±6.1	59.4±5.3	57.9±4.9	<u>55.8±4.3</u>	<u>54.6±3.2</u>	<u>54.2±2.9</u>	<u>53.4±3.2</u>
10	<u>55.2±5.3</u>	58.4±6.3	59.0±5.9	58.8±5.8	<u>56.8±4.7</u>	<u>56.1±4.4</u>	<u>55.5±3.7</u>	<u>54.6±3.3</u>
15	<u>54.4±5.6</u>	<u>56.6±6.3</u>	<u>57.7±6.3</u>	<u>58.4±6.1</u>	<u>58.5±6.0</u>	<u>57.4±5.2</u>	<u>56.5±4.5</u>	<u>56.1±4.8</u>
20	<u>53.4±6.6</u>	<u>55.3±7.1</u>	<u>56.5±7.1</u>	<u>58.1±6.8</u>	<u>58.5±6.9</u>	<u>58.0±6.0</u>	<u>57.5±5.6</u>	<u>57.3±5.1</u>
25	<u>52.6±7.4</u>	<u>55.0±7.8</u>	<u>55.2±7.1</u>	<u>56.9±6.7</u>	<u>57.3±6.9</u>	<u>57.6±6.2</u>	<u>57.7±6.0</u>	<u>57.3±6.1</u>
30	<u>52.1±7.6</u>	<u>53.7±7.7</u>	<u>54.4±7.6</u>	<u>55.9±7.2</u>	<u>57.1±7.1</u>	<u>57.7±6.7</u>	<u>57.8±6.8</u>	<u>57.3±5.8</u>

The kNN approach demonstrated significantly lower performance than SVM on the underlying task for two class classification, with the averaged mean lower by -12.7% and the averaged standard deviation higher by 0.7% than those of SVM. When classifying data points into three classes, kNN demonstrated poorer performance than SVM in terms of the averaged mean by -13.9% and showed higher averaged deviation by 1.2%. Results obtained for kNN are higher than the corresponding values of the benchmark model for forecast horizons of 1-15 trading days. This technique demonstrates especially weak ability to predict directional price movements for long forecast horizons which noticeably affects the outcomes. The pattern, found using ANN and SVM, can still be observed for kNN, however the system's performance has deteriorated and affected the visibility of the pattern. These results indicate that the pattern, observed for SVM and ANN, that the highest accuracy is

achieved when an input window length is equal to a forecast horizon, is reproduced for different machine learning approaches and its visibility depends on a performance of an approach.

TABLE IV. Averaged prediction accuracy in percentage (%) for three class classification obtained using different classifiers (a) SVM, (b) ANN and (c) kNN

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) SVM								
1	52.6±4.1	50.6±3.4	48.3±4.1	47.1±3.8	44.8±4.2	44.6±4.3	43.7±4.3	43.7±4.7
3	57.8±3.6	58.8±3.0	55.7±3.3	53.8±3.3	51.5±3.2	50.0±3.7	48.3±4.2	47.9±4.0
5	56.3±3.8	60.9±3.3	59.1±3.4	57.5±3.5	55.1±3.0	53.2±3.6	51.7±3.7	50.9±3.6
7	53.9±3.9	60.2±3.8	59.8±3.4	58.9±3.8	57.1±3.5	54.7±3.9	53.6±3.8	52.4±3.8
10	50.5±4.6	57.6±3.8	58.9±3.6	60.2±3.5	59.3±3.4	57.6±3.6	56.5±3.5	55.1±3.8
15	48.5±6.0	53.7±6.0	56.8±4.9	60.1±4.6	61.2±3.3	60.5±3.0	59.3±3.5	58.1±3.5
20	47.5±7.2	51.7±6.8	54.4±6.1	58.1±5.5	61.5±3.6	61.7±3.7	60.8±4.1	59.6±3.7
25	45.7±8.1	48.9±7.8	51.4±7.3	55.2±6.6	58.8±5.6	60.7±4.2	60.7±4.7	60.4±5.1
30	45.3±8.3	47.9±8.6	49.6±7.9	53.0±7.0	57.2±6.4	59.2±5.3	60.2±5.2	60.9±5.3
(b) ANN								
1	48.3±7.0	47.1±6.1	46.0±4.9	43.7±4.5	43.0±5.4	43.2±5.2	40.7±6.4	41.1±5.8
3	55.2±7.5	54.0±8.4	50.7±8.2	49.4±6.7	47.2±6.8	47.0±5.0	44.0±7.3	44.2±5.2
5	53.3±7.5	56.3±9.7	56.1±7.5	53.6±8.9	50.7±6.9	50.6±4.9	47.6±7.6	46.5±7.6
7	51.5±7.5	56.6±8.7	56.4±7.8	55.9±8.9	54.9±6.1	50.9±6.3	49.3±7.0	46.8±7.6
10	47.6±7.2	56.7±5.0	55.2±9.3	56.1±9.3	54.7±8.8	54.3±6.3	51.3±7.7	50.6±5.7
15	44.8±9.0	49.1±8.4	53.5±8.4	55.9±10.5	56.5±8.5	56.2±7.1	55.9±7.6	53.7±7.6
20	<u>41.5±8.9</u>	47.4±8.9	49.5±11.0	53.7±9.4	57.0±8.1	56.4±9.7	55.3±8.8	52.6±10.0
25	<u>42.4±8.8</u>	44.2±10.2	47.5±10.3	51.2±10.1	54.3±10.0	57.0±9.0	54.1±11.0	54.4±9.5
30	<u>41.7±11.0</u>	<u>41.6±10.8</u>	<u>45.8±10.8</u>	48.8±11.0	53.2±11.1	54.6±10.8	56.7±7.2	55.4±8.8
(c) kNN								
1	42.2±4.1	41.1±4.1	39.9±3.4	39.0±4.1	38.1±3.6	38.1±4.5	37.3±4.3	37.2±4.7
3	44.6±5.2	44.3±5.0	42.7±5.0	41.4±4.9	39.1±3.8	37.5±4.7	37.2±3.2	36.9±2.9
5	43.5±5.6	45.0±5.7	44.3±5.8	42.4±5.8	40.2±5.5	39.1±4.1	38.9±4.3	38.1±4.3
7	42.7±5.8	45.3±6.2	44.1±6.6	42.5±6.3	40.9±5.6	40.1±4.8	39.0±4.1	<u>38.7±3.9</u>
10	41.3±6.1	43.9±6.9	43.9±6.6	43.4±6.6	41.4±5.4	40.3±5.1	40.4±4.7	<u>39.5±4.1</u>
15	<u>39.6±6.9</u>	41.8±7.0	42.3±7.4	42.5±7.1	42.1±6.4	<u>41.2±5.4</u>	<u>41.1±4.3</u>	<u>40.2±4.5</u>
20	<u>38.6±7.1</u>	<u>39.8±7.6</u>	<u>40.8±7.5</u>	<u>42.2±7.4</u>	<u>42.1±6.4</u>	<u>41.9±6.0</u>	<u>41.4±5.5</u>	<u>40.8±5.1</u>
25	<u>37.5±8.0</u>	<u>38.7±8.0</u>	<u>39.5±7.7</u>	<u>40.6±7.5</u>	<u>41.5±7.0</u>	<u>41.9±6.8</u>	<u>42.0±5.9</u>	<u>41.4±5.2</u>
30	<u>36.7±8.7</u>	<u>38.0±8.8</u>	<u>38.6±8.1</u>	<u>40.1±8.1</u>	<u>41.6±7.2</u>	<u>41.9±7.0</u>	<u>41.7±6.2</u>	<u>41.8±5.4</u>

The prediction accuracy for two class classification is higher than that for three class classification. This outcome is expected because the problem of classifying into three classes is more complicated than classifying into two classes. When the ‘No Move’ class is added as a possible output, the complexity of the predictive system is increased. The benefits are to avoid making trades when a predicted change in a price of an underlying stock is small. This enhancement is supposed to reduce the number of trades and to increase an average profit from a single trade.

6.2 Winning Rate

Winning rate is also known as a success rate or percentage of profitable trades, it is calculated as a ratio of a number of profitable trades to the total number of trades:

$$WinRatio = \frac{N_{WinTrades}}{N_{total}} \quad (17)$$

where $N_{WinTrades}$ is the number of winning trades that lead to a profit and N_{total} is the total number of trades. For two class classification, the winning rate is equal to the prediction accuracy because the total number of trades is equal to the number of data points and therefore the number of winning trades is equal to the number of correct predictions. The winning rate achieved for three class classification is presented in Table V. When comparing results achieved by different machine learning methods with the corresponding values of the prediction accuracy, the following can be concluded: the winning rate for each combination of the window length and the forecast horizon is significantly higher than the corresponding value of the prediction accuracy. Especially, the difference between the winning rate and the prediction accuracy for three class classification, averaged over all combinations of a forecast horizon and an input window length, is equal to 18.7%, 16.1% and 16.2% in terms of mean values for SVM, ANN and kNN respectively. The standard deviations of the winning rates for three class classification is on average higher than those of the prediction accuracy for SVM and ANN methods and slightly lower for the kNN method, and more values appear to be lower than those of the benchmark. Winning rate for three class classification is also higher than the winning rate (and the prediction accuracy) for two class classification which is reproducible for all approaches. In particular, the averaged difference in the mean values of winning rates between two and three class classifications is equal to 4.9%, 1.3% and 1.2% for SVM, ANN and kNN respectively. It is worth noticing that the standard deviations concurrently increased by 2.6%, 6.6% and 1.1% respectively. The results demonstrate that, when small price movements are assigned to the third ‘No Move’ class, all considered approaches better distinguish between up and down price movements however the results for different stocks show high variation around the mean value. This indicates that more noise appears in the values of the winning rate. The highest percentage of winning trades equal to 82.6% is reached for the SVM approach for three class classification when predicting for 20 days ahead with the input window length equal to 15 or 20 days, and for 25 days ahead with the input window length equal to 20 days. These results are comparable to the highest winning rate of 86.55% obtained by Winkowska and

Marcinkiewicz in [29] for ANN. The pattern, found for the prediction accuracy, is clearly reproduced for the winning rate.

TABLE V. Averaged winning rate in percentage (%) for three class classification obtained using different classifiers (a) SVM, (b) ANN and (c) kNN

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) SVM								
1	70.3±4.3	67.2±3.7	63.9±3.7	61.7±3.1	58.0±4.4	58.1±3.5	57.0±3.6	55.3±5.7
3	77.0±4.1	78.8±4.6	73.7±4.6	71.8±4.6	68.6±4.6	67.7±8.0	65.5±7.2	64.5±7.2
5	75.5±4.7	81.1±4.4	77.9±5.1	76.5±5.2	73.4±5.5	71.2±5.2	68.9±5.4	67.0±4.6
7	72.6±5.1	80.5±4.9	80.0±4.9	79.3±5.5	77.8±5.4	74.4±5.8	73.2±6.2	70.6±6.3
10	68.0±5.8	78.3±5.7	79.8±5.8	81.5±5.9	80.8±6.3	78.9±6.7	77.4±7.3	74.7±6.3
15	66.3±8.1	73.7±7.5	77.0±6.5	80.9±6.5	82.0±6.4	81.4±6.5	80.4±7.0	78.6±6.8
20	<u>60.7±17.8</u>	69.3±13.4	72.3±13.4	78.5±7.3	82.6±6.2	82.6±6.8	81.4±7.3	80.6±7.1
25	<u>58.3±17.6</u>	64.0±15.7	69.5±14.0	75.4±8.6	80.1±7.3	82.6±6.2	82.5±7.0	81.7±7.4
30	<u>58.7±15.3</u>	<u>61.3±18.9</u>	66.6±14.7	72.4±9.8	77.9±8.3	81.0±6.8	82.1±6.7	82.2±6.8
(b) ANN								
1	64.2±7.2	61.1±9.8	59.2±4.8	52.9±13.9	53.8±8.4	55.0±3.8	50.3±10.9	51.7±4.0
3	71.6±12.5	72.6±10.4	64.8±16.2	65.2±11.0	62.8±6.4	61.0±10.1	58.4±6.5	57.7±5.0
5	69.2±15.6	73.7±17.0	72.8±13.1	68.3±17.2	65.5±15.1	67.4±5.1	61.9±11.9	58.7±16.9
7	66.6±15.5	76.1±9.9	75.4±7.5	74.7±10.6	71.8±11.8	69.1±8.1	65.9±12.0	63.6±8.1
10	64.0±8.2	75.7±5.4	72.2±17.2	74.3±14.6	72.7±14.0	69.5±18.6	68.9±13.5	68.8±6.3
15	<u>57.7±14.7</u>	63.2±18.2	72.0±8.6	74.0±17.6	76.7±9.0	75.6±8.8	73.3±16.7	71.2±13.6
20	<u>55.5±15.3</u>	64.6±9.4	64.9±19.3	70.4±17.5	78.2±9.5	76.1±12.5	71.1±17.9	68.4±19.2
25	<u>55.6±15.3</u>	<u>58.4±17.6</u>	64.0±10.6	66.7±19.5	70.6±17.7	75.8±15.3	68.2±22.8	74.9±10.4
30	<u>53.6±17.1</u>	<u>56.2±15.4</u>	<u>59.5±16.9</u>	64.6±15.7	68.4±20.4	74.4±12.0	77.8±8.0	76.0±8.6
(c) kNN								
1	56.5±3.5	54.7±2.8	53.7±2.6	52.3±2.5	<u>51.6±2.3</u>	<u>50.8±2.3</u>	<u>50.2±1.9</u>	<u>51.0±2.2</u>
3	60.9±5.5	61.3±4.5	58.3±4.2	56.4±3.7	54.1±3.5	<u>52.8±3.4</u>	<u>52.6±2.3</u>	<u>52.4±2.5</u>
5	59.3±5.4	62.4±6.2	61.1±5.8	58.4±5.1	56.1±4.9	<u>54.7±3.4</u>	<u>53.9±3.5</u>	<u>53.3±3.9</u>
7	58.1±5.9	61.9±6.3	61.2±6.7	59.3±6.2	57.3±5.8	<u>56.1±4.4</u>	<u>55.4±3.9</u>	<u>54.9±3.6</u>
10	<u>55.8±6.0</u>	60.3±7.7	60.7±7.3	60.8±7.2	58.6±6.0	<u>57.2±5.9</u>	<u>57.1±5.1</u>	<u>56.0±4.4</u>
15	<u>54.0±6.7</u>	<u>57.8±7.7</u>	<u>58.5±7.8</u>	60.5±7.6	60.2±7.0	<u>59.1±6.2</u>	<u>58.5±5.2</u>	<u>57.1±4.9</u>
20	<u>52.8±7.2</u>	<u>55.4±8.1</u>	<u>57.2±8.4</u>	<u>59.3±7.8</u>	<u>60.5±8.3</u>	<u>59.8±7.7</u>	<u>59.5±6.6</u>	<u>58.9±6.6</u>
25	<u>51.7±8.1</u>	<u>54.5±8.4</u>	<u>56.0±8.3</u>	<u>58.4±8.6</u>	<u>59.6±8.5</u>	<u>60.3±7.9</u>	<u>60.6±7.3</u>	<u>59.8±7.0</u>
30	<u>50.8±9.3</u>	<u>53.1±9.6</u>	<u>54.5±9.4</u>	<u>56.2±9.4</u>	<u>59.2±9.4</u>	<u>59.9±8.7</u>	<u>60.2±8.6</u>	<u>59.4±6.9</u>

6.3 Return per Trade

Return per trade is a commonly used metric when the performance of a trading system is evaluated.

When the system predicted ‘Up’ price movement so that an underlying stock is bought at the moment of the prediction and sold at the end of the forecast horizon, the return from this trade is calculated as:

$$R_{t,s} = (C_{t+s} - C_t) / C_t \quad (18)$$

where s is the length of the forecast horizon, C_t is the price on the day of prediction t , C_{t+s} is the price at the end of the forecast horizon, $R_{t,s}$ is the return from a trade. When the system predicted ‘Down’ price

movement so that an underlying stock is sold at the moment of prediction and bought back at the end of the forecast horizon, the return from this trade is calculated as:

$$R_{t,s} = (C_t - C_{t+s}) / C_t \quad (19)$$

The return is calculated for each trade made during the testing phase. Returns from single trades are averaged over the total number of trades made for each stock. Afterwards, the returns are averaged over 50 stocks for each pair {forecast horizon, input window length}. The obtained results are presented in Table VI for two classes and in Table VII for three classes using SVM, ANN and kNN machine learning techniques. The results are similar to those obtained for accuracy and winning rate performance measures in terms of comparison to the benchmark. Values of returns obtained using trading strategies based on predictions from SVM and ANN are mostly higher than those of the benchmark. Returns per trade obtained with the help of the kNN approach are larger for short horizons and smaller for long horizons

TABLE VI. Averaged return per trade in percentage (%) for two class classification obtained using different classifiers (a) SVM, (b) ANN and (c) kNN

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) SVM								
1	0.82±0.28	0.70±0.26	0.70±0.27	0.60±0.22	0.39±0.15	0.37±0.16	0.3±0.13	0.28±0.15
3	1.74±0.66	1.75±0.61	1.53±0.55	1.41±0.51	1.22±0.49	1.10±0.40	0.99±0.38	0.95±0.41
5	2.10±0.79	2.38±0.84	2.17±0.78	2.09±0.72	1.94±0.70	1.77±0.61	1.62±0.61	1.51±0.63
7	2.23±0.87	2.75±0.97	2.63±0.94	2.60±0.93	2.53±0.89	2.34±0.79	2.21±0.78	2.06±0.81
10	2.21±1.04	3.00±1.04	3.05±1.08	3.27±1.10	3.21±1.08	3.07±1.08	2.85±0.98	2.67±1.01
15	2.35±1.55	3.29±1.40	3.63±1.41	4.02±1.36	4.19±1.39	4.01±1.31	3.93±1.32	3.80±1.40
20	2.34±2.01	3.35±1.65	3.72±1.65	4.38±1.73	4.69±1.66	4.69±1.61	4.64±1.68	4.51±1.73
25	<u>2.37±2.53</u>	3.24±1.93	3.71±1.87	4.51±1.94	5.09±1.82	5.28±1.94	5.33±1.95	5.25±2.06
30	<u>2.61±3.12</u>	3.27±2.45	3.68±2.25	4.51±2.20	5.22±2.08	5.56±2.16	5.76±2.33	5.77±2.45
(b) ANN								
1	0.66±0.35	0.59±0.26	0.46±0.24	0.35±0.17	0.25±0.15	0.20±0.16	0.20±0.14	0.14±0.12
3	1.68±0.71	1.61±0.69	1.27±0.58	1.15±0.55	1.01±0.51	0.83±0.44	0.69±0.41	0.65±0.37
5	1.94±0.94	2.28±0.93	1.96±0.79	1.83±0.94	1.70±0.80	1.47±0.67	1.29±0.63	1.20±0.52
7	2.04±0.98	2.59±1.10	2.57±1.11	2.51±1.08	2.17±0.99	2.00±0.89	1.85±0.87	1.55±0.82
10	1.92±1.24	2.82±1.15	2.99±1.21	3.08±1.37	2.84±1.39	2.77±1.04	2.50±1.01	2.24±1.00
15	1.97±1.64	3.07±1.32	3.28±1.65	3.71±1.79	3.97±1.61	3.81±1.51	3.41±1.37	3.15±1.56
20	<u>1.80±2.22</u>	2.85±2.01	3.52±1.75	4.08±1.94	4.39±2.10	4.10±2.15	4.24±1.98	3.77±2.11
25	<u>2.03±2.76</u>	2.91±2.07	3.44±2.09	4.19±2.16	4.49±2.38	4.82±2.48	4.97±2.36	4.31±2.31
30	<u>2.05±3.30</u>	<u>2.77±2.73</u>	<u>3.11±2.58</u>	3.79±2.76	4.89±2.56	4.77±2.88	4.95±3.08	5.10±2.99
(c) kNN								
1	0.28±0.18	0.20±0.15	0.15±0.12	<u>0.10±0.10</u>	<u>0.09±0.09</u>	<u>0.04±0.09</u>	<u>0.04±0.08</u>	<u>0.04±0.08</u>
3	0.79±0.50	0.76±0.46	0.58±0.37	0.48±0.33	0.33±0.28	<u>0.20±0.20</u>	<u>0.20±0.19</u>	<u>0.19±0.20</u>
5	0.98±0.66	1.15±0.66	1.01±0.63	0.79±0.53	0.61±0.47	<u>0.42±0.33</u>	<u>0.36±0.35</u>	<u>0.31±0.32</u>
7	1.00±0.77	1.30±0.86	1.27±0.78	1.14±0.78	0.81±0.6	<u>0.64±0.49</u>	<u>0.60±0.40</u>	<u>0.51±0.46</u>
10	<u>0.96±1.04</u>	1.39±1.02	1.48±1.01	1.41±0.99	1.13±0.86	1.02±0.76	<u>0.92±0.65</u>	<u>0.76±0.57</u>
15	<u>1.05±1.50</u>	<u>1.41±1.33</u>	1.54±1.31	1.70±1.35	1.68±1.32	<u>1.47±1.06</u>	<u>1.44±1.05</u>	<u>1.25±0.88</u>
20	<u>1.08±2.08</u>	<u>1.43±1.75</u>	<u>1.59±1.65</u>	<u>1.91±1.72</u>	<u>1.92±1.68</u>	<u>1.85±1.43</u>	<u>1.86±1.36</u>	<u>1.69±1.22</u>
25	<u>1.08±2.72</u>	<u>1.56±2.18</u>	<u>1.57±1.91</u>	<u>1.90±1.95</u>	<u>2.05±1.95</u>	<u>2.16±1.72</u>	<u>2.15±1.74</u>	<u>1.99±1.57</u>
30	<u>1.10±3.19</u>	<u>1.39±2.51</u>	<u>1.59±2.26</u>	<u>1.86±2.25</u>	<u>2.23±2.23</u>	<u>2.43±2.23</u>	<u>2.41±2.16</u>	<u>2.08±1.83</u>

TABLE VII. Averaged return per trade in percentage (%) for three class classification obtained using different classifiers (a) SVM, (b) ANN and (c) kNN

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) SVM								
1	1.09±0.27	0.96±0.24	0.82±0.23	0.71±0.21	0.55±0.22	0.55±0.20	0.45±0.21	0.40±0.20
3	2.27±0.49	2.35±0.39	2.03±0.47	1.86±0.41	1.69±0.38	1.59±0.50	1.46±0.52	1.34±0.48
5	2.74±0.56	3.20±0.49	2.94±0.52	2.84±0.45	2.65±0.44	2.41±0.44	2.24±0.49	2.10±0.46
7	2.85±0.71	3.70±0.64	3.61±0.55	3.54±0.63	3.39±0.6	3.14±0.65	3.09±0.67	2.88±0.79
10	2.83±0.91	4.12±0.65	4.23±0.68	4.45±0.70	4.37±0.7	4.20±0.63	4.06±0.62	3.79±0.66
15	3.05±1.20	4.27±1.12	4.77±1.02	5.34±0.99	5.58±1.1	5.47±0.99	5.33±0.98	5.18±1.02
20	3.06±1.60	4.31±1.65	4.8±1.54	5.78±1.32	6.41±1.18	6.37±1.31	6.25±1.36	6.2±1.33
25	3.01±1.92	3.87±1.93	4.71±2.05	5.78±1.65	6.73±1.65	7.20±1.61	7.22±1.66	7.10±1.62
30	3.33±2.37	4.00±2.47	4.78±2.52	5.78±2.16	7.08±2.10	7.72±1.88	7.96±1.94	8.06±2.01
(b) ANN								
1	0.76±0.42	0.66±0.28	0.52±0.31	0.38±0.24	0.32±0.19	0.32±0.20	0.18±0.2	0.15±0.17
3	1.94±0.76	1.79±0.79	1.47±0.84	1.37±0.62	1.18±0.56	1.05±0.49	0.80±0.57	0.79±0.47
5	2.34±1.02	2.60±1.06	2.55±1.01	2.17±1.20	1.88±0.90	1.88±0.56	1.47±0.92	1.14±1.92
7	2.44±1.17	3.15±1.12	3.12±1.13	2.92±1.54	2.84±0.98	2.41±0.95	2.25±0.95	1.81±1.22
10	2.25±1.2	3.69±0.83	3.43±1.45	3.56±1.54	3.37±1.39	3.37±1.29	2.89±1.42	2.84±1.02
15	2.19±1.59	3.09±2.00	3.99±1.69	4.52±2.01	4.59±1.66	4.49±1.67	4.39±1.73	3.97±1.48
20	1.67±2.10	3.19±2.15	3.65±2.17	4.62±2.43	5.43±2.28	4.99±3.24	4.52±2.73	4.27±2.62
25	2.09±2.31	2.88±2.30	3.63±2.47	4.61±2.53	5.12±2.86	6.03±2.71	5.25±3.26	5.68±2.42
30	2.04±3.13	2.32±3.73	3.29±3.16	4.67±2.94	5.61±3.13	6.02±3.35	6.96±2.42	6.52±2.58
(c) kNN								
1	0.37±0.20	0.29±0.18	0.22±0.12	0.15±0.11	0.13±0.10	0.06±0.11	0.03±0.10	0.07±0.12
3	1.01±0.55	0.99±0.48	0.78±0.42	0.60±0.37	0.43±0.32	0.25±0.27	0.24±0.23	0.22±0.22
5	1.15±0.65	1.43±0.74	1.22±0.65	1.05±0.61	0.76±0.54	0.57±0.40	0.52±0.37	0.43±0.39
7	1.22±0.77	1.63±0.82	1.52±0.88	1.36±0.89	1.05±0.72	0.84±0.63	0.74±0.47	0.71±0.49
10	1.07±0.87	1.71±1.17	1.78±1.14	1.75±1.14	1.43±0.96	1.14±0.85	1.12±0.67	1.01±0.65
15	1.07±1.18	1.74±1.48	1.84±1.52	2.12±1.52	2.10±1.49	1.82±1.22	1.75±1.07	1.51±0.99
20	0.92±1.44	1.50±1.73	1.75±1.80	2.18±1.83	2.36±1.89	2.35±1.66	2.25±1.43	2.08±1.45
25	0.80±1.90	1.43±2.03	1.74±2.05	2.18±2.16	2.54±2.21	2.79±2.03	2.84±1.84	2.66±1.93
30	0.70±2.34	1.28±2.48	1.59±2.35	1.97±2.43	2.72±2.50	2.94±2.46	2.95±2.51	2.77±2.09

than those of the benchmark. The discovered pattern observed for the accuracies and the winning rates is reproduced for returns. Higher returns and smaller standard deviations for each forecast horizon are observed when an input window length is set close to a forecast horizon. The pattern is getting less clear for the kNN approach. Note that very high returns are most likely to be obtained due to the simplified strategy that does not include transaction costs and other effects that typically reduce the profit. These high return values are unlikely to appear in practice, but they do indicate a potential arbitrage.

6.1 Sharpe Ratio

Sharpe Ratio is used to measure risk-adjusted performance of a trading system which is proposed by Sharpe and called “reward-to-variability” ratio [39]. It measures the excess return, also called a risk premium, compared with the risk free rate, in terms of their absolute values, and then compared to the overall risk measured by returns’ standard deviation. The Sharpe ratio is commonly used by investment

funds to measure a portfolio performance. It enables to relatively compare the performance of different portfolios including not well-diversified ones which corresponds to our case [40]. The ratio is computed by calculating an average return obtained from generated trades and its standard deviation and is required to be annualized. The commonly used formula to calculate Sharpe Ratio is:

$$S_p = \sqrt{T} \frac{E(R_p) - R_F}{\sigma(R_p)} \quad (20)$$

where $E(R_p)$ is a portfolio return, $\sigma(R_p)$ is a portfolio standard deviation, R_F is a risk free rate, T is the number of periods per year where a period corresponds to the period of investment (horizon). In this study, the simplified case with zero risk free rate is considered. This choice is made based on [26], [27].

Tables VIII and IX show the Sharpe ratio values computed for two and three class classifications respectively. The overall performance of the predictive system in terms of Sharpe ratio is similar to that of other metrics previously presented. It corresponds to both the visibility of the pattern and the comparison to the benchmark in terms of difference in mean values. In [41], Sharpe ratio value, computed for the model based on the price data, varies from 2 to 8 decreasing with an increase in a forecast horizon. For the largest forecast horizon equal to 250 minutes which is approximately half of a trading day, Sharpe Ratio is close to 3. Regardless of the fact that the current research is done using not intraday but daily data, similar behaviour can be noticed: Sharpe ratio tends to be smaller for larger forecast horizons. The highest value of Sharpe ratio of 7.58 is reached for one day ahead forecasting with the input window length equal to three days when classifying into three classes. The values obtained for three class classification are higher on average than the values obtained for two classes. It confirms that adding the supplementary class ‘No Move’ improves the performance of the trading system in terms of Sharpe ratio performance measure. For most forecast horizons, the highest values of Sharpe ratio are reached when an input window length approximately matches a horizon. This behaviour is clearly visible for predictive systems based on the SVM and ANN techniques. For the kNN method, Sharpe ratio values obtained for long forecast horizons appear to be lower than the benchmark. With a decrease in the mean values, values of standard deviations tend to increase. It is particularly visible when a short forecast horizon and a long input window length, or a long forecast horizon and a short

TABLE VIII. Averaged Sharpe ratio computed for two class classification obtained using different classifiers (a) SVM, (b) ANN and (c) kNN

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) SVM								
1	6.46±0.99	5.40±0.89	5.38±0.95	4.59±0.86	2.91±0.70	2.69±0.63	2.25±0.65	2.05±0.70
3	4.84±0.75	4.95±0.66	4.18±0.71	3.81±0.67	3.21±0.71	2.89±0.54	2.56±0.51	2.41±0.56
5	3.52±0.66	4.15±0.57	3.72±0.65	3.54±0.53	3.21±0.50	2.91±0.49	2.61±0.49	2.38±0.52
7	2.63±0.63	3.45±0.53	3.29±0.58	3.24±0.62	3.13±0.53	2.86±0.52	2.65±0.46	2.41±0.49
10	1.82±0.76	2.63±0.44	2.71±0.53	2.98±0.56	2.91±0.54	2.74±0.52	2.50±0.50	2.31±0.58
15	1.25±0.86	1.84±0.53	2.10±0.47	2.45±0.5	2.58±0.46	2.44±0.46	2.37±0.46	2.27±0.54
20	0.94±0.90	1.38±0.54	1.58±0.48	1.94±0.5	2.14±0.43	2.16±0.43	2.13±0.48	2.08±0.53
25	<u>0.75±0.92</u>	1.05±0.57	1.23±0.47	1.57±0.49	1.85±0.40	1.94±0.40	1.97±0.43	1.95±0.50
30	<u>0.70±0.95</u>	<u>0.88±0.63</u>	1.00±0.51	1.29±0.50	1.56±0.40	1.70±0.39	1.79±0.45	1.81±0.50
(b) ANN								
1	5.11±1.91	4.44±1.23	3.32±1.24	2.60±0.97	1.84±0.89	1.38±0.92	1.38±0.97	1.05±0.77
3	4.57±0.96	4.44±1.06	3.48±1.04	2.93±0.91	2.55±0.78	2.12±0.79	1.77±0.79	1.59±0.70
5	3.12±0.98	3.89±0.75	3.34±0.88	2.96±1.06	2.69±0.75	2.32±0.78	2.03±0.7	1.89±0.55
7	2.34±0.82	3.17±0.94	3.12±0.8	3.03±0.75	2.59±0.82	2.32±0.78	2.12±0.7	1.81±0.69
10	1.52±0.92	2.43±0.64	2.61±0.64	2.7±0.78	2.42±0.88	2.40±0.51	2.1±0.56	1.84±0.55
15	1.02±0.91	1.72±0.55	1.86±0.68	2.18±0.82	2.36±0.62	2.23±0.5	2.01±0.67	1.77±0.79
20	<u>0.69±0.96</u>	1.10±0.73	1.46±0.52	1.79±0.68	1.93±0.72	1.86±0.82	1.88±0.69	1.64±0.77
25	<u>0.59±0.96</u>	0.90±0.59	1.09±0.56	1.39±0.57	1.58±0.66	1.70±0.72	1.77±0.58	1.55±0.66
30	<u>0.50±0.96</u>	<u>0.66±0.69</u>	<u>0.82±0.64</u>	1.03±0.68	1.41±0.57	1.41±0.71	1.48±0.76	1.55±0.70
(c) kNN								
1	2.01±1.12	1.45±0.91	1.07±0.71	0.83±0.76	<u>0.61±0.61</u>	<u>0.31±0.70</u>	<u>0.33±0.66</u>	<u>0.23±0.59</u>
3	1.90±0.98	1.85±0.77	1.40±0.69	1.15±0.63	<u>0.76±0.57</u>	<u>0.50±0.49</u>	<u>0.49±0.50</u>	<u>0.44±0.45</u>
5	1.44±0.90	1.73±0.66	1.45±0.63	1.15±0.63	0.88±0.58	<u>0.64±0.47</u>	<u>0.53±0.54</u>	<u>0.44±0.46</u>
7	1.06±0.87	1.38±0.76	1.37±0.64	1.18±0.64	0.87±0.56	<u>0.69±0.45</u>	<u>0.64±0.44</u>	<u>0.54±0.42</u>
10	<u>0.72±0.92</u>	1.04±0.68	1.12±0.62	1.07±0.66	0.85±0.54	<u>0.77±0.51</u>	<u>0.69±0.46</u>	<u>0.56±0.34</u>
15	<u>0.53±0.91</u>	<u>0.69±0.65</u>	<u>0.77±0.61</u>	0.86±0.62	0.85±0.57	<u>0.75±0.46</u>	<u>0.71±0.47</u>	<u>0.63±0.37</u>
20	<u>0.40±0.96</u>	<u>0.52±0.67</u>	<u>0.59±0.60</u>	<u>0.72±0.62</u>	<u>0.74±0.58</u>	<u>0.71±0.50</u>	<u>0.70±0.47</u>	<u>0.64±0.35</u>
25	<u>0.30±0.98</u>	<u>0.43±0.68</u>	<u>0.45±0.57</u>	<u>0.57±0.58</u>	<u>0.61±0.55</u>	<u>0.66±0.49</u>	<u>0.67±0.5</u>	<u>0.59±0.38</u>
30	<u>0.26±0.97</u>	<u>0.31±0.66</u>	<u>0.37±0.56</u>	<u>0.46±0.59</u>	<u>0.56±0.52</u>	<u>0.62±0.51</u>	<u>0.63±0.52</u>	<u>0.54±0.37</u>

input window length are used. This emphasizes the idea that when a machine learning technique is unable to infer relevant information from the input, the forecasting results are significantly affected by the noise.

6.1 Aggregated results

For comparison purposes, results from Tables III-IX are aggregated and the highest values of performance measures achieved for each forecast horizon by the SVM, ANN and kNN machine learning approaches and the buy-and-hold strategy are shown in Table X. The highest value of a performance metric reached for the two and three class classifications is highlighted in bold. Both SVM and ANN outperform the baseline buy-and-hold method in terms of every considered performance measure for all horizons. kNN outperforms the buy-and-hold strategy for short horizons of 1-10 trading days and underperforms for long horizons of 15-30 trading days. The highest prediction accuracy of 75.43% and

TABLE IX. Averaged Sharpe ratio computed for three class classification obtained using different classifiers (a) SVM, (b) ANN and (c) kNN

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) SVM								
1	7.58±1.67	6.48±1.36	5.31±1.21	4.48±1.14	3.4±1.74	3.27±1.07	2.78±1.45	2.45±2.24
3	5.78±1.07	6.19±1.34	5.09±1.12	4.51±1.01	3.93±1.00	3.76±2.24	3.32±1.85	2.83±1.13
5	4.29±0.95	5.34±1.17	4.69±1.06	4.46±1.09	3.98±1.00	3.52±0.94	3.24±1.07	2.97±0.91
7	3.09±0.66	4.40±0.93	4.29±1.21	4.14±1.03	3.88±0.91	3.49±0.98	3.42±1.18	3.08±1.05
10	2.11±0.69	3.49±1.05	3.64±1.14	3.91±1.13	3.86±1.22	3.63±1.21	3.49±1.39	3.09±1.01
15	1.61±0.83	2.36±0.85	2.74±0.86	3.22±1.00	3.44±1.14	3.31±1.07	3.21±1.17	2.99±0.89
20	1.23±1.02	1.88±1.56	2.06±0.95	2.59±0.89	3.01±1.00	3.01±1.03	2.91±1.04	2.84±0.91
25	0.91±0.72	1.22±0.68	1.71±1.17	2.05±0.87	2.48±0.88	2.74±0.99	2.74±1.00	2.71±1.01
30	<u>0.82±0.66</u>	1.05±0.87	1.39±1.34	1.69±0.91	2.17±0.87	2.47±0.97	2.55±0.97	2.61±1.04
(b) ANN								
1	5.35±2.43	4.49±1.65	3.44±1.91	2.51±1.54	2.10±1.35	2.11±1.62	1.20±1.37	0.91±1.22
3	5.02±1.74	4.65±2.25	3.61±2.28	3.38±1.43	2.75±1.36	2.46±1.15	1.76±1.30	1.78±1.09
5	3.53±1.31	4.32±1.68	4.09±1.58	3.40±2.00	2.93±1.30	2.96±1.11	2.2±1.28	1.95±1.50
7	2.63±1.14	3.83±1.50	3.62±1.11	3.56±1.70	3.26±1.12	2.74±1.19	2.44±1.06	1.94±1.17
10	1.74±0.92	3.16±0.86	2.94±1.32	2.92±2.56	2.95±1.36	2.80±1.10	2.42±1.18	2.28±0.68
15	1.02±0.78	1.64±1.00	2.22±1.03	2.69±1.15	2.77±1.10	2.61±1.00	2.59±1.04	2.23±1.09
20	<u>0.62±0.83</u>	1.27±0.88	1.59±1.02	1.94±1.00	2.72±1.88	2.41±1.26	<u>1.56±3.59</u>	1.80±1.23
25	<u>0.60±0.79</u>	0.90±0.76	1.10±0.78	1.57±0.86	1.78±0.99	2.22±1.17	1.81±1.11	2.02±0.84
30	<u>0.45±0.93</u>	<u>0.54±0.89</u>	<u>0.82±0.82</u>	1.21±0.92	1.61±0.90	1.82±0.99	2.15±0.83	1.99±0.75
(c) kNN								
1	2.46±1.15	1.88±0.97	1.51±0.74	1.07±0.78	0.86±0.62	<u>0.43±0.82</u>	<u>0.23±0.75</u>	<u>0.43±0.77</u>
3	2.34±1.05	2.32±0.95	1.80±0.81	1.38±0.71	0.96±0.68	<u>0.58±0.62</u>	<u>0.57±0.55</u>	<u>0.53±0.56</u>
5	1.61±0.85	2.07±0.93	1.77±0.85	1.46±0.72	1.08±0.82	0.82±0.53	<u>0.73±0.53</u>	<u>0.64±0.64</u>
7	1.23±0.72	1.68±0.73	1.59±0.86	1.33±0.74	1.10±0.82	0.89±0.66	<u>0.74±0.45</u>	<u>0.76±0.46</u>
10	<u>0.74±0.58</u>	1.23±0.76	1.30±0.73	1.28±0.77	1.06±0.65	0.87±0.61	0.84±0.53	<u>0.75±0.43</u>
15	<u>0.46±0.56</u>	<u>0.79±0.65</u>	0.85±0.69	1.04±0.72	1.05±0.67	0.90±0.53	0.86±0.46	<u>0.74±0.41</u>
20	<u>0.28±0.54</u>	<u>0.50±0.61</u>	<u>0.63±0.66</u>	<u>0.81±0.63</u>	0.89±0.64	0.88±0.56	<u>0.84±0.47</u>	<u>0.78±0.45</u>
25	<u>0.17±0.57</u>	<u>0.37±0.59</u>	<u>0.48±0.59</u>	<u>0.63±0.62</u>	<u>0.75±0.60</u>	<u>0.84±0.58</u>	<u>0.86±0.47</u>	<u>0.78±0.46</u>
30	<u>0.10±0.61</u>	<u>0.25±0.63</u>	<u>0.34±0.59</u>	<u>0.45±0.60</u>	<u>0.67±0.60</u>	<u>0.75±0.56</u>	<u>0.76±0.55</u>	<u>0.71±0.44</u>

61.71% is obtained by SVM when predicting a price change in 15 trading days for two class classification and in 20 trading days for three class classification respectively. Values of the winning rate are equal to those of prediction accuracy for two class classification but differ from them for three class classification, because only predictions of ‘Up’ and ‘Down’ price movements are regarded as a signal for entering into trade when computing winning rate. There is an important observation that winning rates achieved for three class classification are higher than those achieved when classifying into two classes. As discussed in Section 6.2, these results confirm that introducing the ‘No Move’ class enhances the profitability of a trading system utilising those predictions in trading. When predicting for three classes, the winning rate generally increases with an increase in forecast horizon reaching 82.64% using SVM for horizon equal to 20 trading days.

TABLE X. The highest prediction accuracy, return per trade, winning rate and Sharpe ratio achieved for multiple forecast horizons by the SVM, ANN and kNN classifiers. Results are aggregated from Tables III – IX.

Step, days	2 classes classification				3 classes classification			
	SVM	ANN	kNN	Buy&Hold	SVM	ANN	kNN	Buy&Hold
Prediction accuracy, %								
1	67.45	63.65	55.85	51.68	52.62	48.29	42.22	35.10
3	72.84	71.00	58.93	53.97	58.83	55.20	44.63	36.83
5	74.42	72.91	60.26	55.03	60.91	56.31	44.98	37.82
7	74.21	72.20	59.78	56.37	60.17	56.60	45.30	38.75
10	74.46	71.95	59.03	57.58	60.22	56.71	43.94	39.77
15	75.43	73.21	58.47	59.45	61.20	56.53	42.53	41.26
20	74.64	71.52	58.53	60.85	61.71	56.99	42.23	42.35
25	74.44	71.81	57.74	61.66	60.74	57.02	42.02	43.17
30	74.36	71.17	57.82	62.32	60.89	56.68	41.86	43.62
Winning rate, %								
1	70.31	64.17	56.48	51.68	70.31	64.17	56.48	51.68
3	78.78	72.56	61.28	53.97	78.78	72.56	61.28	53.97
5	81.09	73.67	62.39	55.03	81.09	73.67	62.39	55.03
7	80.52	76.07	61.91	56.37	80.52	76.07	61.91	56.37
10	81.47	75.73	60.75	57.58	81.47	75.73	60.75	57.58
15	82.04	76.72	60.51	59.45	82.04	76.72	60.51	59.45
20	82.64	78.23	60.46	60.85	82.64	78.23	60.46	60.85
25	82.55	75.82	60.56	61.66	82.55	75.82	60.56	61.66
30	82.23	77.83	60.18	62.32	82.23	77.83	60.18	62.32
Return per trade, %								
1	0.82	0.66	0.28	0.11	1.09	0.76	0.37	0.11
3	1.75	1.68	0.79	0.31	2.35	1.94	1.01	0.31
5	2.38	2.28	1.15	0.51	3.20	2.60	1.43	0.51
7	2.75	2.59	1.30	0.70	3.70	3.15	1.63	0.70
10	3.27	3.08	1.48	0.98	4.45	3.69	1.78	0.98
15	4.19	3.97	1.70	1.51	5.58	4.59	2.12	1.51
20	4.69	4.39	1.92	2.05	6.41	5.43	2.36	2.05
25	5.33	4.97	2.16	2.58	7.22	6.03	2.84	2.58
30	5.77	5.10	2.43	3.11	8.06	6.96	2.95	3.11
Sharpe ratio								
1	6.46	5.11	2.01	0.80	7.58	5.35	2.46	0.80
3	4.95	4.57	1.90	0.80	6.19	5.02	2.34	0.80
5	4.15	3.89	1.73	0.81	5.34	4.32	2.07	0.81
7	3.45	3.17	1.38	0.81	4.40	3.83	1.68	0.81
10	2.98	2.70	1.12	0.81	3.91	3.16	1.30	0.81
15	2.58	2.36	0.86	0.83	3.44	2.77	1.05	0.83
20	2.16	1.93	0.74	0.86	3.01	2.72	0.89	0.86
25	1.97	1.77	0.67	0.87	2.74	2.22	0.86	0.87
30	1.81	1.55	0.63	0.89	2.61	2.15	0.76	0.89

Returns obtained per simulated trade are complicated to compare across different forecast horizons because investment horizons of the simulated trades differ and therefore a trade for a shorter period is more likely to lead to a smaller return. The benefit of trading for shorter horizons is that once the trade is completed, money/assets can be reinvested and used in further trading to gain extra profit. When trading for long periods, money/assets are locked within the trade for the duration of the investment period. Therefore, to compare the return obtained for different horizons, they should be adjusted for the period of investment. Additionally, the transaction costs introduce more complications into the

adjustment process. These costs depend on many factors such as the exchanges where trades are settled and the financial intermediary used to access exchanges. Financial institutions identified as market makers are able to trade with lower transaction costs than individual market participants. Therefore, the adjustment made to account for transaction costs should differ for different market participants. Accordingly, taking into account the complications, returns in this paper are not compared across different forecast horizons.

Nevertheless, returns are useful for comparing predictive performance achieved within a forecast horizon. For instance, when the trades are simulated based on the predictions of price movements on the next trading day, average returns per single trade equal 0.82%, 0.66% and 0.28% for two classes and 1.09%, 0.76% and 0.37% for three classes respectively, using the SVM approach. When employing the buy-and-hold strategy for the same trading days, only 0.11% return per trade can be gained. Therefore, there is an obvious improvement in making one-day investments based on the designed predictive system comparing to the simple buy-and-hold strategy, and the highest results are achieved by SVM. For the 30 days forecasting the predictive system generates returns of 5.77%, 5.10% and 2.43% for two class classification and of 8.06%, 6.96% and 2.95% for three class classification using SVM, ANN and kNN respectively. The simple buy-and-hold approach gains the return of 3.11% which outperforms kNN but underperforms SVM and ANN. The two latter approaches show a progressive improvement comparing to the baseline approach. In Table X, Sharpe ratio values steadily decrease with increases in forecast horizon approaching the buy-and-hold values. This behaviour indicates that despite the fact that promising values of forecasting accuracy are achieved for multiple horizons, the long-term trading strategy that invests resources for long horizons would yield less profit than a short-term trading strategy that follows recent changes in the market state and reinvests resources according to the new appeared information. It is worth noting that Sharpe ratio values produced by the buy-and-hold method do not show high variation in values for different forecast horizons and lie in a range (0.80, 0.89). The Sharpe ratio values produced by the predictive system converge to this range with an increase in horizon.

6.2 Individual stocks

Appendix B presents Tables B1-B4 where, for each combination of an input window size and a forecast horizon, results for the highest prediction accuracy (Table B1), the highest Sharpe ratio (Table B2), the lowest prediction accuracy (Table B3) and the lowest Sharpe ratio (Table B4) achieved among the 50 stocks using SVM are provided and each value is accompanied by a ticker of the corresponding stock. To gain a better understanding of how individual stocks perform when the proposed predictive system is applied to forecast their directional changes over different forecast horizons under a number of input window lengths, GPS and IP are identified as the top and bottom performing stocks respectively based on the results in Tables B1-B4. Results obtained for GPS and IP using SVM for two class classification are presented in Table XI. The table shows that when the results are aggregated over 50

TABLE XI. The prediction accuracy, return per trade and Sharpe ratio values achieved for GPS and IP stocks for two class classification using SVM under multiple forecast horizons and input window lengths.

Step, days	Stock: GPS (top performing)								Stock: IP (bottom performing)							
	Window Size, days								Window Size, days							
	3	5	7	10	15	20	25	30	3	5	7	10	15	20	25	30
	Prediction accuracy, %															
1	72.8	69.3	66.3	61.7	60.0	57.2	53.9	56.0	68.1	66.9	60.2	62.2	57.8	58.9	57.0	57.6
3	75.0	73.8	72.3	69.6	65.8	64.6	62.9	61.0	72.8	71.6	72.2	69.2	64.2	64.4	62.0	62.2
5	71.0	77.4	75.9	72.1	71.6	70.6	70.0	68.1	70.9	75.9	72.0	70.7	69.3	68.6	67.0	66.4
7	67.9	76.9	76.6	75.9	72.7	72.3	71.9	70.4	69.7	72.2	73.8	72.9	70.9	71.1	67.6	69.8
10	63.4	71.6	73.1	75.7	75.6	76.0	76.0	76.3	65.4	71.1	74.8	73.1	75.0	73.0	69.8	67.3
15	58.6	66.9	68.4	74.6	77.0	79.6	79.9	76.6	64.3	70.7	72.1	71.9	75.3	75.2	71.1	68.1
20	54.9	63.1	65.4	74.8	81.2	83.7	83.6	79.2	64.1	68.9	68.8	69.8	74.3	72.2	65.8	60.7
25	53.3	60.0	64.8	73.4	82.3	83.1	82.7	81.1	63.0	63.0	63.8	69.1	70.3	69.8	65.3	61.7
30	52.4	58.1	63.0	72.0	79.0	82.3	84.9	83.4	57.0	59.2	59.8	62.9	63.8	63.4	59.3	58.8
	Return per trade, %															
1	1.05	0.86	0.79	0.28	0.57	0.49	0.21	0.39	0.91	0.92	0.71	0.76	0.51	0.55	0.51	0.60
3	0.69	0.67	0.64	0.59	0.51	0.43	0.39	0.37	0.74	0.66	0.57	0.62	0.51	0.51	0.50	0.50
5	0.48	0.55	0.54	0.23	0.48	0.44	0.42	0.40	0.50	0.60	0.50	0.43	0.52	0.52	0.47	0.52
7	0.36	0.46	0.47	0.45	0.43	0.41	0.40	0.39	0.42	0.50	0.47	0.48	0.50	0.48	0.40	0.51
10	0.23	0.33	0.36	0.39	0.39	0.39	0.39	0.39	0.29	0.38	0.38	0.38	0.47	0.42	0.32	0.30
15	0.13	0.23	0.27	0.32	0.36	0.38	0.38	0.35	0.26	0.31	0.33	0.33	0.39	0.35	0.28	0.31
20	0.09	0.16	0.20	0.29	0.33	0.35	0.35	0.33	0.20	0.26	0.26	0.26	0.32	0.25	0.15	0.15
25	0.07	0.12	0.17	0.27	0.31	0.34	0.33	0.32	0.18	0.17	0.18	0.22	0.24	0.20	0.17	0.19
30	0.04	0.09	0.14	0.21	0.28	0.30	0.32	0.31	0.11	0.12	0.12	0.15	0.15	0.12	0.08	0.13
	Sharpe ratio															
1	8.32	6.51	5.88	4.13	4.12	3.49	1.48	2.76	4.52	4.61	3.48	3.75	2.47	2.68	2.47	2.92
3	5.89	5.64	5.26	4.72	3.93	3.29	2.89	2.76	3.68	3.22	2.77	3.02	2.43	2.46	2.39	2.37
5	3.88	4.75	4.60	4.09	3.90	3.50	3.32	3.09	2.34	2.91	2.36	1.99	2.48	2.47	2.18	2.46
7	2.90	4.02	4.07	3.88	3.62	3.38	3.27	3.20	1.90	2.28	2.16	2.17	2.27	2.20	1.80	2.32
10	1.76	2.64	3.01	3.44	3.32	3.42	3.36	3.38	1.24	1.64	1.63	1.66	2.09	1.85	1.36	1.29
15	0.93	1.69	2.11	2.67	3.15	3.38	3.39	3.04	1.10	1.34	1.41	1.39	1.71	1.52	1.17	1.30
20	0.61	1.08	1.38	2.27	2.78	2.99	3.05	2.70	0.85	1.12	1.10	1.13	1.39	1.08	0.65	0.62
25	0.46	0.78	1.14	1.95	2.48	2.79	2.74	2.53	0.77	0.73	0.78	0.95	1.02	0.86	0.73	0.81
30	0.27	0.58	0.87	1.45	2.06	2.39	2.61	2.54	0.46	0.48	0.50	0.60	0.60	0.50	0.33	0.51

stocks, the pattern discovered is easily observable for the top performing stock GPS. For the lowest performing stock IP, the pattern is less persistent. This behaviour is consistent with the behaviour observed in results produced by kNN: when the overall prediction performance of the system is low, the pattern becomes less obvious.

7. CONCLUSION AND FUTURE WORK

The main contribution of this research paper is the detailed investigation of the dependency of the financial forecasting system's performance on the choice of a forecast horizon and an input window length, a parameter used for calculation of many TIs. The experiments discover a strong dependency of the system performance on the combination of the input window length and the forecast horizon. The following pattern is observed: the highest prediction performance is achieved when the input window length is approximately equal to the horizon which the predictive system is designed to forecast. The presence of the pattern depends on the ability of a machine learning technique to infer relevant information from the input data. It gives a simple solution for setting initial values for the input window length parameter depending on the forecast horizon selected.

The pattern is investigated using a number of performance metrics. Prediction accuracy tests the pattern from a classification point of view: how well the system is able to classify data points based on the computed TIs taken as input. Average return per trade, Sharpe ratio and winning ratio assess the performance of the predictive system in terms of the risk taken and the reward received. All the considered performance measures have demonstrated that the discovered pattern persists and its visibility depends on the overall performance of the system under the specified conditions. The goal is to predict the direction of an upcoming change in a stock price for forecast horizons from 1 to 30 trading. Three well-established machine learning techniques are employed for analysis: SVM, ANN and kNN. The pattern is clearly visible for SVM and ANN: the highest performance is obtained when the input window length is approximately equal to the horizon. The prediction performance of the kNN approach is low, the pattern is still visible however its occurrence is significantly affected by the low performance. A possible cause of the existence of the pattern is that the behaviour of the stock price over a forecast horizon can possibly reflect its past behaviour over the same period of time to a certain extent. Similar

behaviour of the stock can be observed over time, for example some patterns can persist over weeks, fortnights or months. Therefore looking in the past for a period of time approximately equal to the horizon of the forecasting permits capturing the persistence in the price behaviour over those periods of time. The input window length permits the representation of the behaviour of the price over a past period equal to the forecast horizon.

In summary, the proposed research discovers a correlation between the input window length and the horizon, which suggests that selecting the proper input window length for calculating TIs helps improve the accuracy significantly when creating a financial forecasting system based on TA. The highest system performance for each forecast horizon value is reached when the input window length is approximately equal to the horizon, and the visibility of the pattern depends on the ability of the applied machine learning technique to extract relevant information from the input data. The revealed pattern can be utilized for selecting parameter values of the TIs when developing a predictive approach. Presumably, the optimal values of the input window lengths for different indicators are likely to be different from each other. Setting all window length parameters to the value of a forecast horizon may give a good initial starting point from which a distinct algorithm may adjust an input window length for each of the TIs separately. The process of the subsequent adjustment of indicators' parameters is a direction of further research. Within the framework of the further research, the reproduction of the pattern and other effects of varying input window lengths can also be explored further for predicting future values of stock prices. This may provide a better insight into the nature of the pattern. Additionally, verifying whether the pattern is reproducible for other financial assets such as currencies or commodities can shed light on the question whether the pattern can be applied to those markets.

ACKNOWLEDGEMENT

This research is supported by the companies and organizations involved in the Northern Ireland Capital Markets Engineering Research Initiative (InvestNI, Citi, First Derivatives, Kofax, Fidessa, NYSE Technologies, ILEX, Queen's University of Belfast and Ulster University).

REFERENCES

- [1] C.-Y. Yeh, C.-W. Huang, and S.-J. Lee, "A multiple-kernel support vector regression approach for stock market price forecasting," *Expert Systems with Applications*, vol. 38, no. 3, pp. 2177–2186, Mar. 2011.
- [2] G. S. Atsalakis and K. P. Valavanis, "Surveying stock market forecasting techniques – Part II: Soft computing methods," *Expert Systems with Applications*, vol. 36, no. 3, pp. 5932–5941, Apr. 2009.
- [3] D. J. Bodas-Sagi, P. Fernández-Blanco, J. I. Hidalgo, and F. J. Soltero-Domingo, "A parallel evolutionary algorithm for technical market indicators optimization," *Natural Computing*, vol. 12, no. 2, pp. 195–207, Sep. 2012.
- [4] F. Andrade de Oliveira, L. Enrique Zarate, M. de Azevedo Reis, and C. Neri Nobre, "The use of artificial neural networks in the analysis and prediction of stock prices," in *Proceedings of the IEEE International Conference on Systems, Man, and Cybernetics*, 2011, pp. 2151–2155.
- [5] E. Fama, "The behavior of stock-market prices," *Journal of Business*, vol. 38, no. 1, pp. 34–105, 1965.
- [6] A. W. Lo, "Reconciling efficient markets with behavioral finance: the adaptive markets hypothesis," *Journal of Investment Consulting*, vol. 7, no. 2, pp. 21–44, 2005.
- [7] G. Friesen and P. a. Weller, "Quantifying cognitive biases in analyst earnings forecasts," *Journal of Financial Markets*, vol. 9, no. 4, pp. 333–365, Nov. 2006.
- [8] A. Urquhart and R. Hudson, "Efficient or adaptive markets? Evidence from major stock markets using very long run historic data," *International Review of Financial Analysis*, vol. 28, pp. 130–142, Jun. 2013.
- [9] C.-H. Park and S. H. Irwin, "What Do We Know About the Profitability of Technical Analysis?," *Journal of Economic Surveys*, vol. 21, no. 4, pp. 786–826, Sep. 2007.
- [10] J. H. Kim, A. Shamsuddin, and K.-P. Lim, "Stock return predictability and the adaptive markets hypothesis: Evidence from century-long U.S. data," *Journal of Empirical Finance*, vol. 18, no. 5, pp. 868–879, Dec. 2011.
- [11] N. Taylor, "The rise and fall of technical trading rule success," *Journal of Banking & Finance*, vol. 40, pp. 286–302, Mar. 2014.
- [12] P. Fernández-Blanco, D. J. Bodas-Sagi, F. J. Soltero-Domingo, and J. I. Hidalgo, "Technical market indicators optimization using evolutionary algorithms," in *Proceedings of the 10th Annual Genetic and Evolutionary Computation Conference*, 2008, pp. 1851–1857.
- [13] D. J. Bodas-Sagi, P. Fernández-Blanco, J. I. Hidalgo, F. J. Soltero-Domingo, and J. L. Risco-Martin, "Multiobjective optimization of technical market indicators," in *Proceedings of the 11th Annual Genetic and Evolutionary Computation Conference*, 2009, pp. 1999–2004.
- [14] J. J. Murphy, *Technical analysis of the financial markets*. Prentice Hall, London, 1998.
- [15] R. Lee, "iJADE stock advisor: An intelligent agent-based stock prediction system using the hybrid RBF recurrent network," *IEEE Transactions on Systems, Man and Cybernetics-Part A: System and Humans*, vol. 34, no. 3, pp. 421–428, 2004.
- [16] F. E. H. Tay and L. Cao, "Application of support vector machines in financial time series forecasting," *Omega*, vol. 29, pp. 309–317, 2001.
- [17] L. J. Cao and F. E. H. Tay, "Support vector machine with adaptive parameters in financial time series forecasting," *IEEE Transactions on Neural Networks*, vol. 14, no. 6, pp. 1506–1518, 2003.
- [18] K. Kim, "Financial time series forecasting using support vector machines," *Neurocomputing*, vol. 55, no. 1–2, pp. 307–319, Sep. 2003.

- [19] W. Huang, Y. Nakamori, and S.-Y. Wang, "Forecasting stock market movement direction with support vector machine," *Computers & Operations Research*, vol. 32, no. 10, pp. 2513–2522, Oct. 2005.
- [20] Y. Kara, M. Acar Boyacioglu, and Ö. K. Baykan, "Predicting direction of stock price index movement using artificial neural networks and support vector machines: the sample of the Istanbul Stock Exchange," *Expert Systems with Applications*, vol. 38, no. 5, pp. 5311–5319, May 2011.
- [21] J. Arroyo and C. Maté, "Forecasting histogram time series with k-nearest neighbours methods," *International Journal of Forecasting*, vol. 25, no. 1, pp. 192–207, Jan. 2009.
- [22] L. A. Teixeira and A. L. I. de Oliveira, "A method for automatic stock trading combining technical analysis and nearest neighbor classification," *Expert Systems with Applications*, vol. 37, no. 10, pp. 6885–6890, Oct. 2010.
- [23] R. Khemchandani and S. Chandra, "Regularized least squares fuzzy support vector regression for financial time series forecasting," *Expert Systems with Applications*, vol. 36, no. 1, pp. 132–138, Jan. 2009.
- [24] Y. Wang and I. Choi, "Market index and stock price direction prediction using machine learning techniques: An empirical study on the KOSPI and HSI," *Elsevier, arXiv preprint arXiv:1309.7119*, pp. 1–13, 2013.
- [25] J. Stanković, I. Marković, and M. Stojanović, "Investment strategy optimization using technical analysis and predictive modeling in emerging markets," *Procedia Economics and Finance*, vol. 19, no. 15, pp. 51–62, 2015.
- [26] E. Tsang, "Directional Changes, Definitions," *Working Paper WP050-10, Centre for Computational Finance and Economic Agents, University of Essex*, 2010.
- [27] A. Duran and M. J. Bommarito, "A profitable trading and risk management strategy despite transaction costs," *Quantitative Finance*, vol. 11, no. 6, pp. 829–848, Jun. 2011.
- [28] L. Bucur and A. Florea, "Techniques for prediction in chaos – a comparative study on financial data," *U.P.B. Scientific Bulletin, Series C*, vol. 73, no. 3, pp. 17–32, 2011.
- [29] D. Witkowska and E. Marcinkiewicz, "Construction and evaluation of trading systems: Warsaw index futures," *International Advances in Economic Research*, vol. 11, no. 1, pp. 83–92, Mar. 2005.
- [30] G. Armano, M. Marchesi, and a. Murru, "A hybrid genetic-neural architecture for stock indexes forecasting," *Information Sciences*, vol. 170, no. 1, pp. 3–33, Feb. 2005.
- [31] M. Kumar and M. Thenmozhi, "Forecasting stock index movement: A comparison of support vector machines and random forest," in *Proceedings of the Ninth Indian Institute of Capital Markets Conference*, 2006, pp. 1–16.
- [32] X. Cai, S. Hu, and X. Lin, "Feature extraction using Restricted Boltzmann Machine for stock price prediction," in *Proceedings of the IEEE International Conference on Computer Science and Automation Engineering*, 2012, pp. 80 – 83.
- [33] C. Chang and C. Lin, "LIBSVM: a library for support vector machines," *ACM Transactions on Intelligent Systems and Technology*, vol. 2, no. 3, pp. 1–27, 2011.
- [34] C. Hsu, C. Chang, and C. Lin, "A practical guide to support vector classification," *Department of Computer Science, National Taiwan University*, 2010.
- [35] "MathWorks, trainseg." [Online]. Available: <http://uk.mathworks.com/help/nnet/ref/trainseg.html>.
- [36] "MathWorks, ClassificationKNN.fit." [Online]. Available: <http://uk.mathworks.com/help/stats/classificationknn.fit.html>.

- [37] M. Hagenau, M. Hauser, M. Liebmann, and D. Neumann, “Reading all the news at the same time: predicting mid-term stock price developments based on news momentum,” in *Proceedings of the 46th Hawaii International Conference on System Sciences*, 2013, pp. 1279–1288.
- [38] S. S. Groth and J. Muntermann, “An intraday market risk management approach based on textual analysis,” *Decision Support Systems*, vol. 50, no. 4, pp. 680–691, Mar. 2011.
- [39] W. F. Sharpe, “Mutual fund performance,” *Journal of Business*, vol. 39, no. 1, Part 2: Supplement on Security Prices, pp. 119–138, 1966.
- [40] N. Amenc and V. Le Sourd, *Portfolio Theory and Performance Analysis*. 2003.
- [41] R. Luss and A. D’Aspremont, “Predicting abnormal returns from news using text classification,” *Quantitative Finance*, vol. 15, no. 6, pp. 999–1012, 2015.

APPENDIX A

The following 50 randomly selected stocks are analysed: AA, AET, ALXN, AMT, AVY, BBT, BK, CA, CAM, CCE, CNX, COF, COH, COL, D, DHR, DVA, ESV, FCX, GIS, GPS, HAR, HPQ, IBM, IP, IR, KMB, KMX, LLY, MAC, MMC, MO, MSFT, MYL, NTAP, PCAR, PDCO, PEP, PKI, PNW, POM, PRGO, ROST, RSG, SJM, SLB, SNDK, TER, TGT, TRV.

APPENDIX B

TABLE B1. The maximum accuracies achieved among individual stocks using SVM for different combinations of horizon and window length. The highest accuracy in each row is underlined and highlighted in bold. A ticker symbol of a stock for which the corresponding value is achieved is given under the accuracy value

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) two class classification								
1	<u>72.78</u>	69.33	69.33	66.33	62.22	60.33	60.33	59.67
	<u>GPS</u>	GPS	GPS	GPS	MO	MAC	POM	COF
3	<u>77.67</u>	77.22	75.56	73.56	69.11	68.33	65.44	65.67
	<u>MSFT</u>	MSFT	MSFT	MSFT	PNW	MSFT	MSFT	COH
5	74.67	<u>79.00</u>	78.44	76.56	74.00	72.11	70.89	69.33
	MSFT	<u>NTAP</u>	MSFT	MSFT	PDCO	KMX	MSFT	MSFT
7	73.11	<u>80.22</u>	78.22	78.44	78.00	76.11	73.67	72.22
	MO	<u>MSFT</u>	MO	MSFT	PDCO	MSFT	MSFT	MO
10	70.67	76.67	78.00	80.33	<u>80.67</u>	80.22	78.78	76.33
	MO	MO	KMX	KMX	<u>KMX</u>	KMX	MYL	GPS
15	70.11	75.11	77.00	80.78	<u>84.33</u>	83.22	81.00	80.22
	MO	ALXN	MO	MO	<u>MYL</u>	MYL	MYL	KMX
20	71.56	72.22	75.67	79.89	<u>83.89</u>	83.67	83.56	80.56
	MO	DHR	MO	MO	<u>MYL</u>	GPS	GPS	RSG
25	70.78	72.56	73.33	77.44	82.33	<u>83.11</u>	82.67	81.11
	MO	MO	MO	MO	GPS	<u>GPS</u>	GPS	GPS
30	73.89	74.89	74.33	77.67	79.00	82.33	<u>84.89</u>	83.56
	MO	MO	MO	ALXN	GPS	GPS	<u>GPS</u>	HPQ
(b) three class classification								
1	<u>58.44</u>	56.78	55.44	56.89	54.78	54.78	55.22	56.33
	<u>SNDK</u>	PEP	KMB	PEP	PEP	PEP	PEP	KMB
3	63.56	<u>63.89</u>	60.22	60.44	61.33	59.00	59.11	59.56
	CNX	<u>CNX</u>	ESV	KMB	KMB	KMB	KMB	KMB
5	63.33	67.33	<u>64.89</u>	64.56	61.22	59.78	59.00	58.67
	CNX	AA	<u>TER</u>	KMX	GIS	KMB	KMB	KMB
7	60.44	67.00	66.00	66.67	<u>67.00</u>	61.33	61.78	58.89
	D	FCX	FCX	KMX	<u>SNDK</u>	SNDK	SNDK	SNDK
10	58.00	64.00	65.22	<u>66.33</u>	65.33	63.56	62.67	62.56
	FCX	TER	KMX	<u>PEP</u>	KMX	TER	CNX	D
15	58.78	62.11	64.56	67.33	<u>69.11</u>	66.44	67.00	66.56
	PNW	D	KMX	TER	<u>TER</u>	MYL	D	KMX
20	60.56	61.67	63.33	66.89	68.67	68.89	<u>69.44</u>	67.00
	D	HAR	KMX	HAR	PRGO	GIS	<u>KMB</u>	GIS
25	58.56	59.11	63.11	63.33	68.33	70.67	71.67	<u>74.11</u>
	D	D	D	D	MYL	GPS	GIS	<u>GIS</u>
30	59.00	63.00	63.22	61.22	65.67	69.22	70.33	<u>70.89</u>
	D	D	D	HAR	D	GIS	GIS	<u>GPS</u>

TABLE B2. The minimum accuracies achieved among individual stocks using SVM for different values of horizon and window length. The highest accuracy in each row is underlined and highlighted in bold. A ticker symbol of a stock for which the corresponding value is achieved is given under the accuracy value

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) two class classification								
1	<u>60.67</u> AMT	58.44 COH	58.44 COH	56.67 D	52.44 HAR	52.89 LLY	51.44 FCX	51.22 FCX
3	60.22 ROST	<u>67.22</u> ALXN	63.22 D	58.11 ROST	52.89 ROST	58.89 AMT	57.33 AMT	56.11 CAM
5	61.44 CCE	<u>69.33</u> ALXN	63.11 SJM	64.44 AMT	62.67 AMT	61.89 AMT	58.44 IBM	57.67 IBM
7	60.00 SJM	65.44 CCE	<u>66.78</u> CCE	57.11 ROST	67.11 MAC	63.22 IBM	63.00 IBM	61.00 CAM
10	47.44 SJM	61.11 SJM	62.89 SJM	66.56 SJM	<u>67.44</u> SJM	65.78 FCX	63.67 CAM	59.78 SJM
15	36.11 ROST	43.11 ROST	51.67 ROST	62.89 SJM	67.89 COF	<u>68.11</u> FCX	66.67 SJM	67.11 CCE
20	31.67 ROST	35.89 ROST	40.00 ROST	46.11 ROST	61.67 SJM	<u>65.78</u> SJM	65.11 FCX	60.67 IP
25	31.78 ROST	34.44 ROST	37.67 ROST	41.56 ROST	57.44 SJM	60.67 SJM	<u>63.22</u> SJM	61.67 IP
30	28.22 ROST	29.44 ROST	31.11 ROST	39.00 ROST	51.67 SJM	58.33 SJM	57.33 SJM	<u>58.78</u> IP
(b) three class classification								
1	41.33 ROST	<u>41.56</u> ROST	35.78 GIS	39.56 ROST	36.67 AVY	35.00 AVY	35.11 SJM	34.67 ROST
3	46.89 ROST	<u>48.78</u> AMT	44.56 GIS	44.33 AMT	41.67 PRGO	41.00 AMT	38.11 AMT	40.56 BBT
5	47.00 ROST	<u>50.78</u> AMT	45.56 ROST	47.56 AMT	46.78 AMT	42.00 ROST	44.44 BBT	39.78 BBT
7	43.00 ROST	49.11 AMT	<u>49.44</u> AMT	48.56 ROST	47.78 AMT	43.11 ROST	46.78 BBT	41.00 BBT
10	37.89 GIS	46.78 ROST	49.56 AMT	<u>51.44</u> AMT	50.33 AMT	49.22 BBT	47.33 BBT	46.11 BBT
15	28.78 ROST	29.89 ROST	38.33 ROST	38.89 ROST	53.00 AMT	<u>54.33</u> AMT	51.22 BK	51.11 BBT
20	18.56 ROST	22.33 ROST	25.78 ROST	31.89 ROST	54.44 ROST	<u>55.00</u> MAC	52.11 IP	50.33 MAC
25	15.44 ROST	17.33 ROST	20.00 ROST	24.89 ROST	33.00 ROST	<u>50.67</u> IP	46.78 IP	45.78 IP
30	14.11 ROST	14.89 ROST	18.11 ROST	24.00 ROST	31.44 ROST	43.89 ROST	<u>44.67</u> ROST	44.56 IP

TABLE B3. The maximum Sharpe ratio values achieved among individual stocks using SVM for different combinations of horizon and window length. The highest Sharpe ratio value in each row is underlined and highlighted in bold. A ticker symbol of a stock for which the corresponding value is achieved is given under the Sharpe ratio value

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) two class classification								
1	<u>8.32</u> GPS	7.00	7.00	6.00	4.25	3.96	3.38	3.24
		KMX	KMX	HPQ	MYL	KMX	KMX	KMX
3	<u>6.19</u> MSFT	6.18	5.49	4.99	4.22	3.79	3.40	3.46
		MSFT	MSFT	MSFT	PDCO	KMX	NTAP	COH
5	4.47	<u>5.28</u> NTAP	4.98	4.53	4.23	3.75	3.55	3.18
	NTAP	NTAP	NTAP	MSFT	MYL	KMX	MSFT	KMX
7	3.11	4.20	3.84	<u>4.27</u> MSFT	4.21	3.90	3.52	3.20
	MSFT	MSFT	MO	MSFT	PDCO	MSFT	MSFT	GPS
10	2.56	3.28	3.66	<u>4.10</u> ROST	4.05	3.83	3.74	3.38
	ALXN	MYL	ROST	ROST	MYL	MYL	MYL	GPS
15	1.82	2.58	2.74	3.25	<u>3.89</u> MYL	3.58	3.39	3.13
	ALXN	ALXN	MYL	MYL	MYL	MYL	GPS	ROST
20	1.92	2.12	2.53	2.94	3.07	<u>3.14</u> MYL	3.05	2.73
	MO	MO	MO	MO	MYL	MYL	GPS	MO
25	1.78	2.02	2.13	2.60	2.77	<u>2.79</u> GPS	2.74	2.69
	MO	MO	MO	MO	MYL	GPS	GPS	ROST
30	1.85	1.98	1.94	2.37	2.36	2.41	2.61	<u>2.67</u> HPQ
	MO	MO	MO	MO	MO	MO	GPS	HPQ
(b) three class classification								
1	12.24	10.01	7.33	8.60	<u>13.61</u> D	7.11	7.91	12.67
	LLY	D	IBM	SJM	D	LLY	LLY	KMB
3	9.28	<u>9.48</u> MO	8.60	6.84	7.38	6.41	7.29	6.21
	PEP	MO	IBM	LLY	PEP	MO	LLY	MO
5	7.47	<u>8.05</u> IBM	7.18	7.91	7.30	6.05	6.98	5.83
	PEP	IBM	GIS	KMB	LLY	LLY	PEP	PEP
7	4.86	6.36	<u>8.34</u> KMB	6.72	5.84	6.43	7.95	6.66
	DHR	GIS	KMB	GIS	LLY	PEP	PEP	PEP
10	4.64	6.84	7.41	6.44	7.84	7.29	<u>8.82</u> KMB	7.04
	MO	KMB	KMB	KMB	KMB	KMB	KMB	KMB
15	4.35	5.42	5.54	6.24	6.42	5.83	<u>7.34</u> PEP	5.53
	MO	KMB	KMB	KMB	PEP	KMB	PEP	KMB
20	5.34	4.83	5.62	5.46	6.02	6.03	<u>6.40</u> KMB	5.53
	MO	MO	KMB	MO	KMB	KMB	KMB	KMB
25	2.87	2.66	6.69	4.75	5.29	6.28	6.63	<u>6.67</u> KMB
	MO	DHR	KMB	MO	KMB	KMB	KMB	KMB
30	2.75	4.82	3.72	5.87	4.97	6.59	6.90	<u>7.57</u> KMB
	DHR	D	KMB	KMB	KMB	KMB	KMB	KMB

TABLE B4. The minimum Sharpe ratio values achieved among individual stocks using SVM for different values of horizon and window length. The highest Sharpe ratio in each row is underlined and highlighted in bold. A ticker symbol of a stock for which the corresponding value is achieved is given under the Sharpe ratio value

Horizon, days	Input Window Length, days							
	3	5	7	10	15	20	25	30
(a) two class classification								
1	<u>3.82</u> CCE	3.38 CCE	3.38 CCE	2.41 ALXN	1.05 ALXN	0.82 CCE	0.35 AA	0.51 ALXN
3	2.49 ROST	<u>3.20</u> MAC	2.77 IP	1.77 ROST	0.84 ROST	1.26 COF	1.38 COF	1.35 IBM
5	2.21 CCE	<u>2.61</u> MAC	2.36 IP	1.99 IP	1.71 MAC	1.63 COF	1.42 MAC	1.46 IBM
7	1.66 AMT	<u>2.47</u> CCE	2.46 CCE	1.33 ROST	1.77 MAC	1.49 COF	1.63 MAC	1.72 MAC
10	0.24 SJM	1.36 MAC	1.29 MAC	1.34 MAC	<u>1.46</u> COF	1.38 COF	1.33 MAC	1.25 COF
15	-1.08 ROST	-0.36 ROST	0.53 ROST	1.23 MAC	<u>1.30</u> MAC	1.25 COF	1.17 IP	<u>1.30</u> IP
20	-1.40 ROST	-0.92 ROST	-0.51 ROST	0.06 ROST	<u>1.17</u> MAC	1.08 IP	0.65 IP	0.62 IP
25	-1.48 ROST	-1.16 ROST	-0.86 ROST	-0.44 ROST	0.81 ROST	<u>0.86</u> IP	0.73 IP	0.81 IP
30	-1.49 ROST	-1.37 ROST	-1.11 ROST	-0.49 ROST	0.32 ROST	0.50 IP	0.33 IP	<u>0.51</u> IP
(b) three class classification								
1	<u>4.07</u> CCE	3.49 SJM	2.76 GIS	2.54 AMT	1.20 RSG	0.98 ALXN	-1.53 D	-7.86 GIS
3	<u>3.33</u> COF	3.32 MAC	3.09 IP	2.54 COF	2.01 MAC	0.82 D	0.69 SJM	0.00 PEP
5	2.29 COF	2.45 MAC	<u>2.60</u> ROST	2.39 MAC	1.94 MAC	1.41 COF	1.34 MAC	1.64 MAC
7	1.26 ROST	<u>2.16</u> MAC	2.12 COF	1.92 MAC	1.81 COF	1.29 COF	1.73 MAC	1.70 MAC
10	0.63 KMB	1.60 MAC	1.50 MAC	1.55 MAC	<u>1.62</u> COF	1.42 MAC	1.58 IP	1.42 MAC
15	-0.51 ROST	0.27 ROST	1.29 IP	1.29 MAC	<u>1.38</u> MAC	1.36 COF	1.14 MAC	1.15 MAC
20	-1.32 ROST	-0.81 ROST	-0.19 ROST	0.58 ROST	<u>1.18</u> COF	1.06 IP	0.82 IP	1.01 MAC
25	-1.49 ROST	-1.25 ROST	-0.94 ROST	-0.37 ROST	0.67 ROST	0.80 IP	0.70 IP	<u>0.91</u> IP
30	-1.59 ROST	-1.48 ROST	-1.16 ROST	-0.62 ROST	0.09 ROST	0.70 IP	0.72 IP	<u>0.95</u> MAC