

Northumbria Research Link

Citation: Kreitem, Hanna and Ragnedda, Massimo (2020) Distributed Pool Mining and Digital Inequalities, From Cryptocurrency to Scientific Research. *Journal of Information, Communication and Ethics in Society*, 18 (3). pp. 339-355. ISSN 1477-996X

Published by: Emerald

URL: <https://doi.org/10.1108/jices-02-2020-0018> <<https://doi.org/10.1108/jices-02-2020-0018>>

This version was downloaded from Northumbria Research Link:
<http://nrl.northumbria.ac.uk/id/eprint/42847/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)



**Distributed Pool Mining and Digital Inequalities. From
Cryptocurrency to Scientific Research**

Journal:	<i>Journal of Information, Communication & Ethics in Society</i>
Manuscript ID	JICES-02-2020-0018.R1
Manuscript Type:	Journal Paper
Keywords:	blockchain, Digital divide(s), digital inequalities

SCHOLARONE™
Manuscripts

Distributed Pool Mining and Digital Inequalities.

From Cryptocurrency to Scientific Research

1. Introduction

This article ventures to explore the dynamic relations between consumption and production in novel technologies that utilise end-user computing resources, as an implementation of distributed computing and alternative of attention economy, and the promises and opportunities it provides from the perspective of digital inequalities to promote dialogue on the social aspects of distributed technologies. The discussion flows from setting the scene on digital inequalities in the age of widespread access to discussing distributed computing and later to examining cases of distributed computing provided by the masses of users and the promises of opportunities it offers. The cases were selected to represent different applications of distributed computing, including cryptocurrency distributed mining and contribution to scientific research. Finally, the article compiles lessons learned from the cases studied into a suggested model for a fair revenue model for content and online service providers that utilises user device computing resources, or computational power, rather than their data and attention.

Relations between content providers and consumers have changed dramatically since the inception of the Internet (Yuan et al., 1998). The relationship has shifted from an equal peer-to-peer network, to a more centralised and clearly defined dichotomy of content providers and content consumers or audience (Randall, 1997). In the second stage, Internet users started using the web as a means to share their own content production, in what was termed Web 2.0 (O'Reilly, 2005), with a plethora of platforms and services facilitating that (Constantinides and Fountain, 2008). The advent of Web 2.0 reshaped network power relations and gave user-generated content an important value and power in driving Internet use, such as content

1
2
3 generated by users, and data generated about the users, as is the case with social media
4 platforms (Kaplan and Haenlein, 2010).
5
6
7

8 So far, the economy of online content and services largely relies on income generated
9 from online advertisements, opening the path for developing industries to support the delivery
10 of advertising, and the collection and brokerage of users' data to help target advertisements to
11 users, evolving from simple contextual to complex and ethically controversial techniques like
12 Online Behavioural Marketing (Nill and Aalberts, 2014). The spread of reliable Internet
13 infrastructure and the affordability of access fostered the idea of relying on the Internet as a
14 platform we can run software through as well as the opportunity to access content, software,
15 and other services hosted online (Wirtz et al., 2010). This move disrupted traditional business
16 models that associated content and software to medium, as in purchasing a printed newspaper,
17 or a disk to watch a movie or obtain software, towards valuing content and software services
18 as temporal items that can be accessed online. To be able to support income-generation from
19 online content provided 'free', many of the current online business models borrowed the
20 concept of audience labour, as portrayed by Smythe (1981), Schiller (1969) and Mattelart
21 (1996), where the audience is seen as a commodity in itself. Content is provided here in
22 exchange for attention, particularly advertisements aiming to influence purchase (Brynjolfsson
23 and Oh, 2012). This developed greed for user data, aiming to retain their attention by exposing
24 them to advertisements that providers thought would be interesting to users (Gillan, 2010).
25 Developers and content providers usually charge direct payments or, most commonly, run
26 advertisements to generate revenue covering their work and costs in exchange for providing
27 content and services. This shift crowned attention and engagement as the metrics controlling
28 production and distribution of online content (Manzerolle and Wiseman, 2016), and the need
29 for visitor attention created a race between the content the user is looking for and
30 advertisements, sometimes blurring the line between the two (Owens et al., 2011). This race
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 and new attention economy is present across different aspects of online and digital content,
4 from games to news (Nixon, 2017). This model drives the endless need for personal data
5 collection for advertisement purposes (Andrejevic, 2012; Ragnedda, 2011), which in turn
6 creates the challenge of losing control of our personal data (Cleff, 2007), raising privacy and
7 ethical implications (Lyon, 2003). Sir Tim Berners-Lee described this issue as one of three
8 challenges facing the Web in a letter sent on the 28th anniversary of launching their invention,
9 the World Wide Web (Berners-Lee, 2017).

10
11
12
13
14
15
16
17
18
19
20 The economy models that rely on advertisement favour users with spending power,
21 portraying classical inequalities on the user side. At the same time, content providers with the
22 ability to monetise and receive payments are favoured in a representation of inequalities on the
23 creator/provider side. Therefore, this economy model tends to exacerbate inequalities, both in
24 the social and the digital realms. This model will still be relevant in the near future, with
25 developers and content providers charging users directly, or running ads to generate revenue
26 in exchange for providing content and services to cover their work and costs. However, this
27 article argues that the advent and acceptance of distributed mining, and the trend towards the
28 re-decentralization of the Internet, allowed room for a different revenue model, a model that
29 works through consensually harnessing the power of user devices to generate value for
30 developers and content providers, following cryptocurrency mining models. This new model,
31 which became renowned with the revolutionary advent of blockchain technologies, challenges
32 the attention economy model by offering an alternative to monetisation in return for computer
33 use.

34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52 The advent of models that reward the use of computer power with value lowers the need
53 for personal data collection. While attention economy and privacy issues are far from being
54 solved, we are now entering a new stage of the Internet's development. Regardless of whether
55 this might be seen as a second phase of Web 2.0 or as a new phase of the Internet recently

1
2
3 portrayed as Web 3.0, it seems clear that we are now moving towards a more decentralized
4 platform powered by blockchain technologies (Ragnedda and Destefanis 2019). In this new
5 revolutionary context, many features and aspects are changing, including the attention
6 economy and participatory culture that not only enables participation through content, but also
7 through computer power. This third phase of the development of the Internet has the ability to
8 change the power dynamic by emphasising decentralization and reducing online inequalities,
9 at least potentially, as will become clearer throughout the article.
10
11
12
13
14
15
16
17
18
19

20 Without overemphasizing the revolutionary potential of this new Internet phase, we
21 will underline how some online service providers might help in overcoming some digital
22 inequalities, criticising this platform's shortcomings, with regards to what the computing
23 resource is used for and lack of consent and control from the user end. The goal of this article
24 is twofold: first to discuss how utilising the mining hype may reduce digital inequalities, and
25 secondly to demonstrate how these services offer a new business model based on value
26 rewarding in exchange for computational power, which would allow more online opportunities
27 for people, and thus reduce digital inequalities. Finally, in addition to these two aims, this
28 contribution discusses and proposes a method for a fair revenue model for content and online
29 service providers that utilises user device computing resources, or computational power, rather
30 than their data and attention. The method is represented by a model that allows for consensual
31 use of user computing resources in exchange for accessing content and using software tools
32 and services, acting essentially as an alternative online business model.
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49

50 To show how these services may reduce digital inequalities by affecting the three levels
51 of digital divide¹, we need first to introduce the phenomenon of the digital divide, going beyond
52
53
54
55

56
57 ¹ Although the different levels of the digital divide may reflect the existence of multiple divides, we
58 refer to them as singular to reiterate how they all are connected and, in effect, demonstrate a division in
59 opportunities regardless of the viewpoint of these opportunities, while appreciating the nuanced approach
60 needed to address it.

1
2
3 the simple binary classification of access vs no access. Once the digital divide's
4 multidimensionality has been introduced, the article will shed light on distributed mining, by
5 discussing how it could potentially help in overcoming several barriers that are at the root of
6 digital inequalities. Then, to study the effect of services that rely on distributed computing and
7 mining on digital inequalities, we will look at three different case studies - Coinhive, Gridcoin,
8 and Cryptotab - that promise to provide value in return for user computing resources. The
9 article will discuss how these services may reduce digital inequalities by affecting the three
10 levels of digital divide, namely access to ICTs (first level), skills and motivations in using ICTs
11 (second level), and capacities in using ICTs to get concrete benefits (third level). Finally, we
12 will suggest a model that allows for consensual use of user computing resources in exchange
13 for accessing content and using software tools and services. We will outline both the benefits
14 and limitations of this model, by analysing the revolutionary aspect of this model, where the
15 user can control when and how many resources mining can run, and for whom, while taking
16 into consideration issues such as privacy and anonymity.

2. Digital inequalities in the age of widespread access

37
38
39 One of the main challenges facing humanity in relation to technology, and the Internet
40 in particular, is the digital divide, even when access is widely available. Those excluded from
41 access to the digital world cannot enjoy the benefits that ICTs might offer, including those
42 offered by modern distributed ledger and blockchain technologies. Digital exclusion does not
43 only negatively affect the digital realm, but also influences the social realm, in a kind of vicious
44 circle (Ragnedda and Ruiu, 2020). Indeed, those individuals already suffering from the social
45 consequences of a low position in the social strata are further discriminated against due to lack
46 of access to information and communication technologies. A lack of or limited access to digital
47 technologies, and a lack of or limited capacities and skills necessary to gather benefits from the
48 use of ICTs, contribute towards increasing the risk of social exclusion (Mansell, 2002; Selwyn,
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 2004). The rise of ICTs privileges those who are already included in the digital realm, further
4 reinforcing inequalities already present in society. (Castells, 2004; DiMaggio and Hargittai,
5
6 2001; Norris, 2001)
7
8
9

10 After an initial euphoria about the equity potentialities of the Internet, it soon became
11 evident that citizens with more resources in terms of skills and social and economic capital
12 would gain greater advantages than others (Castells, 2004; DiMaggio and Hargittai, 2001;
13 Norris, 2001; Rogers, 2003), further reinforcing already existing social inequalities. The
14 possibilities for an individual to access and use ICTs are at the root of the first level of the
15 digital divide. Many features such as age, income, gender, education and employment
16 determine who uses the Internet and who does not (Helsper, 2012; Norris, 2001; Vicente and
17 López, 2011). However, this approach to understanding digital inequalities provides a partial
18 analysis of the phenomenon, because the focus is restricted to structural/infrastructural issues.
19 The digital divide, indeed, should not be seen in black and white terms or as an
20 inclusion/exclusion dichotomy, but in terms of several degrees of e-inclusion (van Dijk, 2005).
21 These different levels of inclusion are based on the opportunities, skills, and motivation that
22 make users' online activities "valuable".
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40

41 Various dimensions of inequalities exist in the digital realm, based on different access,
42 digital skills, self-confidence and motivation in using ICTs. In this vein, Van Dijk (2005) and
43 later with Van Deursen (2013), underlined several divides, including ICT skills, physical
44 aspects, motivations and purpose of use. All these dimensions constitute the second level of
45 the digital divide, defined as inequalities in using ICTs. Digital skills and digital literacy are
46 crucial to nurturing well-informed citizens, more engaged with the political and cultural
47 environment, but also aware of the economic opportunities offered by ICTs, such as the one
48 offered by blockchain technologies. Users' backgrounds are one of the main components of
49 the second level of the digital divide, since they influence not only the ways people search for
50
51
52
53
54
55
56
57
58
59
60

1
2
3 information and their motivation to do so, but also the skills they have to elaborate and process
4 them (Lee et al., 2015; Pearce and Rice, 2013; van Deursen and van Dijk, 2015).
5
6
7

8 Recently, scholars have started to focus on the third level of the digital divide
9 (Ragnedda, 2017; van Deursen and Helsper, 2015), defined as the differences between those
10 who are able or capable of transforming digital benefits and advantages into social ones. The
11 third level of the digital divide is related to the tangible outcomes derived from the use of ICTs,
12 and the Internet in particular. To get the most from the use of the Internet, including the benefits
13 deriving from utilising grid computing to mine cryptocurrency, users need to have already built
14 strong social, economic and cultural capital in the offline world and mastered particular skills
15 online. This new dimension of the digital divide looks at the intertwined relationships between
16 social and digital inequalities and between offline capitals and digital capital (Ragnedda, Ruiu,
17 Addeo 2019) stressing the idea that those already enjoying a privileged position in society also
18 get the most out of using ICTs. The digital divide is, therefore, a form of social and digital
19 exclusion that depends not only on technological, demographic, and geographical factors, but
20 also on economic, cultural, political, personal, and social circumstances associated with social
21 structure. By consequence, those already disadvantaged are further discriminated against,
22 because they have limitations in accessing (first level), using (second level), and enjoying the
23 social benefits provided by ICTs (third level). More specifically, those who are excluded from
24 the opportunities offered by cryptocurrency are those who have limited economic resources
25 (money), those who have limited physical resources (no access to ICTs) and those who have
26 no digital resources (no hardware). However, being included online, as we have seen, is a
27 fundamental but not sufficient condition to fully exploit the resources offered by blockchain
28 technologies, and cryptocurrency in particular. Indeed, to efficiently manage such
29 technologies, economic resources (economic capital), specific digital skills and digital literacy
30 (cultural capital), and strong motivation (personal capital) are required as well.
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 The intertwined relationships between the three levels of digital divide and the
4
5 advancements of new phases in Internet and web technologies could be analysed from different
6
7 angles and perspectives. We do not claim to give a complete overview of it in this paper, but
8
9 rather analysing the interaction between the three levels of digital divide and one of the aspects
10
11 of cryptocurrency: mining. As the next paragraphs will attempt to show, distributed mining can
12
13 partially overcome some barriers or limitations in accessing some services and content (first
14
15 level of the digital divide), using (second level) and getting tangible benefits from the use of
16
17 the Internet (third level). In this way, as we shall try to argue, distributed mining can help in
18
19 reducing digital gaps.
20
21
22
23
24
25
26

27 **3. Distributed computing**

28
29 Before delving into how distributed mining may help in reducing digital inequalities,
30
31 there is a need to introduce the idea of distributed computing. The concept represents the use
32
33 of multiple machines connected as a pool to cooperate in solving problems as if they were one
34
35 large machine. This concept is not new, with distributed and grid computing having been
36
37 around since the early days of computer networks and the Internet, with several large-scale
38
39 projects relying on people donating computing resources to solve problems that would be
40
41 infeasible, or very expensive to tackle using conventional computing.
42
43
44
45

46
47 One of the earliest projects to utilise the Internet for large scale grid computing was the
48
49 Great Internet Mersenne Prime Search (GIMPS), launched in 1996 to discover new Mersenne
50
51 prime numbers, while one of the largest platforms to date is the Berkeley Open Infrastructure
52
53 for Network Computing (BOINC), launched in 2002. BOINC provides a platform for various
54
55 projects, from searching for extra-terrestrial life to climate studies. In 2013, people could gain
56
57 Gridcoin cryptocurrency as a reward for providing computational power to BOINC projects
58
59 (<https://gridcoin.us/>). This concept of utilising grid computing to mine cryptocurrency has been
60

1
2
3 tried in other software programs and websites, however, it has been introduced surreptitiously,
4
5 as in the case of uTorrent in 2005, when developers including Bitcoin mining scripts, caused
6
7 user uproar (Estes, 2015).
8
9

10 To be able to participate in these projects, users needed to have access to and control of
11
12 computing devices and connectivity to the Internet, usually a persistent connection, as well as
13
14 certain digital skills to be able to run the computational tool. The skills needed could be as
15
16 simple as visiting the BOINC website, selecting the BOINC project the user wants to support,
17
18 double-clicking on a downloadable program, and accept to install the computational tool as a
19
20 screensaver running when the computer is idle. Although a clear effort was made to ensure
21
22 more basic skills were needed to participate, and to be inclusive in that regard, it still limited
23
24 participation to people with access to persistent Internet connectivity and electricity, and those
25
26 who could afford to have their computers consuming electricity when they were not using them.
27
28 The BOINC project proved to be successful, and after 16 years of existence, the project has 4.5
29
30 million users, with 1.125 million active computer hosts connected. However, when we look at
31
32 the map of active hosts, we see it is in line with the map of Internet affordability as in figure 1
33
34 below, showing a relationship between the ability and willingness to participate in scientific
35
36 distributed computing and the ability to afford Internet access.
37
38
39
40
41
42
43
44
45

46 Figure 1 about here
47
48
49
50

51 The map above shows the relationship between Internet affordability and contribution
52
53 to BOINC projects combined, covering 86 countries where both data is available. It is
54
55 noticeable that in most countries on the map, indicated by neutral colors, there is no significant
56
57 difference, while countries with dark green or dark red display significant differences between
58
59
60

1
2
3 the two rankings. Countries in darker green represent countries with lower Internet affordability
4 but who contribute significantly to BOINC projects, in contrast to countries in darker red,
5 which despite having high Internet affordability, do not contribute as much as other countries.
6
7
8
9
10
11
12

13 **3.1 Distributed pool mining**

14
15
16 The success of distributed computing paved the way for projects that rely on the idea
17 of utilising user computing resources to create a peer network of knowledge, as in distributed
18 ledger technologies, including the blockchain, where security and trust is inherent from peer
19 validation and contribution. This is evident in the vast majority of cryptocurrencies
20 implementations, where participants providing nodes to the network produce consent on status
21 and transactions, resulting in a peer-based trust model, strengthening that network. In exchange
22 for contributing to strengthening the network, participants are typically awarded amounts of
23 cryptocurrency in return for their work, in a process called mining. Mining helps in resolving
24 proof of work, or other methods that provide confirmation of contribution (Bentov et al., 2014).
25 Mining can be conducted on a single machine, or the load of a single mining job can be
26 distributed over multiple machines in a pool of devices, each contributing its share to the group
27 mining process, in a distributed pool mining routine. The advent of distributed mining, as we
28 anticipate, may reduce some of the digital inequalities deriving from different levels of cultural,
29 social, or economic capitals. Indeed, for instance, these services may shrink the different levels
30 of the digital divide, either by reducing inequalities deriving from different levels of digital
31 skills (by using distributed mining users do not need to be techno-savvy) or inequalities
32 deriving from different levels of economic capital to be invested online (by giving time or CPU
33 space).
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56

57 With distributed pool mining, the more computing resources individuals contribute,
58 whether through a single machine or a group of machines, the more rewards they receive. This
59
60

1
2
3 concept of utilising distributed computing to mine cryptocurrency seemed attractive to people
4 with access to large numbers of computers, especially when considering the audience as a
5 source of computing resources. The bundling of mining code within software and websites to
6 run on user devices has been tried in many instances; however, it has been introduced
7 surreptitiously. As in the case mentioned earlier of the popular peer-to-peer Bit Torrent client
8 uTorrent in 2015, when developers concealed Bitcoin mining scripts within one of the
9 application versions, resulting in the application hogging computing resources to run the
10 mining process, causing user uproar and complaints (Estes, 2015). As a result, UTorrent
11 quickly stopped the mining script, and issued an update with the script removed. This practice
12 of concealed use of user computing resources to mine cryptocurrency is often called
13 “cryptojacking” (Newman, 2017). This act soared in 2017, with an increase of 8,500%
14 compared with previous years, according to Symantec’s annual Internet Security Threat Report
15 (Symantec, 2018), the report mentions 1.7 million logged instances in December 2017 alone.
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33

34 However, not all the attempts to utilise user devices’ computing resources were
35 concealed under another use. A mobile app named *Prized*, which launched in February 2014;
36 promised users rewards in exchange for using their time spent on the application, and used that
37 time to run mining scripts. The rewards included clothes and gift cards, and the application in
38 return used mobile device computing resources to mine for cryptocurrency. The mobile app
39 was stopped within a year, and the United States Federal Trade Commission charged the
40 developers with injecting malware in the application and "Hijacking consumers’ mobile
41 devices with malware to mine cryptocurrency" (FTC, 2015). This case shows that mining
42 scripts included with applications were classified as malware, a distinction that still runs to
43 date, with antivirus software issuing warnings on calls to known pool mining URLs and
44 browser plugins designed to block mining scripts.
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 This stigmatisation, however, did not stop many websites from following the
4 infatuation of using their audience as providers of computing resources to mine for
5 cryptocurrency, whether obscure or not, starting from shady websites providing access to
6 controversial content, and later moving to mainstream websites. One of the recent interesting
7 cases where Salon.com, a news and opinion website that started offering users the option to
8 either view ads (content in exchange for attention) or contribute with their device computing
9 resource in exchange for accessing the site and viewing its content (content in exchange for
10 machine power). A popup appears once you enter the site with a tool to block advertisements,
11 or adblocker, turned on, prompting you that in order to access the site, you need to either turn
12 off adblocking, or suppress ads by contributing computer power. If the user chooses the latter
13 option, they are introduced to another popup asking for their opt-in, which stays valid for 24
14 hours, in addition, mining stops once the website tab or browser is closed. In some way, by
15 agreeing to contribute computer power, users get a sort of "premium version" without ads and
16 without paying a subscription. According to Salon's website:

17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36 *"We realize that specific technological developments now mean that it is*
37 *not merely the reader's eyeballs that have value to our site — it's also your*
38 *computer's ability to make calculations, too. Indeed, your computer itself*
39 *can help support our ability to pay our editors and journalists."* (Salon,
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49 This adds something new to the user's attention economy: indeed, users can either
50 decide to give their attention by being exposed to adverts or give their computer power by
51 allowing computer mining. By paraphrasing Smythe (1981), we can say that computer power
52 becomes a commodity itself. This might be read as another sign of the new phase of the Internet
53 that we are entering.

1
2
3 Until recently, significant programming skills were needed to include mining
4 capabilities within applications and services, but the introduction of services like Coinhive in
5 September 2017, which Salon.com is using, significantly lowered the skills required, and
6 helped to explode the popularity of browser-based cryptocurrency mining. CoinHive acts as a
7 broker that provides easy to embed script-based “cryptominers”, managing the process from
8 mining to paying out to developers. All a developer needs to do is to sign up to the service,
9 copy a piece of code, and include it in their online service or website, and then the script will
10 run on users' machines as they visit the developer's website or run their service.
11
12

13
14 Mining scripts, including those of Coinhive, are being treated as malware, and modern
15 browsers started to include capabilities to detect and stop it, but most of these techniques rely
16 on the blacklisting of leading cryptojacking script links. As is the case with Firefox, who
17 introduced a level of blocking as part of its tracking protection feature and is now exploring
18 the possibility of introducing an explicit feature for cryptojacking. Similarly, Google banned
19 mining extensions, whether explicit or implicit, from being offered through their Chrome web
20 store (Cimpanu, 2018). This ban, however, does not appear to affect dedicated mining
21 extensions available at the store yet and Google announced they might be removed beginning
22 in July 2018, the mining extension was replaced by extensions that entice people to move to
23 browsers that maintain the mining function, or extensions that display cryptocurrency prices.
24 One of these extensions is Cryptotab, which we will discuss later.
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50

51 Table 1 about here
52
53
54

55 Table 1 summarises the advantages and disadvantages of distributed pool mining as
56 perceived from both of the use and content provider aspects, one of the disadvantages at the
57
58
59
60

1
2
3 user side is that utilising their computing resources to run mining scripts could result in slowing
4
5 down of the machine, affecting their usage experience. To test this, we have conducted a small
6
7 experiment on Coinhive scripts to record the utilisation of computing resources at different
8
9 settings. The results, as in figure 2 below, show how with two threads of mining running at
10
11 100% of computing resources, the computer was operating at full capacity, and there was
12
13 apparent performance limitation, while with less aggressive settings, the computer was apt to
14
15 allow other applications to run without much performance impairment.
16
17
18
19
20
21

22 Figure 2 about here
23
24
25
26
27

28 Furthermore, to test the effect of running mining scripts on computer usage experience,
29
30 we conducted a small experiment with 10 participants, on computers with different
31
32 performance levels, and different usage patterns. We sent our participants a link to a page with
33
34 a mining script, set to use two threads of computing, at 80% of available computing resources,
35
36 and asked them to keep it running for a whole workday as they conducted their regular work.
37
38 One of the participants reported that their browser kept crashing every time they ran the script,
39
40 while another reported that they observed a significant difference in performance that
41
42 prevented them from effectively conducting their work. The rest of the participants, however,
43
44 did not notice any significant difference. The results of these two tests indicate the possibility
45
46 of utilising machine power to a certain extent without interrupting regular computer use or
47
48 users' experience, by relying solely on discretionary computing power. Nonetheless, it is worth
49
50 mentioning that for such monetisation to be profitable, it needs to run on a large number of
51
52 hosts, for our tests, the yield was marginal at an equivalent of \$0.002 at the time.
53
54
55
56
57
58
59
60

1
2
3 The results of the non-representative experiments described earlier are in line with what
4 other researchers have found, in that the desktop and browser-based distributed pool mining
5 does not cripple machine usability, but also produce thin outcomes compared to what is
6 advertised. Venskutonis, Hao, and Collison (2019), for instance, concluded that browser
7 mining currently generates revenue at a rate 46 times less than what is advertised, however,
8 they find browser mining to have a good potential as an alternative for advertisement,
9 especially that over 60% of their research participants would select browser mining over
10 advertisement if they were invested in the ecosystem by obtaining half of the mined
11 cryptocurrency.
12
13
14
15
16
17
18
19
20
21
22
23

24 **4. Effect on Digital Inequalities, case review**

25 **4.1 Case Selection and Analysis**

26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
There are vast applications of distributed computing available that differ in goals, methods, scales, and availability. Some of the distributed computing applications are confined within strict structures, as with applying the concept of distributed computing within a data centre or a closed group of computing resources, however, we are interested in the applications available to the public and promise return, in a form or another, in exchange of utilising computing resources at the end-node. To unpack the implications of current services that rely on distributed computing and mining on digital inequalities, we analysed three different platforms and services representing three different models that promise to provide value in return for user computing resources. For each of the possible models, we have chosen a service that, so far, is the most widely used and known example. To discuss their implications for digital inequalities, we analysed how these services work for both ends, developers and content providers, and users. The idea is to focus on the inequalities these services cover or touch, by comparing and contrasting these three different platforms against the three levels of digital divide. More specifically, we looked at three cases selected to reflect different applications for

1
2
3 distributed computing based on their popularity and transparency to allow for the needed
4
5 scrutiny to take place.
6
7

8 Our first case study is Coinhive, a service that allows website providers and content
9
10 developers to rely on user computing resources to mine for cryptocurrency. The second model
11
12 is Cryptotab, a tool that lowers the requirements for users' distributed mining. Finally, the third
13
14 model is Gridcoin, a service related to incentives in the form of cryptocurrency, provided to
15
16 users contributing computing resources to distributed scientific research computations. The
17
18 first two services are rather new and may not be as mature as the third one but are nonetheless
19
20 gaining momentum and are establishing their grounds among users. Most importantly, they
21
22 offer practical implementations for conceptual models that can be interpreted as attempts to
23
24 rebalance power distribution, by giving users the tools needed to utilise their computing powers
25
26 for direct value.
27
28
29
30

31 **4.2 Coinhive**

32
33
34 The first case study analysed here is Coinhive. This service manages the pool-mining
35
36 process of cryptocurrency, namely Monero (Coded as XMR), and provides multiple ways for
37
38 utilising user's computers to mine for cryptocurrency and was one of the first publicly available
39
40 programming interfaces for cryptocurrency pool mining (Carlin et al, 2019). The main method
41
42 offered is an easily customised code to be embedded in websites, as well as a dashboard
43
44 allowing easy tracking of accumulated hashing power and amount of rewarded coins. Coinhive
45
46 advertises that there are several ways for monetisation using their service. The first and the
47
48 most common method is through embedding a mining script in websites that run as long as the
49
50 user keeps the browser or browser tab open, or in other words, while the user is reading or
51
52 viewing the content. Other methods include running script on page redirectors, which is usually
53
54 a few seconds of waiting added to show a notification that the user is being redirected to a
55
56 different domain, and with Coinhive, this time can be used to generate hashes.
57
58
59
60

1
2
3 When Coinhive was first launched, sites could start mining scripts automatically
4 without any need for user consent or opt-in. However, browsers, antivirus software, and
5 browser plugins, such as AdBlock, started blocking mining through blocking access to mining
6 URLs. This changed with Coinhive introducing Authedmine, a service from Coinhive that aims
7 at fixing the stigma of illicit mining. Authedmine requires consent from surfers before using
8 their machine to mine for cryptocurrency. Especially after Coinhive old scripts and URLs
9 became blacklisted and an easy target for advertisement blocking plugins and anti-malware
10 tools. The default code provided by Coinhive now uses Authedmine, which is not blacklisted,
11 and requires users to approve running the mining code, by either clicking on an icon, or
12 approving through a message box.
13
14
15
16
17
18
19
20
21
22
23
24
25

26
27 CoinHive service proved to be very popular, with Eskandari et al (2018) estimating 3%
28 of the top 1 million websites on ZMap to be running CoinHive and another 0.26% sites running
29 other miner families. The popularity was largely affected after antiviruses started blocking
30 CoinHive, with only 60 sites running AuthedMine one month after its release. This shows that
31 website developers found it easy to inject their sites with permission-less mining code, but
32 authenticated mining proved to be less appealing to them, thus, despite this effort to obtain user
33 consent, many websites and services still perform illicit mining, either through Coinhive code
34 that does not use Authedmine, or through tricking users into accepting the mining by
35 obfuscating the Authedmine consent process under messages that may sound non-intrusive to
36 users. The obfuscation requires advanced skills on the developers' side, making the process of
37 successful illicit mining harder. But several tools emerged that promise to make it easy to
38 include Coinhive mining, including obfuscated Authedmine, into websites and services,
39 including plugins for one of the most common platforms and Content Management Systems,
40 like Wordpress.
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 Coinhive is not the only provider of script mining services. Many other providers
4 emerged, some count on the blacklisting of Coinhive mining URLs to attract miners looking
5 for alternatives, resulting in an increase in other platforms with a similar offering, making it
6 harder for browsers and antivirus software programs to detect illicit mining. Detecting illicit
7 mining imposed itself strangely at the development roadmap of Firefox browser as part of the
8 tracking protection (Lestoc, 2018) as well as other browsers and antivirus software. This
9 service helped in repositioning power relationships between site visitors and content providers,
10 through changing the commodity content providers are expecting from visitors, from attention
11 and interaction with advertisements, into computing resources and time. In relation to digital
12 divide, we can argue that Coinhive positively affects the digital divide at all its three levels.
13
14
15
16
17
18
19
20
21
22
23
24
25

26
27 As we have seen, the first level of the digital divide is mainly related to access to
28 Internet and digital content. In this way, we may claim that Coinhive may offer users the
29 possibility of accessing content they would not be able to access otherwise. Evidently, users
30 first need to access the Internet, but thanks to this service they can access further digital content
31 and, thus, it may be considered a sort of access allowance, viewed as reducing the first level of
32 the digital divide. The second level of the digital divide is mainly related to Internet usage and
33 digital skills. In this way, by lowering the skills needed to make use of the Internet more
34 satisfactorily, Coinhive is targeting the second level of the digital divide, making it possible for
35 more and more users to surf the Internet more efficiently. Finally, Coinhive provides the
36 opportunity for people to monetise their content and services, and thus increase the financial
37 outcomes they obtain as tangible outcomes of their Internet use, thus contributing to lowering
38 the third level of the digital divide. In summary, we may argue that this service reduces the
39 three levels of the digital divide and, consequently, affects both digital and social inequalities.
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

4.3 Cryptotab

Traditionally, to conduct blockchain mining, users had to install tools on their devices, usually in the form of a wallet application, generate a cryptocurrency address and either operate mining as a full node, which requires maintaining a copy of the whole blockchain on their devices. Alternatively, users can join a mining pool, which lowers the skills and resources needed to just conduct calculations on the device and send results to the pool controller. The success of the concept of running mining scripts through browsers triggered the launch of several services to develop tools, browser plugins, and even browsers that would make it easier to join the mining forces. This approach worked technically in a manner similar to that of Coinhive, except that the user would run mining on their machines rather than websites running mining scripts on visitors' machines, and thus, users do not have to host their websites or develop their own content.

Running these local pool mining tools allowed users to monetise from computer power through distributed pool mining without installing any software other than a browser plugin. Cryptotab, started as a browser plugin, and then a standalone browser following restrictions on the plugin from main browser families. Cryptotab is one of the tools that offer pool mining without installation of complex tools for mining, and also runs a pyramid scheme where the user gets a share of the mining results of their referrals, promising revenues higher than one Bitcoin (BTC) every month, which is valued at over \$6,000 as of April 2020. However, the calculator on their website suggests that to achieve that, a user will need to recruit five friends, and each of these recruit five others, and so on until there are nine levels of referrals. Numbers that are more realistic show that if the user recruited only five first level referrals, they would earn only an estimated \$3.

These services made it easier for people to monetise directly from computing resources they have access to, adding another tangible outcome of being connected to the Internet and

1
2
3 this contributed to shrinking the third level of the digital divide, by allowing users to reap
4 economic benefits of Internet use that they may have not been able to otherwise. A big
5 difference between the Cryptotab and Coinhive approaches is the level of control the end user
6 has on how much computing resource and time is dedicated to the mining process. In addition
7 to that, it is not as easy to run mining illicitly under Cryptotab.
8
9
10
11
12
13
14

15 In sum, Cryptotab helps in reducing two out of three levels of the digital divide. This
16 model does not offer users an additional opportunity to access content they would not be able
17 to access otherwise, as such we cannot claim that it offers any help in bridging the first level
18 of the digital divide. However, by lowering the skills needed to make the use of the Internet
19 more satisfactory, and by providing tangible opportunities for people to monetise from their
20 content and services, Cryptotab contributes to lowering the second and third levels of the digital
21 divide.
22
23
24
25
26
27
28
29
30
31
32
33

34 **4.4 Gridcoin**

35
36
37 Years before the introduction of Coinhive, and as part of the BOINC platform, users
38 contributing computing resources to help solve scientific computational problems had the
39 opportunity to be rewarded an amount of a cryptocurrency, dubbed Gridcoin. This
40 cryptocurrency, launched in 2013, is similar to Bitcoin in that it is cryptocurrency, or a
41 commodity that is based on a blockchain. However, it differs in that in addition to using
42 computational power to secure the network, or blockchain, and creating more of its currency
43 units through the Proof-of-Work algorithms, Gridcoin uses a combination of the energy
44 efficient Proof-of-Stake, and their unique Proof-of-Research algorithm. The Proof-of-Stake
45 algorithm allows its network to be secured through having more nodes online, and in exchange
46 new coins are created by adding an interest rate to currency units. While the Proof-of-Research
47 algorithm functions as a proof of computational power donated to scientific research, it also
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 adds interest to currency to produce Gridcoins as a reward, and thus can be considered a form
4
5 of mining.
6
7

8 This process of using computational power for scientific research adds a use other than
9
10 creating currency to the process of 'mining' and energy invested. Helping in research projects
11
12 varies from searching for alien life, fighting malaria and cancer, to helping with other projects
13
14 under the BOINC platform. One of the main projects under BOINC platform, SETI@Home,
15
16 announced on the 2nd of March 2020 that it is going to hibernation, after running for 21 year,
17
18 effectively stopping all distributed computing, because they have analysed all the data needed
19
20 at the moment, pointing to success of the project distributed model.
21
22
23

24
25 So far, to be able to participate in this project, users need to install a specific application
26
27 that allows them to select the project they would like to donate computational power to. To
28
29 begin earning Gridcoins in return for computing power provided, or crunching as they call it,
30
31 you need to opt in and agree to join the Gridcoin team of the BOINC project of choice, and
32
33 then install the Gridcoin client and wallet.
34
35
36

37 Although BOINC and Gridcoin do not allow users access to content and services they
38
39 may not be able to obtain otherwise, they still offer the opportunity to monetise idle computing
40
41 resources in exchange for a contribution to scientific research, and the satisfaction of
42
43 contributing to a greater good. The monetisation can be considered a tool to increase the
44
45 outcomes of being online, and in a manner similar to that of Coinhive-like implementations,
46
47 contributes to bridging the third level of the digital divide.
48
49
50

51 Therefore, Gridcoin helps in reducing only one out of three levels of the digital divide.
52
53 Unlike the first model, this model does not offer users any additional opportunities to access
54
55 content or services they would not be able to access otherwise and unlike the first two models,
56
57 does not lower the digital skills needed to monetise computing resources, as a significant level
58
59
60

of skill is required to start crunching and receiving Gridcoins. However, by improving the opportunities for users regardless of their economic capital, Gridcoin helps in increasing the tangible outcomes of their Internet use as per the third level of the digital divide through gaining economic benefits. Gridcoin contributes, although slightly, to lowering the third level of the digital divide, but its clear advantage is that the computing resources are used towards solving scientific problems and research.

5. Conclusions and a Suggested Model

Allowing users to convert their devices' computational power into value, whether through access to services or content, or receiving cryptocurrency and payments in return for providing services or content, or direct computational powers, contributes to bridging digital divides, even at fairly small levels. Indeed, while comparing and contrasting three different models related to distributed mining, we have noticed how, in the case of Coinhive, access is made available to content and services that may have not been available otherwise, covering a less-studied aspect of the first level of the digital divide, meaningful access. On top of this, both Coinhive and Cryptotab contribute to significantly lowering the skills needed to utilise device computational power for both content and service developers, and end users, thus contributing to reducing the second level of the digital divide.

Finally, we have seen how in all the three case studies here analysed, users might generate value from using the Internet, touching on the tangible outcomes of Internet use, thus lowering the third level of the digital divide. All of the three models shared the concept of utilising end users' device computational power to generate value, whether for the users themselves in terms of cryptocurrency or access to content and services, or value for developers in return for providing content and services. They are, however, not flawless, and have been stigmatised as illicit mining and hijacking of computational power to mine cryptocurrency, or cryptojacking. This is demonstrated in the difference in the level of control these models

1
2
3 allowed for at the end user side, in terms of options related to when to run mining, and in
4
5 deciding the amount of computational power, aggressiveness of mining, or value of it, they opt
6
7 to provide.
8
9

10 Secondly, we reiterate that the advent of blockchain technologies is shifting power
11
12 relations between end users and content developers and service providers and is a necessity for
13
14 a decentralization of Internet and Internet services. Furthermore, as we have seen, these new
15
16 technologies are introducing a more accessible Internet, particularly for digitally deprived
17
18 individuals, through fairer revenue models for content and online service providers. Models
19
20 that utilise user device computing resources rather than their information, data and attention,
21
22 have been looming on both user and provider sides, we have suggested a model that would
23
24 aggregate benefits from various models, while mitigating the disadvantages of resource
25
26 hijacking and lack of consent, which we see as beneficial for the future of the Internet.
27
28
29
30
31

32 Based on the above discussion, we suggest a model that would enable access and value
33
34 for users, while maintaining full control of their computational resources. This model allows
35
36 for consensual use of user computing resources in exchange for accessing content and using
37
38 software tools and services, where the user can control when and how much resources mining
39
40 can run, and for whom. This can be done in the form of a browser plugin or desktop application,
41
42 where content developers and site owners request a certain value in exchange for content access
43
44 or service provided, and users decide whether to accept this offer or not. Either through
45
46 computational power for mining represented by the number of hashes solved as a form of
47
48 payment, with users deciding the level of aggressiveness of the mining process, or pay through
49
50 transferring equivalent value in the form of cryptocurrency credit, which may be obtained
51
52 through running and directly providing computing resources.
53
54
55
56

57 User here would also have the choice to decide whether computing resources are used
58
59 for cryptocurrency mining or supporting scientific research, or for any process that may be of
60

1
2
3 value and requires high computational powers, like machine learning model training. This
4 model helps in providing the end user with control over what value to give in return for content
5 and services, and thus assures consent and fairness in the relationship between developers and
6 users. Nonetheless, it is worth mentioning that this model, particularly when users opt to pay
7 in the form of cryptocurrency credit, does not assure the anonymity of users, as the transaction
8 would need to go through third parties, thus may be traced back to the user. This model is also
9 linked to the market value of cryptocurrency, and as a result, mining and how attractive it is,
10 particularly to content developers and service providers, in comparison to revenue expected
11 through advertisement. Another aspect would be how this model favours users with high
12 computational resources. Although some forms of social inequalities, such as the absence of a
13 strong economic capital to be invested online, could be reduced by the advent and promotion
14 of these models, social inequalities are still a condition in this model, since economic capital is
15 still required to access ICTs and to possess hardware for high computational resources.
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35

36 References

37
38
39
40
41
42 Andrejevic, M. (2012) "Exploitation in the data mine". In Fuchs, C. (Ed.), *Internet and*
43 *Surveillance: The Challenges of Web 2.0 and Social Media*, Routledge, London, pp. 71-88.

44
45
46
47 Bentov, I., Lee, C., Mizrahi, A., et al. (2014) "Proof of activity: extending bitcoin's
48 proof of work via proof of stake [extended abstract]", *Sigmetrics performance Evaluation*
49 *Review*, Vol. 42 No. 3, pp. 34–37. Doi: 10.1145/2695533.2695545.
50
51

52
53
54 Berners-Lee, T. (2017) "Three challenges for the web, according to its inventor",
55 Available at: <https://webfoundation.org/2017/03/web-turns-28-letter/> (accessed 16 March
56
57
58
59
60 2020).

1
2
3 Brynjolfsson, E., Oh, J. (2012) “The attention economy: measuring the value of free
4 digital services on the Internet”, in ICIS 2012 proceedings. Available at:
5 <http://aisel.aisnet.org/icis2012/proceedings/economicsvalue/9>. (accessed 20 March 2020).
6
7
8

9
10 Carlin, D., Burgess, J., O’Kane, P., Sezer, S. (2019) “You could be mine(d): the rise of
11 cryptojacking”, *IEEE security privacy*, Vol. 1 No. 1.
12
13 <https://doi.org/10.1109/msec.2019.2920585> (accessed 20 March 2020).
14
15
16

17
18 Castells, M. (2004) *The network society: a cross-cultural perspective*, Cheltenham,
19 UK: Edward Elgar Pub.
20
21

22
23 Cimpanu, C. (2018) “Firefox working on protection against in-browser cryptojacking
24 scripts”, In: *bleepingcomputer*, Available at:
25 [https://www.bleepingcomputer.com/news/software/firefox-working-on-protection-against-in-](https://www.bleepingcomputer.com/news/software/firefox-working-on-protection-against-in-browser-cryptojacking-scripts/)
26
27
28
29
30
31
32 browser-cryptojacking-scripts/ (Accessed 16 March 2020).

33
34 Cleff, E.B. (2007) “Privacy issues in mobile advertising”, *International review of law,*
35
36
37 *computers & technology* 21(3): 225–236. Doi: 10.1080/13600860701701421.

38
39 Constantinides, E, Fountain, SJ. (2008) “Web 2.0: conceptual foundations and
40 marketing issues”, *Journal of direct data and digital marketing practice*, Vol. 9 NO. 3, pp.
41
42
43
44 231–244. Doi: 10.1057/palgrave.dddmp.4350098.

45
46 DiMaggio, P and Hargittai, E. (2001) “From the ‘digital divide’ to digital inequality’:
47 studying internet use as penetration increases”, working paper 15, Princeton Center for Arts
48
49
50 and Cultural Policy Studies. Available at:
51
52
53 <https://pdfs.semanticscholar.org/4843/610b79d670136e3cdd12311f91f5cc98d2ee.pdf>
54
55
56
57
58
59
60 (Accessed 30 March 2020).

1
2
3 Eskandari, S., Leoutsarakos, A., Mursch, T., and Clark, J. (2018) “A first look at
4 browser-based cryptojacking”, in 2018 IEEE European symposium on security and privacy
5 workshops (euros pw), pp. 58–66. <https://doi.org/10.1109/eurospw.2018.00014>.
6
7

8
9
10 Estes, AC. (2015) “Your torrent client may be mining bitcoin without telling you”,
11 *Gizmodo*, 3 June. Available at: [https://gizmodo.com/your-torrent-client-might-be-mining-](https://gizmodo.com/your-torrent-client-might-be-mining-bitcoin-without-tel-1689852069)
12 [bitcoin-without-tel-1689852069](https://gizmodo.com/your-torrent-client-might-be-mining-bitcoin-without-tel-1689852069) (accessed 12 March 2020).
13
14
15

16
17
18 FTC (2015) “App developer settles FTC and new jersey charges it hijacked consumers’
19 phones to mine cryptocurrency”. Press release. Available at: [https://www.ftc.gov/news-](https://www.ftc.gov/news-events/press-releases/2015/06/app-developer-settles-ftc-new-jersey-charges-it-hijacked)
20 [events/press-releases/2015/06/app-developer-settles-ftc-new-jersey-charges-it-hijacked](https://www.ftc.gov/news-events/press-releases/2015/06/app-developer-settles-ftc-new-jersey-charges-it-hijacked)
21
22
23 (Accessed 10 March 2020).
24
25
26

27
28 Gillan, J. (2010) *Television and new media: must-click tv*. London: Taylor & Francis.
29

30
31 Helsper, E. (2012) “A corresponding fields model for the links between social and
32 digital exclusion”, *Communication Theory*, Vol. 22 No. 4, pp. 403–426. Doi: 10.1111/j.1468-
33 2885.2012.01416.x.
34
35
36

37
38 Kaplan, A., and Haenlein, M. (2010) “Users of the world, unite! The challenges and
39 opportunities of social media”. *Business horizons*. Vol. 53 No. 1, pp. 59–68. Doi:
40 10.1016/j.bushor.2009.09.003.
41
42
43
44

45
46 Lee, H, Park, N., and Hwang, Y., (2015) “A new dimension of the digital divide:
47 exploring the relationship between broadband connection, smartphone use and communication
48 competence”. *Telematics and informatics*, Vol. 32 No. 1, pp. 45–56. Doi:
49 10.1016/j.tele.2014.02.001.
50
51
52
53

54
55 Lestoc, C. (2018) Upcoming Firefox update blocks in-browser cryptojackers. In:
56 windows report - windows 10 and Microsoft news, how-to tips. Available at:
57 <https://windowsreport.com/firefox-cryptojacking-protection/> (Accessed 14 March 2020).
58
59
60

1
2
3 Lyon, D., (2003) *Surveillance after September 11*, Polity, Malden, Mass.

4
5
6 Mansell, R. (2002) “From digital divides to digital entitlements in knowledge societies”
7
8 *Current sociology*, Vol. 50, No. 3, pp 407–426. Doi: 10.1177/0011392102050003007.
9

10
11 Manzerolle, V, and Wiseman, A. (2016) “On the transactional ecosystems of digital
12
13 media”, *Communication and the Public*, Vol. 1 No. 4, pp. 393–408, Doi:
14
15 10.1177/2057047316679418.
16

17
18 Mattelart, A. (1996) *Invention of Communication*, University of Minnesota Press, MN.

19
20
21 Newman, L. (2017) “Your browser could be mining cryptocurrency for a stranger”,
22
23 *Wired*, 20 October. Available at: [https://www.wired.com/story/cryptojacking-cryptocurrency-](https://www.wired.com/story/cryptojacking-cryptocurrency-mining-browser/)
24
25 [mining-browser/](https://www.wired.com/story/cryptojacking-cryptocurrency-mining-browser/) (accessed 16 July 2018).
26

27
28
29 Nill A. and Aalberts RJ. (2014) “Legal and ethical challenges of online behavioral
30
31 targeting in advertising”, *Journal of current issues & research in advertising*, Vol. 2 No. 35,
32
33 pp. 126–146. Doi: 10.1080/10641734.2014.899529.
34

35
36 Nixon, B. (2020) ‘The business of news in the attention economy: Audience labor and
37
38 MediaNews Group’s efforts to capitalize on news consumption’, *Journalism*, Vol. 21 No. 1,
39
40 pp. 73–94. DOI: 10.1177/1464884917719145.
41

42
43 Norris, P. (2001) *Digital divide: civic engagement, information poverty, and the*
44
45 *internet worldwide*. Cambridge university press, Cambridge, UK.
46

47
48
49 O’reilly, T. (2005) “What is web 2.0”, Available at: <https://oreilly.com> (Accessed 16
50
51 March 2020).
52

53
54 Owens JW., Chaparro BS., and Palmer EM. (2011) “Text advertising blindness: the
55
56 new banner blindness?”, *Journal of Usability studies*, Vol. 6 No. 3, pp. 12:172–197.
57
58
59
60

1
2
3 Pearce KE. and Rice RE. (2013) “Digital divides from access to activities: comparing
4 mobile and personal computer internet users”, *Journal of Communication*, Vol. 63 No. 4, pp.
5 721–744. Doi: 10.1111/jcom.12045.
6
7
8

9
10 Ragnedda, M. (2011) “Social control and surveillance in the society of consumers”.
11
12 *International Journal of Sociology and Anthropology*, Vol. 3 No. 6, pp. 180-188. Available at:
13 [https://www.academia.edu/673071/social_control_and_surveillance_in_the_society_of_cons](https://www.academia.edu/673071/social_control_and_surveillance_in_the_society_of_consumers)
14 [umers](https://www.academia.edu/673071/social_control_and_surveillance_in_the_society_of_consumers) (Accessed 30 March 2020).
15
16
17
18

19
20 Ragnedda, M. (2017) *The third digital divide: a weberian approach to digital*
21 *inequalities*, Routledge, London.
22
23
24

25 Ragnedda, M, and Ruiu, M.L. (2020) *Digital Capital. A bourdieusian approach to*
26 *digital divide*, Emerald Publishing, Bingley.
27
28
29

30 Ragnedda, M., and Destefanis, G. (2019) (Eds.) *Blockchain and web 3.0: social,*
31 *economic, and technological challenges*, Routledge, London.
32
33
34

35 Ragnedda, M., Ruiu, M. L. and Addeo, F. (2019) “Measuring Digital Capital: An
36 empirical investigation”, *New Media & Society*. DOI: [10.1177/1461444819869604](https://doi.org/10.1177/1461444819869604).
37
38
39

40 Randall, D. (1997) “Consumer strategies for the internet: four scenarios”. *Long range*
41 *planning*. Vol. 30 No. 2, pp. 157–147. Doi: 10.1016/s0024-6301(96)00109-4.
42
43
44

45 Rogers, E. M. (2003) *Diffusion of innovations*, 5th edition, Free Press, New York, NY.
46
47

48 Salon (2017) “salon.com | news, politics, business, technology & culture Main Page”.
49 Available at: [https://www.salon.com/about/faq-what-happens-when-i-choose-to-suppress-ads-](https://www.salon.com/about/faq-what-happens-when-i-choose-to-suppress-ads-on-salon/)
50 [on-salon/](https://www.salon.com/about/faq-what-happens-when-i-choose-to-suppress-ads-on-salon/) (Accessed 16 March 2020).
51
52
53
54

55 Schiller, H.I. (1969) *Mass communications and American empire*, Beacon Press,
56 Boston.
57
58
59
60

Selwyn, N. (2004) "Reconsidering political and popular understandings of the digital divide", *New Media & Society*, Vol. 6 No. 3, pp. 341–362. Doi: 10.1177/1461444804042519.

Smythe, D.W., (1981) *Dependency road: communications, capitalism, consciousness, and Canada*. Norwood, Ablex Publishing Corporation, New Jersey.

Symantec (2018) "Internet security threat report". Report number 23, Symantec. Available at: <https://resource.elq.symantec.com/lp=5840?Cid=70138000000rm1eaaa> (accessed 16 March 2020).

van Deursen, AJAM. and van Dijk, J. (2013) "The digital divide shifts to differences in usage", *New Media & Society*, Vol. 16 No. 3, pp. 507–526. Doi: 10.1177/1461444813487959.

van Deursen AJAM. and Helsper, EJ. (2015) "The third-level digital divide: who benefits most from being online?", in Robinson I., Cotten, SR., Schulz J., et al. (Eds.), *Communication and Information Technologies Annual*, Emerald, Bingley, pp. 29–52.

van Deursen AJAM. and van Dijk JAGM. (2015) "Toward a multifaceted model of internet access for understanding digital divides: an empirical investigation", *The information society*, Vol. 31 No. 5, pp. 379–391. Doi: 10.1080/01972243.2015.1069770.

van Dijk JAGM. (2005) *The Deepening Divide: inequality in the information society*, Sage publications, NY.

Venskutonis, S., Hao, F., and Collison, M. (2019) "On legitimate mining of cryptocurrency in the browser - a feasibility study". in Arxiv:1812.04054 [cs]. <Http://arxiv.org/abs/1812.04054>

Vicente, MR. and López, AJ. (2011) "Assessing the regional digital divide across the European Union-27", *Telecommunications policy*, Vol. 35 No. 3, pp. 220–237. Doi: 10.1016/j.telpol.2010.12.013.

1
2
3 Wirtz, BW., Schilke, O., and Ullrich, S. (2010) “Strategic development of business
4 models: implications of the web 2.0 for creating value on the internet, Long range planning”,
5
6 *Business Models*, Vol. 43 No. 2, pp. 272–290. Doi: 10.1016/j.lrp.2010.01.005.
7
8
9

10 Yuan, Y., Roehrig, S. and Caulkins, JP. (1998) “The relationship between advertising
11 and content provision on the internet”, *European journal of marketing*, Vol. 32 No. 7/8, pp.
12
13 677–687. Doi: 10.1108/03090569810224074.
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Tables and Figures



Figure 1: Difference in Rankings, White: No data, Medium range: no significant difference, Light: BOINC contribution ranking is much higher than Internet affordability ranking, Dark: Internet Affordability ranking is much higher than BOINC contribution ranking

	Users	Content Providers/Site Operators
Advantages	<p>Provide opportunity to access more content and services.</p> <p>Potentially provides less privacy intrusive experience by lessening dependence on advertisements.</p>	<p>Provide monetisation opportunities.</p> <p>Allow access to return to content and service wherever traditional methods are not available.</p> <p>Lower level of skills needed to implement cryptocurrency mining.</p>
Disadvantages	<p>Require discretionary computing resources.</p> <p>Current models may pose the possibility of cryptojacking, or mining with no consent.</p>	<p>Does not provide access to full amounts generated, a percentage is paid for the platform.</p> <p>Users with limited computing resources provide marginal return.</p>

Table 1: Advantages and Disadvantages of distributed pool mining




Figure 2 CPU usage with different settings of cryptocurrency mining script